District I P O Box 1980, Hobbs, NM District II P.O. Drawer DD, Artesia, NM 88211 District III 1000 Rio Brazos Rd, Azzec, NM 87410

State of New Mexico Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE

OIL CONSERVATION DIVISION

P.O. Box 2088 DEPUTY OIL & GAS INSPECTOR OFFICE

P.O. Box 2088 DEPUTY OIL & GAS INSPECTOR

Santa Fe, New Mexico 87504-2000

SEP 0 8 1995

PIT REMEDIATION AND CLOSURE REPORT

			Flynn	
				man in the second second of the second of th
Operator: Wi	lliams Field Services		Telephone	801-584-6999
Address: 295 Chipeta Way Salt Lake City, UT 84158				
Facility Or: SJ 29-5 # 62				
Well Name				
Location: Unit or Qtr/Qtr Sec M Sec 7 T29N R5W County Ric ARRIBA				
Pit Type: Separator Dehydrator X Other				
Land Type: BLM, State, Fee, Other MARY I. CHUCKBY				
sia secretaria di dispersione della companya della companya di del				
Pit Location: Pit dimensions: length 27', width 26', d (Attach diagram)				
	Reference: wellhead	$\frac{1}{X}$, other		
	Footage from referen	ce: <u>36</u>		V.
	Direction from refer	ence: 10	Degrees Ea	
			× We	of est South <u>X</u>
				- i
Depth To Ground Water:		Less tha	n 50 feet	(20 points)
(Vertical distance from contaminants to seasonal			to 99 feet than 100 feet	(10 points) (0 Points) (0
high water elevation of ground water)		PEGEI		
		1711	4.2.	
Wellhead Protection Area: (Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)		SEP 1 9	Yes	(20 points)
		WILL GOM	No (0 points) O	
		DIST.	গ্র	
Distance Me Su	udaga Wabara	7 a a b-	- 200 faat	(20 points)
Distance To Surface Water: (Horizontal distance to perennial		200 feet	n 200 feet to 1000 feet	
lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)		Greater	than 1000 feet	(0 points) O
RANKING SCORE (TOTAL POINTS): 10				

Date Remediation St	tarted:	Dated Completed:		
Remediation Method: (Check all appropriate	Excavation	Approx. cubic yards		
sections)	Landfarmed			
	Other			
Remediation Location: Onsite Offsite				
name and location of offsite facility)				
General Description	Of Remedial Act	tion:		
Site Assessment	<u>in accordance w</u>	ith OCD and BLM guidance document.		
Ground Water Encoun	tered: No X	Yes Depth		
Final Pit: Closure Sampling: (if multiple samples,	Sample location	Standard Triangle from pit floor.		
attach sample results and diagram of sample locations and depths)	Sample depth	3'		
roductions and depens)	Sample date	6-5-94 Sample time 10:55a		
	Sample Results			
	Benzene (pp	m)		
Total BTEX(ppm)				
		space(ppm) 79		
	TPH			
Ground Water Sample: Yes No $\underline{\chi}$ (If yes, attach sample results)				
I HEREBY CERTIFY THA OF MY KNOWLEDGE AND	T THE INFORMATION	ON ABOVE IS TRUE AND COMPLETE TO THE BEST		
DATE 9-6-90				
PRINTED NAME				
		TLE Lee Bauerle, Environmental Spec		

П



WEST ANALYTICAL **LABORATORIES**

ORGANIC ANALYSIS REPORT

Client: Mile High Environmental Date Sampled: June 5, 1994

Date Received: June 14, 1994

Set Description: Forty-Five Solid Samples

Set Identification #: 18743 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction

Infrared Absorption)

Date Extracted:

June 20, 1994

463 West 3600 South Salt Lake City, Utah 84115

Lab Sample ID. Number:

18743-16

Field Sample ID. Number: Vulnerable Area Pit Location

Date Analyzed: June 22, 1994

SJ 29-5 #62 86696

Analytical Results
Units = mg/kg (ppm)

Total Recoverable Petroleum Hydrocarbons

(801) 263-8686 Fax (801) 263-8687

Compound:

Detection

Amount Detected:

Limit:

Total Recoverable Petroleum Hydrocarbons

5.0

290.

<Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Report Date 6/27/94

1 of 1