

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

Phillips Petroleum Company

3. Address and Telephone No

5525 Hwy. 64, NBU 3004, Farmington, NM 87401 505-599-3454

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Unit N, 1180' FSL & 1750' FWL
Section 35, T-29-N, R-5-W

5. Lease Designation and Serial No.

SF-078917

6. If Indian, Allottee or Tribe Name

7. If Unit or CA, Agreement Designation

San Juan 29-5 Unit

8. Well Name and No.

S.J. 29-5 Unit #90

9. API Well No.

30-039-21787

10. Field and Pool, or Exploratory Area

Basin Dakota

11. County or Parish, State

Rio Arriba, NM

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

- ☐ Notice of Intent
☒ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Abandonment
☐ Recompletion
☐ Plugging Back
☐ Casing Repair
☐ Altering Casing
☒ Other Pit Closure

- ☐ Change of Plans
☐ New Construction
☐ Non-Routine Fracturing
☐ Water Shut-Off
☐ Conversion to Injection
☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The pit associated with the subject well's separator has been closed.
Details of the closure are attached.

Denny L. Burt
DEPUTY OIL & GAS INSPECTOR

OCT 31 1995

RECEIVED
MAY - 4 1995

OIL CON. DIV.
DIST. 3

14. I hereby certify that the foregoing is true and correct

Signed Ed Hasely Title Environmental Engineer

(This space for Federal or State office use)

Approved by

Conditions of approval, if any:

Title

APR 27 1995

DISTRICT MANAGER

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

District I

P.O. Box 1960, Hobbs, NM

District II

P.O. Drawer DD, Artesia, NM 88211

District III

1000 Rio Brucos Rd, Aztec, NM 87410

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

P.O. Box 2088
Santa Fe, New Mexico 87504-2088

SUBMIT 1 COPY TO
APPROPRIATE
DISTRICT OFFICE
AND 1 COPY TO
SANTA FE OFFICE

PIT REMEDIATION AND CLOSURE REPORT

Operator: Phillips Petroleum Company Telephone: 505-599-3400

Address: 5525 Hwy. 64, NBU 3004, Farmington, NM 87401

Facility Or: San Juan 29-5 Unit #90

Well Name

Location: Unit or Qtr/Qtr Sec SE SW Sec 35 T 29N R 5W County Rio Arriba

Pit Type: Separator X Dehydrator Other

Land Type: BLM X State Fee Other

Pit Location: Pit dimensions: Length 20', width 20', depth 3'
(Attach diagram) Reference: wellhead X, other
Footage from reference: 45
Direction from reference: 0 Degrees X East of North X
West South

Depth to Ground Water: 280
(vertical distance from
contaminants to seasonal
highwater elevation of
ground water)

<u> </u>	Less than 50 feet	(20 points)	
<u> </u>	50 ft to 99 feet	(10 points)	
<u>X</u>	Greater than 100 feet	(0 points)	<u>0</u>

Wellhead Protection Area:
(less than 200 feet from a private
domestic water source, or: less than
1000 feet from all other water sources).

<u> </u>	Yes	(20 points)	
<u>X</u>	No	(0 points)	<u>0</u>

Distance to Surface Water:
(Horizontal distance to perennial
lakes, ponds, rivers, streams, creeks,
irrigation canals and ditches.)

<u> </u>	Less than 200 feet	(20 points)	
<u> </u>	200 feet to 1000 feet	(10 points)	
<u>X</u>	Greater than 1000 feet	(0 points)	<u>0</u>

RANKING SCORE (TOTAL POINTS): 0

PITCFRM.WK3

Date Remediation Started: N/A Dated Completed: _____

Excavation _____ Approx. cubic yards _____

Landfarmed _____ Insitu Bioremediation _____

Other _____

Remediation Method: Onsite _____ Offsite _____
(Check all appropriate sections)

General Description of Remedial Action: N/A

Initial assessment showed soils to be clean at the surface and at 3'
below pit bottom.

Ground Water Encountered: No X Yes _____ Depth _____

Final Pit: Sample location deepest part of pit. Sampled with a backhoe.

Closure Sampling:
(if multiple samples,
attach sample results
and diagram of sample
locations and depths)

Sample depth 3' below pit bottom.

Sample date 8-22-94 Sample time _____

Sample Results

Benzene (ppm) .048

Total BTEX (PPM) .880


Field Headspace (ppm) 156

TPH 36

Ground Water Sample: Yes _____ No X (If yes, attach sample results)

I HEREBY CERTIFY THAT THE INFORMATION ABOVE IS TRUE AND COMPLETED TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DATE 2/16/95 PRINTED NAME Ed Hasely

SIGNATURE  and TITLE Environmental Engineer

PHILLIPS PETROLEUM PIT ASSESSMENT SUMMARY
REVISED DATE SEPT 29, 1994

1994

ENVIROTECH, INC.

REVISED DATE: SEPT 29, 1994													CJC		EPA METHOD 8020 (PPM)									
PIT NO	WELL NAME	U.S.T.R.	PIT TYPE	RANK SCORE	CLOSURE STANDARD (PPM)	DATE	DETERMINATION	SOIL TYPE	SAMPLE NO.	Organic Vapor (PPM)	Recoverable Per. Hydr. (PPM)	METHOD 5030 PULGE - AND - IRAP					TOTAL BTEX	STATUS						
												Benzene	Toluene	Ethyl Benzene	Xylene									
PA220	SAN JUAN 28-7 #67	A33207	SEP/ALOM	10	1000	07/13/94	NO	CLAY/SLT	T1 @ 3.0	664	142							CLOSE						
									T1 @ 6.0	664	248													
									T1 @ 9.0	664	64	NC	97		NO	260	357							
									T1 @ 14.0	677	242													
PA228	SAN JUAN 30-5 #73 DK	B103005	SEP	0	5000	08/17/94	NO	SHALE	T1 @ 7.0	176	280	43	1130		56	697	1926	CLOSE						
									T1 @ 12.0	39.6														
PA227	SAN JUAN 30-5 #61 MV	A153005	SEP	10	1000	08/18/94	NO	CLAY	T1 @ 4.5	1.5	38							CLOSE						
									T1 @ 18.0	490	99	32	98		NO	51	179	CLOSE						
PA227A	SAN JUAN 29-8 #107	A265003	SEP	10	1000	09/22/94	NO	CLAY	T2 @ 4.5	48	186							CLOSE						
									T2 @ 7.0	345	74	NC	NC		NO	NO	NC							
PA228	SAN JUAN 28-5 #70	B352803	SEP			09/22/94	NO	SAND	T1 @ 5.5	547	4275							REMEDIAL TO 5.5 BEDROCK						
									T3 @ 3.0	5.0	ND													
PA228	SAN JUAN 28-5 #70	N352905	SEP	0	5000	08/22/94	NO	SANDY CLAY	T1 @ 3.5	159		48	183		84	565	690	CLOSE						
									T1 @ 6.0	157	38							CLOSE						
PA230	SAN JUAN 29-8 #78	M022806	SEP	10	1000	08/23/94	NO	SLTY CLAY	T1 @ 6.0	6.5	34							CLOSE						
									T1 @ 4.0	190	318	32	339		121	1440	1833	CLOSE						
PA231	SAN JUAN 29-8 #103 PC	K044444	SEP	0	5000	09/23/94	NO	SLTY CLAY	T1 @ 4.5	544	4720	34	76		19	240	369	CLOSE						
									T1 @ 7.0	80	24							CLOSE						
PA232	SAN JUAN 29-8 #114	A072808	SEP	0	5000	08/23/94	NO											CLOSE						
									T1 @ 5.5	0	ND							CLOSE						
									T1 @ 8.0	16	22							CLOSE						
PA233	SAN JUAN 29-5 #71	M102805	SEP	10	1000	08/29/94	NO	CLAY/SHALE	T1 @ 4.5	0	ND							CLOSE						
									T1 @ 7.0	0	ND							CLOSE						
PA234	SAN JUAN 30-5 #78	A333006	SEP	0	5000	08/29/94	NO	CLAY/SHALE	T1 @ 4.5	0	ND							CLOSE						
									T1 @ 7.0	0	ND							CLOSE						
PA235	SAN JUAN 30-5 #100 DK	A343005	SEP	0	5000	08/29/94	NO	SANDY SHALE	T1 @ 5.5	0	NC							CLOSE						
									T1 @ 8.0	288	359	64	29		91	299	503	CLOSE						
PA237	SAN JUAN 29-5 #75	M222905	SEP	10	1000	08/30/94	NO	SANDY CLAY	T1 @ 6.0	368	3380	64	36				60	REMEDIAL TO 6.0						
									T1 @ 11.0	425	290													
PA238	SAN JUAN 29-5 #70	H282905	SEP	10	1000	08/30/94	NO	CLAY	T1 @ 8.0	147	20	52	31			76	191	CLOSE						
									T1 @ 11.0	466	7590							REMEDIAL TO 14.0						
PA239	SAN JUAN 29-5 #67	C252905	SEP	10	1000	08/30/94	NO	CLAY/SAND	T1 @ 11.0	302	8980							REMEDIAL TO 14.0 BEDROCK						
									T1 @ 14.0	218	1320													
PA240	SAN JUAN 29-5 #104 PC	B102905	SEP	10	1000	08/31/94	NO	CLAY	T1 @ 0.5	168	6740	66	93		560	405	1127	REMEDIAL TO 4.0						
									T1 @ 4.0	140	36							CLOSE						
PA241	SAN JUAN 29-5 #61	H052905	SEP	0	5000	08/31/94	NO	CLAY	T1 @ 4.5	2	NC							CLOSE						
									T1 @ 7.0		12							CLOSE						
PA242	SAN JUAN 29-5 #59	H312905	SEP	10	1000	08/31/94	NO	CLAY/SAND	T1 @ 7.0	470	5640							REMEDIAL TO 11.0 BEDROCK						
									T1 @ 11.0	64	22													
PA243	SAN JUAN 29-8 #78	L222906	SEP	0	5000	08/31/94	NO	CLAY	T1 @ 4.5	0	18							CLOSE						
									T1 @ 7.0	0	14							CLOSE						

5796 US HWY 64. FARMINGTON. NM 87401
(505) 632-0615

3886

JOE '10 37:32
PAUL '10 1 00

PROJECT: PIT ASSESSMENT
CLIENT: PHILLIPS PETROLEUM
CONTRACTOR: ENVIROTECH, INC.
EQUIPMENT USED: CASE EXTEND-A-DIG

DATE STARTED: _____
DATE FINISHED: 22 Aug 70
ENMPG. SPCLT: OFF
OPERATOR: CIMAFFEN
ASSISTANT: K.C.

LOCATION: LEASE: SAN JUAN 29-5 WELL: 70 OD: 1180' FS & 1750' FW
SEC: 35 TWP: 29N RNG: 5W PM: MM CNTY: RA ST: ND PIT: S&P

LAND USE: RANGE LEASE NO. 078917
SURFACE CONDITIONS: PASTURE

FIELD NOTES & REMARKS: PIT IS LOCATED APPROXIMATELY 45 FEET NORTH OF WELLHEAD

CLOSURE STD: 0

280' Delta to surrounding area

RANKING SCOPE 5000

20' Depth to groundwater
Soil is yellow-brown poorly sorted sandy
clay, slightly moist.


[illegible]


4AC 675 $\Rightarrow$ 5.1 gm, 20 ml = $9 \times 4 = 36$ gm

SCALE
0  100
1 CM = 20'
FEET
SITE DIAGRAM

TH#:	TH#:	TH#:	TH#:
SOIL TYPE: SMPLE QVM, TPE TFW	SOIL TYPE: SMPLE QVM, TPE TFW	SOIL TYPE: SMPLE QVM, TPE TFW	SOIL TYPE: SMPLE QVM, TPE TFW

	TH #:	SAMPL TYPE:	CORR TYPE:	TH #:
0.0				
1				
2				
3				
3 1/2'		Pit Bottom		
		40' KLN Crown		
		SC GCB 15B		
		Gray BK	SHAW	
		odor		
		SC GCB 15F		





ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

LABORATORY NO. 11
DATE: 8-22-94

FIELD MODIFIED EPA METHOD 418.1 TOTAL PETROLEUM HYDROCARBONS

Client:	Phillips Petroleum	Project #:	93163
Sample ID:	T-1 @ 6'	Date Analyzed:	8-22-94
Project Location:	San Juan 29-5 #90	Date Reported:	8-22-94
Laboratory Number:	GAC0675	Sample Matrix:	Soil

Parameter	Result, mg/kg	Detection Limit, mg/kg
Total Recoverable Petroleum Hydrocarbons	35	20


ND = Not Detectable at stated detection limits.


QA/QC:	QA/QC Sample TPH mg/kg	Duplicate TPH mg/kg	% *Diff.
	7,420	6,960	6


*Administrative Acceptance limits set at 30%.

Method: Modified Method 418.1, Petroleum Hydrocarbons, Total Recoverable, Chemical Analysis of Water and Waste, USEPA Storet No.4551, 1978

Comments: Separator Pit PA229


Analyst


Review



ENVIROTECH LABS

5796 US HIGHWAY 64-3014 • FARMINGTON, NEW MEXICO 87401
PHONE: (505) 632-0615 • FAX: (505) 632-1865

10/11/94 11:03:11

10/11/94 11:03:11

EPA METHOD 8020 AROMATIC VOLATILE ORGANICS

Client:	Phillips	Project #:	93163
Sample ID:	TI@3.5	Date Reported:	09-02-94
Laboratory Number:	7833	Date Sampled:	08-22-94
Sample Matrix:	Soil	Date Received:	08-22-94
Preservative:	Cool	Date Extracted:	08-26-94
Condition:	Cool & Intact	Date Analyzed:	09-01-94
		Analysis Requested:	BTEX

Parameter	Concentration (ug/Kg)	Det. Limit (ug/Kg)
-----	-----	-----
Benzene	48	19.7
Toluene	183	19.7
thylbenzene	84	13.1
p,m-Xylene	196	19.7
o-Xylene	379	19.7

SURROGATE RECOVERIES:	Parameter	Percent Recovery
	-----	-----
	Trifluorotoluene	131 %
	Bromofluorobenzene	124 %

Method: Method 5030, Purge-and-Trap, Test Methods for
Evaluating Solid Waste, SW-846, USEPA, July 1992

Method 8020, Aromatic Volatile Organics, Test Methods
for Evaluating Solid Waste, SW-846, USEPA, Sept. 1986.

ND - Parameter not detected at the stated detection limit.

Comments: San Juan 29-5 #90 sep pit PA229

Rey L. Griffin
Analyst

Maris D. Young
Review