

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

P. O. Bex 965 Farmington, New Mexico

June 13, 1955

El Paso Natural Gas Company Box 997 Farmington, New Mexico

Re: Santa Fe 078945 14-08-001-567

Gentlemens

Receipt is acknowledged of your "Notice of Intention to Drill" dated June 9, 1955 covering your well No. hl San Juan 29-7 Unit in SW4 sec. 28, T. 29 N., R. 7 W., N. M. P. M., Rio Arriba County, New Mexico, Blanco pool.

Tour proposed work is hereby approved subject to compliance with the previsions of the "Oil and Gas Operating Regulations" revised May 25, 19h2, a copy of which will be sent to you on request, and subject to the following conditions:

- Brilling operations so authorised are subject to the attached sheet for general conditions of approval.
- 2. Furnish copies of all logs.

Very truly yours,

(Orig. Sgd.) ≥, T. McGRAHI

P. T. McGrath District Engineer

PTMcOrath :ac





UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

and the second

S. N. J. B. C. Ch.

the transfer of the

The state of the s

The state of the s

ACTION OF THE STATE OF THE STAT

the state of the s

AT The second

Action to the second

3 10 m

Form 9=831 a (Feb. 1951)					

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Offi	Sant	a Fe	
Lease No.			
St	an Just	29-7	Unit
14	-08-00	L-567	

SUNDRY NOTICES A	ND REPORTS ON WELLS
NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF RE-DRILLENG OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT SUPPLEMENTARY WELL HISTORY
(INDICATE ABOVE BY CHECK MARK	NATURE OF REPORT, NOTICE, OR OTHER DATA)
Sw Section 25 (1/2 Sec. and Sec. No.) (Field) (County The elevation of the derrick floor above sea le	(Range) (Meridian) Rio Arriba (State or Territory) Evel is 6587. ft. ILS OF WORK izes, weights, and lengths of proposed casings; indicate mudding jobs, cement-other important proposed work)
It is intended to drill a well with the pay section with gas circulation Lookout formations. Total Depth 56 Casing Program: 9 5/8" at 170' with 125 sacks 7" at 4890' with 250 sacks	rotary tools through the Mess Verde drilling on, and to sand-oil the Cliff House and Point 30°. Eks regular cement circulated to surface. Posmix and 250 sacks regular cement.
I understand that this plan of work must receive approva Company 11 Page Return Gas Compan Address Box 397	l in writing by the Geological Survey before operations may be commenced.
Farmington, New Mexico	Title Petroleum Engineer