

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ gas ☒ other ☐
2. NAME OF OPERATOR
El Paso Natural Gas Company
3. ADDRESS OF OPERATOR
P.O. Box 289, Farmington, NM 87401
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)
AT SURFACE: 1640'S, 1120'E
AT TOP PROD. INTERVAL:
AT TOTAL DEPTH:
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:
TEST WATER SHUT-OFF ☐ ☐
FRACTURE TREAT ☐ ☒
SHOOT OR ACIDIZE ☐ ☐
REPAIR WELL ☐ ☐
PULL OR ALTER CASING ☐ ☐
MULTIPLE COMPLETE ☐ ☐
CHANGE ZONES ☐ ☐
ABANDON* ☐ ☐
(other) ☐ ☐

5. LEASE
SF 078423
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
San Juan 29-7 Unit
8. FARM OR LEASE NAME
San Juan 29-7 Unit
9. WELL NO.
44A (MD)
10. FIELD OR WILDCAT NAME
Blanco MV & Basin Dakota
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
Sec. 17, T-29-N, R-7-W
NMPM
12. COUNTY OR PARISH
San Juan
13. STATE
New Mexico
14. API NO.
15. ELEVATIONS (SHOW DF, KDB, AND WD)
6668' GL

(NOTE: Report results of multiple completion or zone survey on Form 9-330.)
U. S. GEOLOGICAL SURVEY
FARMINGTON, N. M.

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

8-10-80: PBDT 7948'. Tested caing to 4500#, OK. Perfed Dakota 7721,7716,7720,7724,7728, 7732,7736,7740,7744,7800,7823,7826,7850,7877,7888' W/1 SPZ. Fraced w/ 84,500# 20/40 sand, 65,000 gal. wtr. Flushed w/ 16,500 gal. wtr.

8-11-80: Perfed Massive & Lower Point Lookout: 5626,5632,5638,5644,5650,5656,5662,5668, 5674,5680,5686,5698,5704,5718,5730,5736,5743,5750,5777,5793,5850,5860,5895,5922, 5962,5983,5992,6007,6054,6074'W/1 SPZ. Fraced w /1 SPZ. Fraced 85,000# 20/40 sand, 17,000 gal. wtr. Flushed w/ 15,582 gal. wtr.

Perfed Cliff House 5098,5116,5174,5192,5198,5204,5210,5227,5233,5239,5264, 5270,5391,5410,5513' W/1 SPZ. Fraced w/ 50,000# 10/20 sand, 100,000 gal. wtr. Flushed w/ 14,154 gal. wtr.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Regan Brashfield TITLE Drilling Clerk DATE August 20, 1980

ACCEPTED FOR RECORD
APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

AUG 21 1980

FARMINGTON DISTRICT
BY BW

*See Instructions on Reverse Side

NE1000