UNITED STATES

	0. LEASE
DEPARTMENT OF THE INTERIOR	SF 079938A
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
	The Control of the Artist Control of the Art
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
Do not use this form for proposals to drill or to deepen or plug back to a different eservoir. Use Form 9–331–C for such proposals.)	
eservoir. Use Form 9–331–C for such proposals.)	-l "
1. oil gas 🔽	Bolin San - Control Bolin Boli
well well state other	9. WELL NO. \$48 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
2. NAME OF OPERATOR	1A # # # # # # # # # # # # # # # # # # #
El Paso Natural Gas Company	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	Blanco M.V.
P.O. Box 289, Farmington, New Mexico 87401	11. SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	AREA Sec. 30, T-29-N, R-8-W
below.)	N.M.P.M.
AT SURFACE: 1700'S, 1480'E	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL:	San Juan New Mexico
AT TOTAL DEPTH:	14. API NO. 19 19 19 19 19 19 19 19 19 19 19 19 19
6. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
	6495' GLS C 1 8 8 8 8 8
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
rest water shut-off	
FRACTURE TREAT	
SHOOT OR ACIDIZE	
REPAIR WELL	(NOTE: Report results of multiple completion or zone change on Form 9-330.) 기 일 등 등 등
PULL OR ALTER CASING	change on Form 9–330.)
MULTIPLE COMPLETE	
ABANDON*	
(other)	ह केविहेंगा है धुनिहरू है
`	<u> </u>
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly sta	te all pertinent details, and give pertinent dates,
including estimated date of starting any proposed work. If well is a measured and true vertical depths for all markers and zones pertine	ent to this work.)* Halle A.
Meddared and traction to the second of the s	
6-5-79: PBTD 5675'. Tested casing to 3500#	OK Perfed Mass. & Lower P.L. 5212.
5228,5234,5240,5254,5258,5263,5282,5287,5292	5308 5320 5325 5346 5444 5458 5552
5583,5607,5630,5655' w/1 SPZ. Fraced w/66,5	500# 20/40 sand and 133 000 gal. water.
Flushed w/7098 gal. water. Perfed C.H. & Me	20, 45 45 45 50 46 18 46 35 46 39 46 44 46 49 .
Flushed W//U98 gal. water. Peried C.n. q Me	450,4550,4010,4055,7055,7077,7070,
4668,4674,4690,4695,4700,4705,4726,4737,4964	1,5000,5014,5049,5054,5055,5050 W/I
SPZ. Fraced w/65,000# 20/40 sand and 120,00	ou gat. water. Friedlied wy 0504 Bar.
water.	그 100
	그는 그는 그는 그를 가는 그는 그를 가장하다.
	물목의 현진 경상 출원 회원
•	
	noki 233 233 236 246 246 346 346 160 160 160 160 160 160 160 160 160 16
	O 10 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Subsurface Safety Valve: Manu. and Type	
18. I hereby certify that the foregoing is true and correct	
M	lerk June 6, 1979 3 3
SIGNED A SUSCE TITLE Drilling C.	lerk DATE June 0, 1979 353

(This space for Federal or State office use)

APPROVED BY _______CONDITIONS OF APPROVAL, IF ANY:

DATE

t benefities temati State or Francisco A conduction of the last of th JUN 2 1 1979 CON. COM. DIST. 3

*See Instructions on Reverse Side