DEC 3 0 1997


Meter Number:89725 Location Name: STATE GAS COM A #1A Location:TN-29 RG-09

SC-16 UL-0

4 - Fee

NMOCD Zone:OUTSIDE

Hazard Ranking Score:00



RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1.000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

10⁻⁹ to 10⁻¹³ cm/sec 10⁻¹² to 10⁻¹⁶ cm/sec 10⁻¹² to 10⁻¹⁵ cm/sec Sandstone Shale Clav

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.




FIELD PIT SITE ASSESSMENT FORM ELPASOFIELD SERVICES

GENERAL	Meter: \$7725 Location: STATE GAS COM A #/A Operator #: 0203 Operator Name: Amoco P/L District: Bloomfieus Coordinates: Letter: O Section G Township: 29 Range: 9 Or Latitude Longitude Pit Type: Dehydrator X Location Drip: Line Drip: Other: Site Assessment Date: _2.22.95 Area: Run:					
T	NMOCD Zone: (From NMOCD Maps) Inside Outside Outside Depth to Groundwater Less Than 50 Feet (20 points) 50 Ft to 99 Ft (10 points) Greater Than 100 Ft (0 points) Wellhead Protection Area: Is it less than 1000 ft from wells, springs, or other sources of					
SITE ASSESSMENT	Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? (1) YES (20 points) (2) NO (0 points) Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) (1) 200 Ft to 1000 Ft (10 points) (2) Greater Than 1000 Ft (0 points) (3) Name of Surface Water Body (Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds) Distance to Nearest Ephemeral Stream (1) < 100'(Navajo Pits Only) (2) > 100' TOTAL HAZARD RANKING SCORE: O POINTS					
REMARI	Remarks: REDLINE F. TOPO SHOW LOCATION OUTSIDE V.Z. THREE PITS ON LOCATION, UNUSED DEHY PIT BEIDNES TO EPNG. WILL CLOSE PIT.					
RE	PUSH IN (SP3190) 04/08/94					

ORIGINAL PIT LOCATION

Original Pit : a) Degrees from North 115° Footage from Wellhead 118'

b) Length : ________ Width : ________ Depth : __________



Remarks	:
---------	---

PHOTOS - 1147

Completed By:

Signature

2.22.95 Date

FIELD PIT REMEDIATION/CLOS_RE FORM

GENERAL	Meter: 89725 Location: State 6.5 Com A A IA Coordinates: Letter: O Section 16 Township: 29 Range: 9 Or Latitude Longitude Date Started: 7-14-55 Run: 10 5-3
FIELD OBSERVATIONS	Sample Number(s): AK433 Sample Depth: 12' Feet Final PID Reading PID Reading Depth Feet Yes No Groundwater Encountered
CLOSURE	Remediation Method: Excavation Or site Bioremediation Backfill Pit Without Excavation Soil Disposition: Envirotech Other Facility Name: Pit Closure Date: 7-19-95 Pit Closed By: Ptilip
REMARKS	Remarks: Arcived took fence down Dug Sample Hole 1 12 2 appeared to be clean after that soil turned Gray Thes last 2' appeared to clean up aggin Brown Soil No Hydrocarbon odor Signature of Specialist: Morgan Keleion (SP3191) 03/16/94



FIELD SERVICES LABORATORY ANALYTICAL REPORT

PIT CLOSURE PROJECT - Soil Samples Outside the GWV Zone

	SAMPLE	IDENTIFICA	TION					
	Field	ID		Lab ID				
SAMPLE NUMBER:	MK 33		94					
MTR CODE SITE NAME:	MK RBYITHS							
SAMPLE DATE TIME (Hrs):	7/14/95	18:30 10:30 \$ 7/20/45						
SAMPLED BY: N/A								
DATE OF TPH EXT. ANAL.:	7-18-99	7-18-95						
DATE OF BTEX EXT. ANAL.:	DJA		NIA					
TYPE DESCRIPTION:	VG Brewn sum and clay			<u> </u>				
REMARKS:		DECUITE						
		RESULTS						
PARAMETER	RESULT	UNITS	QUALIFIERS					
	e6		DF	Q	M(g) V(ml)			
TPH (418.1)	+ RB 181	MG/KG			1.99 28			
HEADSPACE PID		PPM			:			
PERCENT SOLIDS	93.8	%						
		TPH is by EPA Metho	d 418.1					
Narrative:			- 					
DF = Dilution Factor Used								
Approved By:			Date:	7/24/96	<u></u>			

95/07/18 08:40

Sample identification 947000

Initial mass of sample, g

Volume of sample after extraction, ml 38.000

Petroleum hydrocarbons, ppm 190.956

Net absorbance of bydrocarbons (2930 cm-1) 1.032

