

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office San Antonio
Lease No. 000712
Unit 2/2 3/4 sec. 21

SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|---|-------------------------------------|---|--|
| NOTICE OF INTENTION TO DRILL..... | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | |
| NOTICE OF INTENTION TO CHANGE PLANS..... | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | | SUBSEQUENT REPORT OF REDRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | | SUPPLEMENTARY WELL HISTORY..... | |
| NOTICE OF INTENTION TO ABANDON WELL..... | | | |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Sept. 30, 1952

Well No. 7 is located 1550 ft. from S line and 1550 ft. from W line of sec. 21

1550 (1/4 Sec. and Sec. No.) 21 (Twp.) 21 (Range) 1550 (Meridian)

San Antonio (Field) San Antonio (County or Subdivision) Texas (State or Territory)

The elevation of the derrick floor above sea level is 1315.2 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set 13 3/8" 48' casing at 200' - will circulate cement. Set 7" 20' casing at 5000', cement w/200 gr. Will drill mesa verde with this. Total depth will be approximately 5700'. Top of mesa verde expected at approximately 5100'. Conclusions to be run before setting 7" casing.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Barrow Lidd

Address 57 First National Bldg.

San Antonio, Texas

By May J. Gilbert

Title Geologist