District I ? () Box 1980, Hobbs, NM District II

2 O. Drawer DD, Artesus, NM 88211

District III 1000 Rio Brazos Rd, Aztec, NM 87410

## State of New Mexico Energy, Minerals and Natural Resources Department

SUBMIT 1 COPY TO APPROPRIATE

OIL CONSERVATION DIVISION DEPUTY OIL & GAS INSPECTOR

P.O. Box 2088 DEPUTY OIL & GAS INSPECTOR

Santa Fe, New Mexico 87504-2088

SEP 0 8 1995

## PIT REMEDIATION AND CLOSURE REPORT

	1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	
Operator: Williams Field Services	Telephone: 801-584-6999	
Address: 295 Chipeta Way Salt	Lake City, UT 84158	
Facility Or: SJ 30-5 #35		
Well Name  Location: Unit or Qtr/Qtr Sec		
Pit Location: Pit dimensions: length 10', width 10', depth 3'/2'  Reference: wellhead X, other  Footage from reference: 63'  Direction from reference: 80 Degrees X East North X of West South		
Depth To Ground Water: (Vertical distance from contaminants to seasonal high water elevation of ground water)  Wellhead Protection Area:	Less than 50 feet (20 points) 50 feet to 99 feet (10 points) Greater than 100 feet (0 Points)  DECEIVED  Yes (20 points)	
(Less than 200 feet from a private domestic water source, or; less than 1000 feet from all other water sources)	OIL CON. DIV. DIST. 3	
Distance To Surface Water:  (Horizontal distance to perennial lakes, ponds, rivers, streams, creeks, irrigation canals and ditches)	Less than 200 feet (20 points) 200 feet to 1000 feet (10 points) Greater than 1000 feet (0 points)  RANKING SCORE (TOTAL POINTS):	
	RANKING SCORE (TOTAL POINTS): /O	

Date Remediation St	arted:	Dated Completed:
Remediation Method: (Check all appropriate sections)	Excavation	
	Landfarmed _	<del></del>
	Other	
Remediation Location: Onsite Offsite (ie. landfarmed onsite,		
<pre>(ie. landfarmed onsite, name and location of offsite facility)</pre>		
General Description	Of Remedial A	Action:
Site Assessment	in accordance	with OCD and BLM guidance document.
Ground Water Encount	tered: No	X Yes Depth
(if multiple samples, attach sample results and diagram of sample locations and depths)	Sample locati	onStandard Triangle from pit floor.
	Sample depth	3 '
	Sample date _	
	Sample Result	
		ppm)
Total BTEX(ppm)  Field headspace(ppm)		
Ground Water Sample:	Yes 1	No $\underline{X}$ (If yes, attach sample results)
I HEREBY CERTIFY THA OF MY KNOWLEDGE AND	T THE INFORMATE	FION ABOVE IS TRUE AND COMPLETE TO THE BEST
DATE 9-6-98		
SIGNATURE HISeur	PRIN AND	NTED NAME TITLE Lee Bauerle, Environmental Spec.



**AMERICAN** 

## ORGANIC ANALYSIS REPORT

WEST Client: Mile High Environmental ANALYTICAL Date Sampled: June 9, 1994 LABORATORIES Date Received: June 14, 1994

Set Description: Forty-Five Solid Samples

Set Identification #: 18743 Contact: Mark Harvey

Received By: Elona Hayward

Analysis Requested:

Total Recoverable Petroleum

Hydrocarbons

Method Ref. Number: EPA 418.1 (Extraction Infrared Absorption)

Date Extracted: June 20, 1994

463 West 3600 South Lab Sample ID. Number: Salt Lake City, Utah 18743-37

Field Sample ID. Number: Vulnerable Area Pit Location

SJ 30-5 #35 72981

Date Analyzed: June 22, 1994

Analytical Results Units = mg/kg (ppm)

Total Recoverable Petroleum Hydrocarbons

(801) 263-8686

Fax (801) 263-8687

Detection Compound: Limit:

Total Recoverable Petroleum Hydrocarbons

5.0

45.

Amount

Detected:

<Value = None detected above the specified method detection limit, or a value that reflects a reasonable limit due to interferences.

Released by:

Report Date 6/27/94

1 of 1