

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved
Budget Bureau No. 1004-0135
Expires August 31, 1985

5. LEASE DESIGNATION AND SERIAL NO.
SF-078931-B (CA#8561)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

DUGAN PRODUCTION CORP.

3. ADDRESS OF OPERATOR

P. O. Box 208, Farmington, NM 87499

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

510' FSL & 1980' FEL

7. UNIT AGREEMENT NAME

Central Cha Cha Unit

8. FARM OR LEASE NAME

Central Cha Cha Unit

9. WELL NO.

1

10. FIELD AND POOL, OR WILDCAT

Cha Cha Gallup

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec.31, T29N,R13W, NMPM

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, ST, GR, etc.)

5935' GL; 5946' RKB

12. COUNTY OR PARISH

San Juan

13. STATE

NM

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETION

ABANDON*

CHANGE PLANS

X

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Plan to Plug and Abandon as follows:

1. Spot cement plug across Gallup perfs 5655' - ^{5180'}5593'
(50' above Gallup perfs)

2. Spot cement plug 2425' - 2525' across top of Mesaverde ^{Chacra inside Mesaverde} formation

3. Spot cement plug 1505' - 1605' across top of Pictured Cliffs
formation

4. Spot cement plug ^{200'}200' to surface ^{inside Mesaverde}

5. Install dry hole marker and abandon well.

* Spot plug 3165-3065' FVU inside Mesaverde
** " " 1282'-1182' FV " "

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

Vice President

DATE

2/26/88

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

NM000