

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

ols were used from Surface feet to 6,154 feet, and from feet to feet.
ls were used from for completion feet to feet, and from feet to feet.

PRODUCTION

oducing Shut in Jan 25, 1962, 19
LL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.
LL: The production during the first 24 hours was 2,188 M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.
f Time Shut in From 1/25/62 to 2/2/62

BASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):	
Southeastern New Mexico	Northwestern New Mexico
T. Devonian	T. Ojo Alamo
T. Silurian	T. Kirtland-Fruitland 1,292
T. Montoya	T. Farmington
T. Simpson	T. Pictured Cliffs 1,425
T. McKee	T. Menefee
T. Ellenburger	T. Colorado Mesa Verde 2,960
T. Gr. Wash	T. Mancos
T. Granite	T. Dakota 5,892
T.	T. Morrison 6,112
T.	T. Penn
T.	T.
T.	T.
T.	T.
T.	T.

FORMATION RECORD

To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
300	300	Gravel				
1292	992	Gray Shale and gray-white	fine sandstones.			
1425	123	Fruitland - gray shales and white-light gray sands.				
1455	30	Pictured Cliffs - white to gray fine to medium grained sands				
2960	1505 1505	Lewis Shale				
5892	2932	Mesa Verde - gray-white fine tight sands and gray shale.				
6112	220	Dakota - tan to brown to light gray, fine tight fractured sand				
6154	42	Morrison				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

reby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
determined from available records.
or Operator J. Glenn Turner
C. Beeson Neal
Address Box 728 - Farmington, New Mexico
Position or Title Agent in Farmington
2/13/62 Date