Submit 3 Conins	State of New Mexico			Korm C-101
Submit 3 Copies to Appropriate District Office	Energy, Minerals and Nati	ural Resources Department		Form C-1W Revised 1-1-89
DISTRICT 1 P.O. Box 1980, Hobbs, NM 88240		TION DIVISION	WELL API NO.	
DISTRICT II	P.O. Box 2088 Santa Fe, New Mexico 87504-2088		30-04	5-08053
P.O. Drawer DD, Artesia, NM 88210	Juliu 1 0, 1 10 11 111	SALOG 67504 2000 (7	5. Indicate Type of Lease	TATE TEE-X
DISTRICT III 1000 Rio Brazos Rd., Aziec, NM 87410		-	6. State Oil & Gas Lease]	
SUNDRY NOT	ICES AND REPORTS ON	N WELLS		
	OPOSALS TO DRILL OR TO DE RVOIR. USE "APPLICATION FI :-101) FOR SUCH PROPOSALS	OR PERMIT"	7. Lease Name or Unit Ag	reement Name
1. Type of Weli:	······································		Gale	-
OIL OAS WELL X	OTHER	· · · · · · · · · · · · · · · · · · ·		
2 Name of Operator Helen Loyaine Harvey			8. Well No. # 1	
3. Address of Operator DO R 2/DE C + E N/M 2/DE 1/			9. Pool name or Wildcat	1/- / 6.5
Helen Loyaine Harvey 3. Address of Operator POBOX 2185, Santa Fe, NM 87504 Hatec Fruitland Gas 4. Well Location				
Unit Letter E: 1650' Feet From The North Line and 990 Feet From The West Line				
Section 24	Township Z9N	Range // W whether DF, RKB, RT, GR, etc.)	NMPM San 7	uan County
		whether DF, RKB, RT, GR, etc.) 482'6R	-\///	
11. Check	Appropriate Box to Indi		Report, or Other Data	
NOTICE OF IN			BSEQUENT REPO	
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK	ALTER	RING CASING
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLIN	=	AND ABANDONMENT
PULL OR ALTER CASING		CASING TEST AND C		
OTHER:		OTHER:		
12. Describe Proposed or Completed Open	ations (Clearly state all nertinent d	letails and vive pertinent dates incl	luding estimated date of startin	e any managed
work) SEE RULE 1103.		,	•	s any proposea
Propose to	Plug : Ab.	andon the	is well	
	The state of the s		10	
per the	o proche	e procec	are.	
£		•		
Ota .	EB - 2 1994			
	ON. DIV.			
**************************************	DIST. 3			energy and the
				g a <u>serve</u> gi Transition Transition
		de des and helica		
I hereby certify that the information above is tr	se and complete to the best of my know			1 Fahau
SIGNATURE MAKEUM 7	Man	_ me Agent	DA	TE
TYPE OR PRINT NAME William	F. Clark	<u> </u>	25-375-2627 TE	LEPHONE NO.
(This space for State Use)				
Original Signed by C	HARLES GHOLSON	DEPUTY OIL & GAS	INSPECTOR DIST #3 DA	FEB - 2 1994
APPROVED BY TITLE TO A TO				

Gale #1 (Ft) NW, Sec. 24, T29N, R11W San Juan County, NM

PLUG AND ABANDONMENT PROCEDURE:

- 1. MOL and RUSU. Comply to all NMOCD and BLM safety rules and regulations.
- 2. Blow well down; kill with water if necessary; a 8.3 ppg wellbore fluid exceeds the exposed reservoir's pressure. ND wellhead and NU BOP and stripping head; test BOP.
- 3. POH and tally 2-3/8" tubing (??'); RIH with open ended 2" tubing to 1650'. Tag cement on top of bridge plug at 1699'.
- 4. Plug #1 from 1690' to 1400' with 40 sxs Class B cement (covers Fruitland perfs and 50' above top, 50% excess). POH and WOC.
- 5. RIH and tag cement.
- 6. Circulate hole and pressure test casing to 500#. POH and LD tubing.
- 7. Perforate 2 holes at 668'. Establish circulation out bradenhead.
- 8.a) Plug #2 from 668' to surface with approximately 220 sxs Class B cement, circulate good cement to surface. Shut in well and WOC.
 - b) If unable to establish circulation to surface then:
 Plug #2 from 668' to 400' with 72 sxs Class B cement,
 squeeze 62 sxs outside casing and WOC; tag cement.
 Perforate 2 holes at 170'. Then establish circulation out
 bradenhead.
 Plug #3 from 170' to surface with approximately 80 sxs
 Class B cement, circulate good cement to surface.
- 9. ND BOP and cut off wellhead below ground level; install P&A marker with 10 sxs cement. Rig down and move off location.
- 10. Restore location.









