DEPUTY OIL & GOSTON TOWN

Meter Number:73921

Location Name: GALLEGOS CANYON UNIT 151

DEC 5 ( 1847)

Location:TN-29 RG-12 SC-21 UL-G 2 - Federal

NMOCD Zone:OUTSIDE Hazard Ranking Score:00 RECEIVED APR 14 1837

# RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

Sandstone  $10^{-9}$  to  $10^{-13}$  cm/sec Shale  $10^{-12}$  to  $10^{-16}$  cm/sec Clay  $10^{-12}$  to  $10^{-15}$  cm/sec

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

### FIELD PIT SITE ASSESSMENT FORM



(SP3190) 03/16/94

| GENERAL  | Meter: 73921 Location:  |  |  |  |  |  |
|--|---|--|--|--|--|--|
| NMOCD Zone: Inside Land Type: BLM  State  State  State  Indian  Indian |   |  |  |  |  |  |
|  | (Surface Water Body: Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)  TOTAL HAZARD RANKING SCORE: POINTS |  |  |  |  |  |
| REMARKS  | Remarks: Two PITS ON JOCATION, WILL CLOSE ONLY ONE<br>PIT IS DRY LOCATION IS UP ON THE OF A MESA.   |  |  |  |  |  |

|                       | ORIGINAL PIT LOCATION   |
|-----------------------|---|
| ATION                 | Original Pit: a) Degrees from North 123° Footage to Wellhead 155′ b) Degrees from North Footage to Dogleg Dogleg Name c) Length: 15′ Width: 13′ Depth: 3′ |
| ORIGINAL PIT LOCATION | WELCHEAD 13   |
| REMARKS               | Remarks:  STARTED TAKING PICTURES AT 2:03 P.M.  END DUMP  |
|                       | Completed By:  4.5.94  Signature  Date  |

## FIELD PIT REMEDIATION/CLOSUL FORM

| GENERAL            | Meter: 73921 Location: Gallegos Canyon Unit # 155 151  Coordinates: Letter: P Section 22 Township: 29 Range: 12  Or Latitude Longitude Longitude Date Started: 5-12-94 Area: 02 Run: 33           |
|--------------------|---|
| FIELD OBSERVATIONS | Sample Number(s): $VW61$ Sample Depth: $I2'$ Feet  Final PID Reading $I95$ PID Reading Depth $I2'$ Feet  Yes No  Groundwater Encountered $\Box$ (1) $\boxed{X}$ (2) Approximate Depth $\Box$ Feet |
| CLOSURE            | Remediation Method:  Excavation   |
| REMARKS            | Remarks: Line maythers on location. None through pit. Let of cobbets  Signature of Specialist: Vale Wilson  (SP3191) 04/07/9  |



#### FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

| SAMPLE IDENTIFICATION                    |                                   |                        |  |                         |        |         |  |
|--|-----------------------------------|------------------------|--|-------------------------|--------|---------|--|
|  | Field II                          | <b>.</b>               |  | Lab ID                  |        |         |  |
| SAMPLE NUMBER:                           |                                   |                        | 945143                                   |                         |        |         |  |
| MTR CODE   SITE NAME:                    | 7392                              |                        | pla                                      |                         |        |         |  |
| SAMPLE DATE   TIME (Hrs):                | 1                                 |                        | <u> </u>                                 |                         |        |         |  |
| SAMPLED BY:                              | SAMPLED BY:                       |                        | 14                                       |                         |        |         |  |
| DATE OF TPH EXT.   ANAL.:                | DATE OF TPH EXT.   ANAL.: 5/16/94 |                        | 5/16                                     |                         |        |         |  |
| DATE OF BTEX EXT.   ANAL.:               | ~/A                               |                        |  | NIA<br>Course dark sand |        |         |  |
| TYPE   DESCRIPTION: [                    | VG                                |                        | cons                                     |                         |        |         |  |
| REMARKS:                                 |                                   |                        |  |                         |        |         |  |
|  | R                                 | ESULTS                 |  |                         |        |         |  |
|  |                                   |                        | r  |                         | -      |         |  |
| PARAMETER                                | RESULT                            | UNITS                  | QUALIFIERS  DF Q M(q) V(ml)              |                         |        |         |  |
|  |                                   |                        | DF                                       | <u> </u>                | M(g)   | V(IIII) |  |
| BENZENE                                  |                                   | MG/KG                  |  |                         |        |         |  |
| TOLUENE                                  |                                   | MG/KG                  |  |                         |        |         |  |
| ETHYL BENZENE                            |                                   | MG/KG                  |  |                         |        |         |  |
| TOTAL XYLENES                            |                                   | MG/KG                  |  |                         |        |         |  |
| TOTAL BTEX                               |                                   | MG/KG                  |  |                         |        |         |  |
| TPH (418.1)                              | 1230                              | MG/KG                  |  |                         | 13,11  | 28      |  |
| HEADSPACE PID                            | 195                               | PPM                    |  |                         |        |         |  |
| PERCENT SOLIDS                           | 89.0                              | %                      | 10 (10 (10 (10 (10 (10 (10 (10 (10 (10 ( |                         |        |         |  |
| The Surrogate Recovery was at Narrative: | TPH is by EPA Method 4            | 418.1 and BTEX is by E |  |                         | table. |         |  |
| DF = Dilution Factor Used Approved By:   | inbai                             |                        | Date:                                    | 5/21/94                 | /      |         |  |

#### \* Test Method for Oil and Grease and Fetroleum Hydrocarbons in Water and Soil

Perkin-Elmer Model 1600 FT-IR 


34/05/16 12:41

Sample identification 945147

Initial mass of sample, g

Volume of sample after extraction,  $\mathfrak{m}1$  18.000

Petroleum bydrocarbons, ppm .231.086 Vat absorbance of hydrocarbons (2970 cm-1) 1.139



\*

\*

# FIELD PIT REMEDIATION/CLOSU FORM

| GENERAL            | Meter: 73921 Location: Challegos Canyon Unit # 150 151  Coordinates: Letter: P Section 22 Township: 29 Range: 12  Or Latitude Longitude  Date Started: 5-12-94 Area: 02 Run: 33 |
|--------------------|---|
| FIELD OBSERVATIONS | Sample Number(s): VW61  Sample Depth: 12' Feet  Final PID Reading 195 PID Reading Depth 12' Feet  Yes No  Groundwater Encountered (1) (2) Approximate Depth Feet                |
| CLOSURE            | Remediation Method:  Excavation   |
| REMARKS            | Pit Closure Date: 5-12-94  Pit Closed By: BEI  Remarks: Line maillers on location. None through pit. Lat of collects  Signature of Specialist: Vale Milan  (SP3191) 04/07/9     |