## Submit 3 Copies to Appropriate District Office

## State of New Mexico Energy, Minerals and Natural Resources Department

Form	C	-103	
Revise	ed	1-1-8	9

District Office			
	VATION DIVISION	WELL API NO.	
P.O. Box 1980, Hobbs, NW 8824C  P.O. Box 2088  DISTRICT II  Santa Fe, New Mexico 87504-2088		3004508104	
P.O. Drawer DD, Artesia, NM 882:10	Mexico 8/304-2088	5. Indicate Type of Lease	
DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410		STATE X FEE	
NOO KIO BIAZOS Ku., AZIOU, INIT UTTIO		o. State Off & Gas Lease No.	
SUNDRY NOTICES AND REPORT (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OF			
DIFFERENT RESERVOIR. USE "APPLICAT  (FORM C-101) FOR SUCH PROF	TION FOR PERMIT"	7. Lease Name or Unit Agreement Name	
. Type of Well:	OONLO.	Martinez Gas Com D	
OIL GAS WELL OTHER			
2. Name of Operator Atten	ition:	8. Well No.	
Amoco Production Company	Gail M. Jefferson	#1	
. Address of Operator P.O. Box 800 Denver Colorado 8	30201 (303) 830-6157	9. Pool name or Wildcat Aztec Pictured Cliffs	
Well Location		Aztec Fictured Citris	
Unit Letter B : 1130 Feet From The	North Line and 17	Feet From The East Line	
Section 24 Township 25	9N Range 10W N	MPM San Juan County	
10. Elevation	(Show whether DF, RKB, RT, GR, etc.)		
l. Check Appropriate Roy to I	Indicate Nature of Notice, Re	port or Other Date	
NOTICE OF INTENTION TO:		SSEQUENT REPORT OF:	
REFORM REMEDIAL WORK Delug and Abando		ALTERING CASING	
FLOG AND ABANDO	N REWEDIAL WORK	ALTERING CASING	
EMPORARILY ABANDON L CHANGE PLANS	COMMENCE DRILLING	OPNS. PLUG AND ABANDONMENT	
JLL OR ALTER CASING	CASING TEST AND CEN	MENT JOB	
THER:	OTHER:		
<ol> <li>Describe Proposed or Completed Operations (Clearly state all p work) SEE RULE 1103.</li> </ol>	pertinent details, and give pertinent dates, in	ncluding estimated date of starting any proposed	
Amoco Production Company requests permission to	o plug and abandon the above refe	renced well per the attached procedures.	
If you have any technical cuestions please contact	Carolanne Wyett at (303) 830-55	78 or Gail Jefferson for any administrative	
concerns.			
		BEREINED	
		ING CENTRE	
		UIN - 3 1936	
		3011 - 3 1000	
		OM GON. DIV	
		DISTA 33	
I hereby certify that the information above is true and complete to			
SIGNATURE Vail U. Offeron	Sr. Admin. S	taff Asst. 05-31-1996	
TYPE OR PRINT NAME Gail M. Jefferson		telephone no. (303) 830-615	
(This space for State Use)			
APPROVED BY CONDITIONS OF SPROVAL, IF AND:  No fify OCD in time	DEPHTY OH & GAC II	NEDECTAR DIST #2 11181 7 100	
APPROVED BY CHAMMAN KOLLONSON	TITLE	NSPECTOR, DIST. #3 DATE JUN - 3 199	
CONDITIONS OF PPROVAL, IF AND			
11/6 000	1		
Notity OCD in time	to witness		
$\supset$			

Martinez GC D #1
Orig. Comp. 11/57
TD = 2039', PBTD = 2011'
Page 2 of 2

- 1. Check location for anchors. Install if necessary. Test anchors.
- 2. MIRUSU. Blow down well. Kill if necessary with fresh water. NDWH. NUBOP.
- 3. POOH with 1 1/4" tbg. Run in hole with 2 3/8" workstring and CIBP, set CIBP at1900'. Test csg integrity to 500#. Spot 100' cement plug on top. (21 cuft cement) Pull up hole and spot 100' cement plug from 1655' to 1755'. (21 cuft cement) Run in hole with perf gun and shoot squeeze holes at 868 and attempt to circulate to surface with 145 cuft cement. Spot 100' cement plug from 818' to 918' 21 cuft cement and from 250' to surface with 41 cuft cement.
- 4. NDBOP. Cut off casing and wellhead. Install PXA marker according to BLM or State requirements.
- 5. Contact FMC and ship surface equipment to yard or other location per instructions.
- 6. Turn over to John Schwartz for reclamation.
- 7. Rehabilitate location according to BLM or State requirements.

## **Amoco Production Company**

**ENGINEERING CHART** 

SUBJECT MARTINEZ GC Dul 1130'FNLX 1780' [F] UNITB, SEC DU, TOON-RIOW

Date 4/4/96 

SPOD 915/57

Sheet No

ID "16157@

285 MCFD

KB-55661

GL-5555'

BSB" 2074 CSB 1991 CMT W/ 190 2X x D'& Ca Cla CIRCOMT TO SEC

> BHPEP 7/95 GOOD FIDE THOSE 85/8x 5/10" annilus ec. sq7 150sx B W/ 2010 CaC12 - Did not circ ent-

TEG: 1"4" 3.34 LP TOP 1962 (1975) Y STALLOO HEDOTCOAZ MITE GO GIG-22090

7975 - 27837 07 1954-901 D- FRAC: 515 BOX 5"5" 14# CER 2039 33.6W# 2VND 7

2) - VEROSENTE TREAT FOR PARATEN

1100 = OTET

CHT W/ 350 EV PW/

3) - ACIDIZE W/2500 GUL 100% HCY

6010 BEL

WELL DATA

LOIDO ZHOUS ITA

WELL FLAC 924269

LEASE - STATE

BNS PURCHASER - EPNG

GMETER# - 78010

APC WI = 85%

PRESSURE DATA: SICP / SITP

10/57

7/75 4130 400