NEW ... EXICO OIL CONSERVATION COMM... SSION Santa Fe, New Mexico



NOTICE OF INTENTION TO DRILL

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regula-If State Land submit 6 Copies Attach Form G- 128 in triplicate to first 3 copies of form G-101 tions of the Commission.

		ingto	a. New Y	lexico			July 23, 1	90.2	••••••
	ERVATIO		MISSION				•		
tlemen:	NEW MI	CAICO							
•••	hereby n	otified th	at it 18 our i	ntention to	commence the	Drilling of a well to	be known as		
10u are						Operator)			
		-							
· ····	.		(Lease)			Well No		(
tcd	600	feet	from the	8	outh		line and	1360	feet from the
	East.			!in	e of Section	14 _T 29-1	, R-11-	, N	IMPM.
IVE LOC	CATION	FROM SI	ECTION LIN	ie Undes	ignated I	Parmingtonool,	San Ju	<u> </u>	Count
				Tf State T	and the Oil and	Gas Lease is No			
				If patente	ed land the own	er is William	a L. Bate	•••••	
D	C	В	A			eld, Mar Mex			
<u>i</u>						with drilling equipmen			***************************************
E	F	G	н	R	otary Ric			da de	
E	r	6	11	The statu	us of plugging b	ond is State	Mide Bour	11/2	TEIL
								/KL	ULIVITA
	ĸ	j	1			Lee Wilson		2 ⊈ 7 m	
r	**	1							25 1962
. L				************				•	
L M	N	0 %	P	We inter	nd to complete t	this well in the FAX	mington Sar		CON. COM
		0 %	P	We inter	nd to complete t	this well in the Fax:	mington Sar		CON. COM
М	N			We inter	nd to complete to at an approxi	this well in the FAX:	mington Sar		NST. 3
M We pro	N	se the foll		We inter	nd to complete to at an approxi	this well in the Fax:	mington Sar		NST. 3
M We pro	N opose to u	se the foll	lowing strings	We inter formatio of Casing a	nd to complete to at an approxi CASING P nd to cement the shape per Foot	this well in the FAT: mate depth of ROGRAM em as indicated:	nington Sar		DIST. 3
M We pro	N opose to u	se the foll	lowing strings	We interformation of Casing at West	nd to complete to at an approxi CASING P nd to cement the light per Foot 24 1b.	this well in the ERE. mate depth of	Depth		Sacks Cement
M We pro	N opose to u	se the foll	lowing strings	We interformation of Casing at West	nd to complete to at an approxi CASING P nd to cement the shape per Foot	this well in the FAT: mate depth of ROGRAM em as indicated: New or Second Hand	Depth		Sacks Cement Circulated
M We pro	N opose to u	se the foll	lowing strings	We interformation of Casing at West	nd to complete to at an approxi CASING P nd to cement the light per Foot 24 1b.	this well in the ERE. mate depth of	Depth		Sacks Cement Circulated
M We prostate of 12° 6 3/	N opose to u of Hole	se the foll	lowing strings	We interformation of Casing a West	CASING P nd to complete to n at an approxi CASING P nd to cement the light per Foot 24 1b. 1/2 1b.	this well in the ERE mate depth of	Depth		Sacks Cement Circulated
M We pro	N opose to u of Hole	se the foll	lowing strings Size of Casing 1/2 plans become	We interformation of Casing at well	CASING P CASING P and to cement the set per Foot 24 1b. 1/2 1b.	this well in the RAL mate depth of ROGRAM em as indicated: New or Second Hand Here Sev	Depth 105 ft.		Sacks Cement Circulated
M We pro	N opose to u of Hole	se the foll	lowing strings Size of Casing 1/2 plans become	We interformation of Casing at well	CASING P CASING P and to cement the set per Foot 24 1b. 1/2 1b.	this well in the RAL mate depth of ROGRAM em as indicated: New or Second Hand Here Sev	Depth 105 ft.		Sacks Cement Circustate
M We pro	N opose to u of Hole	se the foll	lowing strings Size of Casing 1/2 plans become	We interformation of Casing at well	CASING P CASING P and to cement the set per Foot 24 1b. 1/2 1b.	this well in the ERE mate depth of	Depth 105 ft.		Sacks Cement Circulated
M We pro	N opose to u of Hole	se the foll	lowing strings Size of Casing 1/2 plans become	We interformation of Casing at well	CASING P CASING P and to cement the set per Foot 24 1b. 1/2 1b.	this well in the RAL mate depth of ROGRAM em as indicated: New or Second Hand Here Sev	Depth 105 ft.		Sacks Cement Circulated
M We prosect the state of the s	N opose to u of Hole	se the foll	lowing strings Size of Casing 8 4 1/2 plans become MATION (I	We interformation of Casing at West 5/18 9	CASING P nd to complete to n at an approxi CASING P nd to cement the ght per Foot 24 1b. 1/2 1b. e will notify you on give full de	ROGRAM em as indicated: New or Second Hand FOU	Depth 105 ft.		Sacks Cement Circulated
M We prosect the state of the s	N opose to u of Hole	se the foll	lowing strings Size of Casing 8 4 1/2 plans become MATION (I	We interformation of Casing at West 5/18 9	CASING P nd to complete to n at an approxi CASING P nd to cement the ght per Foot 24 1b. 1/2 1b. e will notify you on give full de	this well in the RAL mate depth of ROGRAM em as indicated: New or Second Hand Here Sev	Depth 105 ft.		Sacks Cement Circulated
M We proved. 12" 6 3/	N opose to u of Hole	se the foll	lowing strings Size of Casing 8 4 1/2 Plans become MATION (I	We interformation of Casing at well well advisable well recompleted	CASING P In at an approxi CASING P Ind to cement the set per Foot 24 1b. 1/2 1b. In a set of the set of	ROGRAM em as indicated: New or Second Hand FOU	Depth 105 ft. 1000 ft.		Sacks Cement Circulated
M We proved. Size of 12" 6 3/	N opose to u of Hole	se the foll	lowing strings Size of Casing 8 4 1/2 Plans become MATION (I	We interformation of Casing at well well advisable well recompleted	CASING P In at an approxi CASING P Ind to cement the set per Foot 24 1b. 1/2 1b. In a set of the set of	ROGRAM em as indicated: New or Second Hand FOU	Depth 105 ft.		Sacks Cement Circulated
M We proved. Size of 12" 6 3/	N opose to u of Hole	se the foll	lowing strings Size of Casing 8 4 1/2 Plans become MATION (I	We interformation of Casing at well well advisable well recompleted	CASING P In at an approxi CASING P Ind to cement the set per Foot 24 1b. 1/2 1b. In a set of the set of	ROGRAM em as indicated: New or Second Hand FOU	Depth 105 ft. 1000 ft.		Sacks Cement Circulated
M We proved. Size of 12" 6 3/	opose to u of Hole /4* Inges in th ITTONAL	se the foll se above property information of the control of the c	lowing strings Size of Casing 8 1/2 plans become MATION (I	We interformation of Casing as well well advisable well recompleted	CASING P In at an approxi CASING P Ind to cement the set per Foot 24 1b. 1/2 1b. I will notify you on give full de	ROGRAM em as indicated: New or Second Hand Mew immediately. tails of proposed plan Sincerely yours,	Depth 105 ft. 1000 ft. (Company or of the company of t	operator)	Sacks Cemeat Circulated Circulated
M We proved. Approved. Except as	opose to use of Hole An anges in the ITTONAL follows:	to CONSER	lowing strings Size of Casing Size of Casing	We interformation of Casing as well well advisable we recomplete	CASING P nd to complete to n at an approxi CASING P nd to cement th Sht per Foot 24 1b. 1/2 1b. e will notify you on give full de	ROGRAM em as indicated: New or Second Hand Hew Immediately. tails of proposed plan Sincerely yours, Position.	Depth 165 tt. 1000 ft. (Company or of the Communications	perator	Sacks Cemeat Circulated Circulated
M We proved. Approved. Except as	opose to use of Hole An anges in the ITTONAL follows:	to CONSER	lowing strings Size of Casing 8 1/2 plans become MATION (I	We interformation of Casing as well well advisable we recomplete	CASING P nd to complete to n at an approxi CASING P nd to cement th Sht per Foot 24 1b. 1/2 1b. e will notify you on give full de	ROGRAM em as indicated: New or Second Hand Hew Sincerely yours, Position	Depth 165 tt. 1000 ft. (Company or of the Communications	perator) regarding	Sacks Cement Circulated Circulated well to

NUMBER OF COPIE	S RECEIV	(EO			
DIS	N	ਚ			
SANTA FE					
FIL:			1		
U.S.G.S.		2			
LAND OFFICE					
TRANSPORTER	OIL				
TRANSPORTER	GAS		_		
PROBATION OFFI	CE	· -			

NEW MEXICO OIL CONSERVATION COMMISSION

FORM C-128 Revised 5/1/57

WELL LOCATION AND ACREAGE DEDICATION PLAT

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE

RORATION OFFICE	 									
PERATOR										
				SE	CTION	A				
perator Lease									Т	Well No.
GEORGE E. WILLETT						Hare			1	SDD 7
nit Letter	Section		Township		Range		County			
^		1 Ji		29	1	11	County	San J	uan	
ctual Footage L	ocation o		<u> </u>	27			L,			
600	feet fro		Cauth 1	:1	7.2	60 .		Tooth		
			South 1		13	OU fee	t from the	East		ne
round Level Ele		oducing Fo		Po					Dedica	ted Acreage:
<u>5524</u>	• 6 F	armin	gton Sand	U	naes:	lgnated	Farmin	gton		Acres
Is the Operato	or the only	owner in	the dedicated ac	reage outlin	ed on th	e plat below	YES	NO	(''Oı	mer" means the perso
			to produce from							
another. (65-					•••			, , , , , , , , , , , , , , , , , , , ,		, or issued by white
			•	terests of a	ll the or	mare been a	annolidated	h.,	:.:::	agreement or other-
wise? YFS	NO	TF	answer is "yes,	" Tune of (11 the 01	·ners been c	DISOTIQALEG	by Commun.	1112411011	agreement or other-
								··	7.1	"[/\
	to questio	n two is	no," list all the	owners and	their re	spective inte	rests below	' :	101	.TIV+N\
wner					I	and Descript	ion	1		JULY LID
								1		
									JUL	25 1962
]			1		1
			·						3	CON. COM./
			SECTION	В				7	KERT!	NEITISH
								1	7	· · · · · · · · · · · · · · · · · · ·
	İ				!		[I hereby	certify	that the information
	į				- 1		1			ove is true and com-
	į				1		- 1	1		
	i				í		1		tne best	of my knowledge and
	j		1		1		1	belief.		
	i				1					
	i				i		1	Name		
	i_				i		1			
							7	Position		
	į		1				1			
	Ì							Company		
	!		l		1		ľ	1		
	ļ				l			Date		
	!				1		1.	Date		
	!		1		Į.		1	<u> </u>		
	1				!		1			
						· · · · · · · · · · · · · · · · ·				
	1		1		!]			
					!		- 1	I hereby	certify +	nat the well location
			1		1					in SECTION B was
	ļ		Ì		1		- 1			
			[- 1		{			notes of actual
	ļ		Į		. !					me or under my
			1				1			that the same is true
	Į.]		- 1		1	and corre	ct to the	best of my knowledge
	+							and belie	f.	
	i				i					
	į				i		1			·
	i		- 1		i		1	Date Surv	veyed .	- 11
	i				نہ	136	0'.	1	7/2	20/62
	i		1		` <u>~</u> \$			Register		ssional Engineer
	i				18			and/or La		_
	Ì				72 [ł	, V. L.		1 11
	i				~Yi		1	$\mid E \mid$	\rightarrow	Steambar -
								L	/	1.10000
								Certificat		· · · · · · · · · · · · · · · · · · ·

INSTRUCTIONS FOR COMPLETION OF FORM C-128

- 1. Operator shall furnish and certify to the information called for in Section A.
- 2. Operator shall outline the dedicated acreage for both oil and gas wells on the plat in Section B.
- 3. A registered professional engineer or land surveyor registered in the State of New Mexico or approved by the Commission shall show on the plat the location of the well and certify this information in the space provided.
- 4. All distances shown on the plat must be from the outer boundaries of the Section.
- 5. If additional space is needed for listing owners and their respective interests as required in question 3 of Section A, please use space below.