


(SUBMIT IN TRIPLICATE)

Indian Agency Navajo

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee Navajo

Lease No. _____



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

RECEIVED

AUG 16 1962

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

U. S. GEOLOGICAL SURVEY
FARMINGTON, NEW MEXICO

August 9, 1962

Well No. 24-26 is located 600 ft. from [S] line and 2000 ft. from [E] line of sec. 26

SW NE Section 26 24 26 26

(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

SW NE Section 26 San Juan Navajo

(Field) (County or Subdivision) (State or Territory)

RECEIVED
AUG 17 1962
CON. COM.
INST. 3

The elevation of the derrick floor above sea level is 5000 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Rotary drilling equipment will be used to drill to approximately 5,000', a formation test. Approximately 200' of 8-5/8" surface casing will be set in a 24" hole, cementing string to surface. If production is encountered the required amount of 4 1/2" casing will be run and cemented with a sufficient volume of cement to cover the highest potentially productive zone. Nitrogen and or water to be used from surface to approximately 3000', then a few sections of 4 1/2" and to total depth. All shows will be tested and electric logs will be run prior to setting casing or abandonment. Stimulation treatments may be used in completion.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company Navajo Oil & Refining Company

Address P. O. Box 1000


Durango, Colorado

By COPY (ORIGINAL SIGNED) B. M. BRADLEY

Title Field Engineer



YBIZANS 11.8 (1972) Y900



Scale: 1" = 1000'

WELL LOCATION: Humble Oil & Refining — North Cha Cha ~~Sec. 16~~ #34-16

Located 660 feet North of the South line and 1980 feet West of the East line of Section 16,
 Township 29 North, Range 14 West, New Mexico Principal Meridian.
 San Juan Co., New Mexico
 Existing ground elevation determined at 5182 feet.

I hereby certify the above plat represents a survey made under my supervision and that it is accurate to the best of my knowledge and belief.

Elmer M. Clark

ELMER M. CLARK
 Registered Land Surveyor
 State of New Mexico #3189

HUMBLE OIL & REFINING
 DURANGO, COLORADO

WELL LOCATION PLAT
 Sec. 16, T.29 N., R.14 W.
 San Juan County, New Mexico

E.M. CLARK & ASSOC.
 Durango, Colorado

DATE: August 8, 1962
 FILE NO: 62058