

NO. OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> <small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small>	
1. <input type="checkbox"/> OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER-	7. Unit Agreement Name
2. Name of Operator <b>Roy L. Cook Estate</b>	8. Farm or Lease Name <b>Gayle</b>
3. Address of Operator <b>402 Hermosa Drive, S. E. - Albuquerque, New Mexico 87108</b>	9. Well No. <b>1</b>
4. Location of Well UNIT LETTER <b>M</b> <b>1065</b> FEET FROM THE <b>South</b> LINE AND <b>1045</b> FEET FROM <b>West</b> LINE, SECTION <b>13</b> TOWNSHIP <b>29N</b> RANGE <b>11W</b> NMPM.	10. Field and Pool, or Wildcat <b>Fruitland</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>5563' GL</b>	12. County <b>San Juan</b>

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> OTHER <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> CASING TEST AND CEMENT JOB <input type="checkbox"/> OTHER <input type="checkbox"/>
PLUG AND ABANDON <input checked="" type="checkbox"/> CHANGE PLANS <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/> PLUG AND ABANDONMENT <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Require cement plug 100' above the bottom and a cement plug 100' below the Ojo Alamo and a cement surface plug. Well has to be perforated and cemented to stop water flow.

Plug #1 1550' to TD (1647')  
#2 650' to 750' inside and outside of pipe  
#3 Surface to 100' inside and outside of pipe with squeeze.



18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Frank I. Chavez TITLE Agent DATE 12/17/79

APPROVED BY Original Signed by FRANK I. CHAVEZ DEPUTY OR DEPUTY DATE DEC 17 1979

CONDITIONS OF APPROVAL, IF ANY: