

|  |  |   |  |
|--|--|---|--|
|  |  |   |  |
|  |  | X |  |
|  |  |   |  |
|  |  |   |  |

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. SF-C78370  
Unit Gallegos Canyon Unit

SUNDRY NOTICES AND REPORTS ON WELLS

|  |   |   |
|--|---|---|
| NOTICE OF INTENTION TO DRILL                   | SUBSEQUENT REPORT OF WATER SHUT-OFF <u>8-5/8"</u> | X |
| NOTICE OF INTENTION TO CHANGE PLANS            | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING        |   |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF     | SUBSEQUENT REPORT OF ALTERING CASING              |   |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR        |   |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE        | SUBSEQUENT REPORT OF ABANDONMENT                  |   |
| NOTICE OF INTENTION TO PULL OR ALTER CASING    | SUPPLEMENTARY WELL HISTORY                        |   |
| NOTICE OF INTENTION TO ABANDON WELL            |   |   |

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Gallegos Canyon Unit

Farmington, New Mexico June 10, 1963

Well No. 133 is located 1535 ft. from N line and 1830 ft. from E line of sec. 17

S4/4, NE/4 Section 17  
(1/4 Sec. and Sec. No.)

T-29N  
(Twp.)

R-12W  
(Range)

N.M.P.M.  
(Meridian)

Basin Dakota  
(Field)

San Juan  
(County or Subdivision)

New Mexico  
(State or Territory)

The elevation of the derrick floor above sea level is 5646 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudlogging jobs, cementing points, and all other important proposed work)

Well was spudded on May 31, 1963 and drilled to 358'. 8-5/8" casing was set at 357' and cemented with 250 sacks cement containing 2% calcium chloride. Circulated cement to surface. Tested 8-5/8" casing to 800 psi, held ok. Reduced hole to 7-7/8" at 358' and resumed drilling.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pan American Petroleum Corporation

Address P. O. Box 480

Farmington, New Mexico

Attn: L. O. Speer, Jr.

ORIGINAL SIGNED BY  
F. H. HOLLINGSWORTH

By

Title Petroleum Engineer