GPO 9 18 507

FOI (]	Peb. 1	961) 	·

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Land Office	Senta Fe
Lease No.	0781.97
Unit	Pauille

Well No. 2—A is located 1090 ft. from Subsequent Report, Notice of Intention to Abandon Well (Indicate above by Check Mark Nature of Report, No. 2—A is located 1090 ft. from Range) Attec—Pictured Cliffs (County or Subdivision) The elevation of the derrick floor above sea level is 5711 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and length ing points, and all other important proposes On November 23, 1957, Total lepth 2157. Ran 69 joints 5 1/2", 15.50%, J-55 Casing (21th cemented with 700 sacks neat, 100 sacks neat cemented that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand that this plan of work must receive approval in writing by the Geological understand the country approval in writing by the Geological understand the country approval in writing by the	December 10 , 19.57 1650ft. from E line of sec. 17
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	RT OF ALTERING CASING. RT OF RE-DRILLING OR REPAIR RT OF ABANDONMENT VELL HISTORY ICE, OR OTHER DATA) December 10 , 19 57 1650ft. from E line of sec. 17
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON TO ABANDON THE SUBJECT OF REPORT, NOTICE OF INTENTION TO ABANDON TO ABANDON THE SUBJECT OF INTENTION TO ABANDON TO ABANDON THE SUBJECT OF INTENTION TO ABANDON TO A	RT OF RE-DRILLING OR REPAIR RT OF ABANDONMENT VELL HISTORY ICE, OR OTHER DATA) December 10 , 19 57 1650ft. from (E) line of sec. 17 N.M.P.M. (Meridian)
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	Pacember 10 , 19.57 1650ft. from E line of sec. 17
NOTICE OF INTENTION TO PULL OR ALTER CASING. NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO BE ABOVE SEARCH OF INTENTION TO BE ABOVE SEARCH OF INTENTION TO ABANDON WELL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE OF INTENTION TO BE ABOVE SEARCH OF INTENTION TO BE AB	December 10 , 19 57 1650ft. from E line of sec. 17
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NO. 2-A. is located 1090 ft. from No. 2-A. is located 1090 ft. ft. DETAILS OF WORK not a names of and expected depths to objective sands; show sizes, weights, and lengthing points, and all other important propose on November 23, 1957, Total 1-2-5 Casing (2144 cemented with 700 sacks next, 100 sacks Possix, flocate per sack, followed by 50 sacks next cemented 1000 p.s.1. for 30 minutes. Top of cement by temperature survey 800.	December 10 , 19.57 1650ft. from E line of sec. 17
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NO. 2-A is located 1090 ft. from [N] line and [NE/h]. Section 17 [Owen in the section 17 [Owen in the section in the section of the derick floor above sea level is [ST11] ft. DETAILS OF WORK that names of and expected depths to objective sands; show sizes, weights, and lengthing points, and all other important propose [On November 23, 1957, Total Tepth 2157*. Ran 6) joints 5 1/2", 15.50%, J-55 Casing (2144) cemented with 700 sacks next, 100 sacks Possix, flocale per sack, followed by 50 sacks next cells [Owen in the section of cement by temperature survey 800*. I understand that this plan of work must receive approval in writing by the Geologic [Owen in the section of the section o	December 10 , 19.57
ell No. 2-A is located 1090 ft. from [N] line and [NE/k Section 17] 29N 10W (Rango) Artec-Pictured Cliffs San han (County or Subdivision) The elevation of the derrick floor above sea level is 5711 ft. DETAILS OF WORK at a names of and expected depths to objective sands; show sizes, weights, and length ing points, and all other important propose On November 23, 1957, Total Tepth 2157. Ran 69 joints 5 1/2", 15.50%, J-55 Casing (21kk, comented with 700 sacks next, 100 sacks Formix, flocale per sack, followed by 50 sacks next come Held 1000 p.s.1. for 30 minutes. Top of cement by temperature survey 800. I understand that this plan of work must receive approval in writing by the Geologic	December 10 , 19.57
HE/L Section 17 298 10W Attec Pictured Cliffs Sen Agen He elevation of the derrick floor above sea level is 5711 ft. DETAILS OF WORK Tate names of and expected depths to objective sands; show sizes, weights, and lengths ing points, and all other important propose On November 23, 1957, Total Tepth 2157*. Ran 69 joints 5 1/2", 15.50#, J-55 Casing (2144) cemented with 700 sacks next, 100 sacks Formix, flocele per sack, followed by 50 sacks next cemented. Held 1000 p.s.1. for 30 minutes. Top of cement by temperature survey 800°.	1650ft. from E line of sec. 17
NE/1 Section 17 (36 Sec. and Sec. No.) Attec=Pictured Cliffs County or Subdivision) The elevation of the derrick floor above sea level is 5711 ft. DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths ing points, and all other important propose On November 23, 1957, Total Tepth 2157*. Ran 69 joints 5 1/2", 15.50#, J-55 Casing (2144) cemented with 700 sacks next, 100 sacks Posmix, flocele per sack, followed by 50 sacks next cemented. Held 1000 p.s.1. for 30 minutes. Top of cement by temperature survey 800°.	(Meridian)
Artec Pictured Cliffs (County or Subdivision) The elevation of the derrick floor above sea level is 5711 ft. DETAILS OF WORK State names of and expected depths to objective sands; show sizes, weights, and lengths ing points, and all other important propose On November 23, 1957, Total Topth 2157. Ran 69 joints 5 1/2", 15.50%, J-55 Casing (2144) cemented with 700 sacks next, 100 sacks Formix, flocele per sack, followed by 50 sacks next cemented with 700 sacks next cemented with 50 sacks next cemented with 50 sacks next cemented to 50 sacks next cemented with 50 sacks next cemented	**
DETAILS OF WORK Tate names of and expected depths to objective sands; show sizes, weights, and lengths ing points, and all other important propose. On November 23, 1957, Total Tepth 2157. Ran 69 joints 5 1/2", 15.50#, J-55 Casing (2144) cemented with 700 sacks next, 100 sacks Poznix, flocele per sack, followed by 50 sacks next cemented. Held 1000 p.s.i. for 30 minutes. Top of cement by temperature survey 800. I understand that this plan of work must receive approval in writing by the Geologic	Many Marrison
DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths ing points, and all other important propose On November 23, 1957, Total Tepth 2157. Ran 69 joints 5 1/2", 15.50%, J-55 Casing (2144) cemented with 700 sacks next, 100 sacks Formix, flocele per sack, followed by 50 sacks next cem Held 1000 p.s.1. for 30 minutes. Top of cement by temperature survey 800. I understand that this plan of work must receive approval in writing by the Geologic	(State or Territory)
DETAILS OF WORK tate names of and expected depths to objective sands; show sizes, weights, and lengths ing points, and all other important propose On November 23, 1957, Total Tepth 2157*. Ran 69 joints 5 1/2", 15.50#, J-55 Casing (2144) cemented with 700 sacks nest, 100 sacks Possix, flocele per sack, followed by 50 sacks nest cemented 1000 p.s.1. for 30 minutes. Top of cement by temperature survey 800*. I understand that this plan of work must receive approval in writing by the Geologic	
On November 23, 1957, Total Tepth 2157. Ran 69 joints 5 1/2", 15.50%, J-55 Casing (2144) cemented with 700 sacks next, 100 sacks Possix, flocele per sack, followed by 50 sacks next cemented to the formula	
On November 23, 1957, Total Tepth 2157. Ran 69 joints 5 1/2", 15.50#, J-55 Casing (2144) cemented with 700 sacks neat, 100 sacks Posmix, flocele per sack, followed by 50 sacks neat cemented 1000 p.s.i. for 30 minutes. Top of cement by temperature survey 800. I understand that this plan of work must receive approval in writing by the Geologic	
Ran 6) joints 5 1/2", 15.50#, J-55 Casing (2144) cemented with 700 sacks next, 100 sacks Formix, flocele per sack, followed by 50 sacks next cemented 1000 p.s.i. for 30 minutes. Top of cement by temperature survey 800°.	of proposed casings; indicate mudding jobs, cement work)
cemented with 700 sacks next, 100 sacks Poznik, flocele per sack, followed by 50 sacks next cement held 1000 p.s.i. for 30 minutes. Top of cement by temperature survey 800°. I understand that this plan of work must receive approval in writing by the Geologic	
Top of cement by temperature survey 800°. I understand that this plan of work must receive approval in writing by the Geologic	with 4% get, 1/4#
I understand that this plan of work must receive approval in writing by the Geologic)EC 13 pag
	A CON COI
ompany El Paso Hatural Gas Company	I Survey before operations may be commenced.
ddressP. O. Box 997	
n.	
Parmington, New Mexico By	

•

.