

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

If State Land submit 6 Copies

В	agin Dak	eta	***************************************	Pool,	San Jus	2		NMPM
l is 79	<u> </u>	feet from	North	line and	BLO	feet from	m	ast lin
ection	15	If Sta	ate Land the Oil as	nd Gas Lease No.	is			
ling Comm	enced	January 5		19 Drilling	was Completed.		January	. 15 , 19. 6k
ne of Drilli	ng Contracto	rBrinks	rhoff Drilli	ng.Company		****************		
lress		870 De	aver Club By	ilding, Den	ver, Colera	do	******************************	
vation above	e sea level at	Top of Tubing	Head5625	(RDB)	The infe	ormation given	is to be	kept confidential unt
NotCon	fidentia	1	, 19					
			OI	il sands or z	ONES			
1, from	6126	to	6140 (G)	No. 4	, from		to	
3, from	6224	to	6232 (G)	No. 6	, from		to	
				RTANT WATER				
lude data o	n rate of wa	ter inflow and	elevation to which					FOEILA
			to			feet		StPEINED.
			to				<i>,</i>	FED 1 9 106/
3, from			to		•••••••	feet		FEB 1 8 1964
. 4, from		***************************************	to			feet	<u> </u>	ML COM. COM
				CASING RECO	RD	,	`	
. :	WEIGHT	r NEW C	OR .	KIND OF	CUT AND	√. % ,		TVDD057
SIZE	PER FOO) AMOUNT	ВНОЕ	PULLED FROM	PERFORAT	IONB	PURPOSE
-5/8ª -1/2ª	10.5	Non		Guide				Surface Oil String
-1/2"-	10.5#	Hen						
	<u> </u>							
			MUDDING	3 AND CEMENT	ING RECORD			
SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACES OF CEMENT	METHOD USED		MUD RAVITY		AMOUNT OF MUD USED
10.3/19	4 Z/68	361	235	We 114 house or	1 Pluc			
7-7/8	L-1/2*	6310	1500	Halliburto	2 Stage			
	<u> </u>		RECORD OF	PRODUCTION	AND STIMULA	TION		
		/D	he Process used, I	No of Ott or Go	ls used interval	treated or sho	ot.)	
orated	6202-621		. /					these perfera
-3/7, 800	gellons ds sand.	Breakder Breakder	m pressure	1600 pei. M	erine, po	ting 3500	pal.	Average injec
36 bar	rels per	minute.	Set bridge	plug et 617	94Perfor	eted-6126 na veter (-6140-1 sontain	Accordance a Average injective shots print 15 calciumes 2500-
	MET OF X	recien in	-1000 galles	16 and 20,00	pomets sa	niBree	egorar i	reseure 2500-
ride, 7	ating 35		4					

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tool	s were use	d from	0	eet to	6310	feet, an	l from		feet to	·····	feet.	
Cable tools were used fromf		feet tofeet, and from				feet to						
0-				1.23 T	PRODUC	TION						
	-		hut in Gas February 3		_							
Put to Pro										•	C 1	
OIL WEL	L: The	production	during the first 2	24 hou	irs was		bar	rels of liqu	uid of which		% was	
	was o	oil;	%	was ei	mulsion;		% water	; and		% was sedin	nent. A.P.I.	
	Grav	itv	· .									
	•	-					(CF -1				harmale of	
GAS WEL	L: The	production	during the first	24 hou	ırs was4250	ΔΔ	i,C.F. pi	us			varreis of	
	liqui	d Hydroca	rbon. Shut in Pre	ssurc	20.50 lbs.							
Length of	Time Shu	ıt in	70 hour	.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
					TOPS (IN CONI	MRMANO	ne wini	H GEOGE	APHICAL SE	CTION OF	STATE):	
PLEA	SE INDI	CALE BI	Southeastern N			CLANA	, , ,			rn New Me		
т 4-6-								Т.	Ojo Alamo			
•				Т.	Silurian				Kirtland-Fruit			
				T.	Montoya							
			***************************************		Simpson				Pictured Cliffs			
				T.	McKee	*******************************		т.				
T. Queer	1			T.	Ellenburger			T.				
T. Grayb	urg	••••••		T.	Gr. Wash			T.	Mancos			
T. San A	ndres	······································	·	T.	T. Granite				Dakota			
			••••••••••••••••••••••••						Morrison			
-					•••••	- "						
				Т.								
							•					
				T.		4						
T. Miss				1.	FORMATIO							
					1010111111	1		Thicknes		`,		
From	To	Thickness in Feet	F	ormati	ion	From	То	in Feet		Formation	· · · · · · · · · · · · · · · · · · ·	
0	1670	1670	Surface sa	nd a	and shale			,				
1670	1830	160	Pictured C									
1830 3215	3215 4368	1385 1153	Lewis Shal Mesaverde	•				ļ				
4368	5285	917	Mancos									
5285	5637	352	Gallup									
5637	6020	383	Lower Mane	O#	tv.							
6020 6082	6082 6126	62 44	Greenhorn Graneros S	ha 7 a	* · · · · · · · · · · · · · · · · · · ·							
6126	6195	69	Graneros D									
6195	6310	115	Main Baket		· 							
			<u>.</u>									
						.						
				٠					,		-	
										_		
								·				
			1		e de la companya de	2	1	-				
		1	<u> </u>			<u> </u>			1		 	
			ATTACH SI	CPAR	ATE SHEET IF	ADDITIO	NAL SI	PACE IS	NEEDED '		•	

I hereby swear or affirm that the information gi	ven herewith is	s a complete	and correct	record of the well a	nd all work done on it so fa
as can be determined from available records.	•		•		•
		Farmin	stoo: Ye	v-Herico	Pebruary 14 196

	•				
Company or Operate AMERICAN P.	STROLEUM CORPORAT	ICMAddres Bear	80. Famington,	Her Herico	
Fred L. Nabors, District & Name	ngineer	Position or Tit	- · · · · · · · · · · · · · · · · · · ·		