	1		France 100	
NO. OF COPIES RECEIVED			Form C-193 Supersedes Oli	d
DISTRIBUTION	NEW MEXICO OIL CONSI	COVERNO CONTROLLINE	C-102/and C-10	
SANTA FE	NEW MEXICO OIL CONSI		Effective 1-1-6	55
FILE			5a. Indicate Type	of Lease
U.S.G.S.		SEP 2 3 1986	State X	Fee,
LAND OFFICE			5. State Oil & Gas	s Lease No.
OPERATOR	I	OIL CON. DIV.		
CLINIC	W NOTICES AND DEDORTS ON	DICT	mmm	
SUNDRY NOTICES AND REPORTS ON WELLS UISI. 3 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FOR C-101) FOR SUCH PROPOSALS.)				
1.			7. Unit Agreement Name	
OIL GAS WELL OTHER. Plug and Abandonment 2. Name of Operator			8. Farm or Lease Name	
			Umbenhour	
J. Warren Miller, Energy and Minerals Department, State Of N. M.			9. Well No.	
District III 1000 Rio Brazos Aztec, New Mexico 87410			#1	
4. Location of Well			10. Field and Pool, or Wildcat	
			· ·	
UNIT LETTER N 450 FEET FROM THE SOUTH LINE AND 1706 FEET FROM			iiiiiiiii	mmmii
West	9 29 Nor	th 13 West		
THE West LINE, SECTION 9 TOWNSHIP 29 North RANGE 13 West NMPN				
15, Elevation (Show whether DF, RT, GR, etc.)			12. County	<i>,,,,,,,,,,,</i> ,,,,,,,,,,,,,,,,,,,,,,,,,
Ground Level 5295'			San Juan	
Check	Appropriate Box To Indicate N	•		
NOTICE OF I	NTENTION TO:	SUBSEQUEN	T REPORT OF:	
PERFORM REMEDIAL WORK	PLUG AND ABANDON	REMEDIAL WORK		ING CASING
TEMPORARILY ABANDON COMMENCE DRILLING OPNS.			PLUG A	ND ABANDONMENT [A]
PULL OR ALTER CASING	CHANGE PLANS	CASING TEST AND CEMENT JOB		
		OTHER		
OTHER	LJ			
17. Describe Proposed or Completed Opwork) SEE RULE 1103.	perations (Clearly state all pertinent deta	ails, and give pertinent dates, including	estimated date of s	starting any proposed
,				
08/12/86 Rig up on v	well, tagged first plug a	at 18'. Drill out at 60'	, wood and c	cement plug.
08/13/86 Tagged another plug at 458', drill out 45' to 503', sand and shale plug, another				
sand and shale plug a	at 596'.			
	sand and shale bridge at			
	o bottom. Shut down, mix			sack soda
ash) and circulate ho	ole clean. Casing leakir	ng water and starting to	wash out.	
08/15/86 Mix 15 sack	ks ready mix cement and p	oour around surface pipe	. Ran notch	ned collar
to bottom, washed 4	joints to bottom 1466'.			
	, wash 8 joints to bottom		amounts of s	sand and
	ing off, pull out of hole			,
08/19/86 Go in hole	to bottom, mix and spot	70 sacks Class C 3% cal	cium chlori <i>e</i>	e cement.
Wait on cement for 3 ¹	a hours. Tag cement at 1	l280', mix and spot 70 m	ore sacks C1	lass C 3%
calcium chlorides cen	nent.			
	tag cement at 503', pull	l 1 joint, 32' to 471',	mix and spot	t 180 sacks
Class C 3% KCl cement				
08/21/86 Install dry hole marker with all pertinent details.				
10 Thanks and the base of the				
16. I nereby certify that the information	a should be true and complete to the heat	of my knowledge and helief.		
SIGNED & M. Das TITLE President / Clevo DATE 9-22-36				
$(//)_{i}$	n above is true and complete to the best		_ 0_	27 DV

ORIGINAL SIGNED BY ERNIE BUSCH

DEPUTY OIL & GAS INSPECTOR, DIST. #3

SEP 23 1986.