

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

RECEIVED
OCT 2 1946
MISSION
HOBB'S OFFICE

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). **SUBMIT IN TRIPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.**

Company or Operator

Address

LOISE BECK
Lease

Well No. 1 in SE

of Sec.

10

T.....29.N.

R. 12 W., N. M. P. M., FELCHER BASIN Field, SAN JUAN County.

Well is 1980 feet south of the North line and 1980 feet west of the East line of Sec. 10

If State land the oil and gas lease is No.....Assignment No.....

If patented land the owner is LOUISE BECK, Address Farmington, New Mex.

If Government land the permittee is AL GREER and GEORGE KRAUSE Address Box 337, Aztec New Mex.

The Lessee is AL GREER and GEORGE H. Krause, Address Box 337, Aztec, New Mex.

Drilling commenced 8 - 21 19 46. Drilling was completed Sept. 22 19 46

Name of drilling contractor.....C. M. CARROLL....., Address.....Box 353, Farmington, New Mex.

Elevation above sea level at top of casing 5,625 feet.

The information given is to be kept confidential until.....19.....

OIL SANDS OR ZONES

No. 1, from 735 to 740 No. 4, from I682 to I685

No. 2, from 8500 to 8800 No. 5, from to

No. 3, from I640 to I650 No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 300 to 330 feet.

No. 2, from 880 to 890 feet.

No. 3, from I640 to I650 feet.

No. 4, from to feet.


CASING RECORD

[illegible]

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	30	30	Surface Sand.
30	40	10	Gravel.
40	65	25	Yellow Sand.
65	85	20	Blue Shale.
85	120	35	Grey Sandy Shale.
120	170	50	Blue Shale.
170	235	115	Grey Sand
235	300	15	Sandy Shale.
300	330	30	Sand - Lot of Water.
330	470	140	Sand.
470	582	112	Sandy Shale.
582	665	83	Blue Shale.
665	680	15	White Sand
680	735	55	Sandy Shale.
735	740	5	Sand & Gas.
740	765	25	Sand.
765	890	125	Sandy Shale. Increase in Gas. 5 Bailleurs W
890	920	30	Sand More Water.
920	1000	80	Sand.
1000	1305	305	Sandy Shale.
1305	1315	10	Sand.
1315	1415	100	Sandy Grey Shale.
1415	1435	20	Brown Shale.
1435	1455	20	Grey Shale.
1455	1640	185	Black Shale.
1640	1650	10	Coal and Gas and Water.
1650	1692	32	Grey Shale.
1692	1695	3	Picture Cliff sand . set Paystring.
1695	1775	90	Picture Cliff- Slight increase in Gas.
1775	1871	96	Sandy Shale- Total depth of hole.

DUPLICATE
FORM C-105



NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

RECEIVED
OCT 2 1946
HOBBBS OFFICE

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE. FORM C-110 WILL NOT BE APPROVED UNTIL FORM C-105 IS PROPERLY FILLED OUT.

AREA 640 ACRES
LOCATE WELL CORRECTLY

GEORGE H. KRAUSE - ANTLERS HOTEL, COLORADO SPRINGS, COLORADO.

Company or Operator

Address

LOUISE BECK Well No. 1 in SE 1/4 of Sec. 10, T. 29N.

R. 12 W., N. M. P. M., ELLICHER BASIN Field, SAN JUAN County.

Well is 1980 feet south of the North line and 1980 feet west of the East line of Sec. 10

If State land the oil and gas lease is No. Assignment No.

If patented land the owner is LOUISE BECK, Address Farmington, New Mex.

If Government land the permittee is AL GREER and GEORGE KRAUSE, Address Box 337, Aztec, New Mex.

The Lessee is AL GREER and GEORGE H. Krause, Address Box 337, Aztec, New Mex.

Drilling commenced 8 - 21 19 46. Drilling was completed Sept. 22 19 46

Name of drilling contractor C. M. CARROLL, Address Box 353, Farmington New Mex.

Elevation above sea level at top of casing 5,625 feet.

The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1, from 735 to 740 No. 4, from 1682 to 1685
No. 2, from 8500 to 1880 No. 5, from to
No. 3, from 1640 to 1650 No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 300 to 330 feet.
No. 2, from 820 to 890 feet.
No. 3, from 1640 to 1650 feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	OUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
15 1/2	50	8		30'					Surface Pipe
12 1/2	50	8		486'					
10	45	8		780'					
8 1/2	32	8		1309'					
5	20	8		1685'		Cemented			Paystring

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHODS USED	MUD GRAVITY	AMOUNT OF MUD USED
8	5-3/16	1685	50	Halliburton		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set
Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment None

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from feet to feet, and from feet to feet
Cable tools were used from 0 feet to 1871 feet, and from feet to feet

PRODUCTION

Put to producing 19
The production of the first 24 hours was barrels of fluid of which % was oil; %
emulsion; % water; and % sediment. Gravity, Be.
If gas well, cu. ft. per 24 hours 200,000 Gallons gasoline per 1,000 cu. ft. of gas.
Rock pressure, lbs. per sq. in. 480

EMPLOYEES of Claude Carroll, Contractor
Clay Cade, Driller Ed Fulton, Driller
Bill Powell, Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 21 day of September, 19 46
George H. Krause

Name Charles Newbold
Position George H. Krause

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	30	30	Surface Sand.
30	40	10	Gravel.
40	65	25	Yellow Sand.
65	85	20	Blue Shale.
85	120	35	Grey Sandy Shale.
120	170	50	Blue Shale.
170	285	115	Grey Sand
235	300	15	Sandy Shale.
300	330	30	Sand - Lot of Water.
330	470	140	Sand.
470	532	112	Sandy Shale.
532	665	83	Blue Shale.
665	680	15	White Sand.
680	735	55	Sandy Shale.
735	740	5	Sand & Gas.
740	765	25	Sand.
765	890	125	Sandy Shale. Increase in Gas. 5 Bailers W
890	920	30	Sand More Water.
920	1000	80	Sand.
1000	1305	305	Sandy Shale.
1305	1315	10	Sand.
1315	1415	100	Sandy Grey Shale.
1415	1435	20	Brown Shale.
1435	1455	20	Grey Shale.
1455	1640	185	Black Shale.
1640	1650	10	Coal and Gas and Water.
1650	1682	32	Grey Shale.
1682	1685	3	Picture Cliff Sand . Set Paystring.
1685	1775	90	Picture Cliff- Slight increase in Gas.
1775	1871	96	Sandy Shale- Total depth of hole.