1	X	

## (SUBMIT IN TRIPLICATE)

## UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Santa	Pe
Lease No	065557	-A
Unit		

NOTICE OF INTERTION TO DRILL  SUBSCULENT REPORT OF WATER SHUT-OF  NOTICE OF INTERTION TO TEST WATER SHUT-OF  NOTICE OF INTERTION TO TEST WATER SHUT-OF  NOTICE OF INTERTION TO TEST WATER SHUT-OF  NOTICE OF INTERTION TO TREDRILL OR REPAIR WELL  NOTICE OF INTERTION TO SHOOT OR ACIDIZE  NOTICE OF INTERTION TO PULL OR ALFER CASING.  NOTICE OF INTERTION TO DEADLY OR ACIDIZE  NOTICE OF INTERTION TO DEADLY OR ACIDIZE  NOTICE OF INTERTION TO DEADLY OR ACIDIZE  NOTICE OF INTERTION TO MANADON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  DECEMBER 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  DECEMBER 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  DECEMBER 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  DECEMBER 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  DECEMBER 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  DECEMBER 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  DECEMBER 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  DECEMBER 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  DECEMBER 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAT	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.  NOTICE OF INTENTION TO REDRILL OR REPAIR WELL  SUBSEQUENT REPORT OF ALDRIES OR REPAIR.  NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO PULL OR ALFER CASING.  NOTICE OF INTENTION TO ABANDON WELL  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT	1 1
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL  SUBSCUENT REPORT OF RE-DRILLING OR REPAIR  SUBSCUENT REPORT OF RE-DRILLING OF REPAIR  SUBSCUENT OF REPORT.  SUBSCUENT REPORT OF REPORT.  SUBSCUENT OF REPORT.  SUBSCUENT REPORT.  SUBSCUENT OF REPORT.  SUBSCUENT.  SUBSCUENT.  SUBSCUENT.  SUBSCUENT.  SUBSCUENT.  SUBSCUENT.  SUBSCUENT.  SUBSCUENT OF REPORT.  SUBSCUENT OF REPORT.  SUBSCUENT.  SUBSCUENT.  SUBSCUENT.  SUBSCUENT.  SUBSCUENT.  SUBSCUEN	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE  NOTICE OF INTENTION TO PULL OR ALER CASING.  NOTICE OF INTENTION TO ABANDON WELL   (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21  [19 60  Dudley Cernell "A"  [20]  [20]  [21]  [22]  [23]  [24]  [25]  [26]  [26]  [26]  [27]  [28]	
NOTICE OF INTENTION TO PULL OR ALITER CASING.  SUPPLEMENTARY WELL HISTORY.  (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21.  December	
(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)  December 21 , 19 60  Dudley Cornell "A" is located 1190. ft. from [E] line of sec. [E/h Sec. 1	
December 21	
Dubley Cernell "A"  ell No 1 is located 1190 ft. from S line and 1650 ft. from E line of sec  E/A Sec 1 29 120  (K Sec and Sec No.) (Twp.) (Range) (Meridian)  midesignated Sen Juan (County or Subdivision)  Ground level  ne elevation of the descriptions above sea level is 5813 ft.  DETAILS OF WORK  ate names of and expected depths to objective sander show sines, weights, and langths of proposed casings; indicate mudding jobs, comentaining and comenting production casing as follows:  Ran 6697 4-1/2" 9 %, J-55 casing set at 6707 Stage collar set at 2214 di comented in two stages First stage 200 sx 50-50 posmix 6% gel 12-1/2% Isonite per seck. 50 sx 50-50 posmix 2% gel 12-1/2% gilsonite per seck. Plug wn on first stage 5:40 p.m. 12-11-60. Second stage 50 sx 50-50 posmix 6% gel, ug down on second stage 10:00 p.m. 12-11-60 WCC 24 hrs. Pressure tested sing at 2750 for 30 mins. Pressure held CK  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.	
cell No. 1. is located 1190. ft. from S line and 1650. ft. from S line of sec. 12% Sec. 1 (6 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  Indesignated San Juan (County or Subdivision)  Ground level  the elevation of the descentions above sea level is 5843 ft.  DETAILS OF WORK  ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting and comenting production casing as follows:  Ran 5697 4-1/2" 9.5%, J-55 casing set at 5707 Stage collar set at 2214 demented in two stages. First stage 200 sx 50-50 posmix 6% gel 12-1/2% lisonite per sack. 50 sx 50-50 youmix 2% gel 12-1/2% gilsonite per sack. Plug with on first stage 5:40 p.m. 12-11-60. Second stage 50 sx 50-50 posmix 6% gel, and down on second stage 10:00 p.m. 12-11-60. WCC 2 hrs. Pressure tested sing at 2750 for 30 mins. Pressure held OK.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.	, 19.60
128 128 128 128 128 128 128 128 128 128	1
(Nesc. and Sec. No.)  (Twp.)  (Range)  (Merdian)  (State or Territory)  (Stat	OFFEN.
midesignated (County or Subdivision)  Ground level  Ground level  Ground level  DETAILS OF WORK  ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, commenting points, and all other important proposed work)  ming and comenting production casing as follows:  Ran 6697 4-1/2" 9.5%, J-55 casing set at 6707. Stage collar set at 2214 demented in two stages. First stage 200 ex 50-50 posmix 6% gel 12-1/2% isonite per sack. 50 sx 50-50 posmix 2% gel 12-1/2% gilsonite per sack. Plug with on first stage 5:40 p.m. 12-11-60. Second stage 50 ex 50-50 posmix 6% gel, ug down on second stage 10:00 p.m. 12-11-60 WCC 24 hrs. Pressure tested  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.	<i>V.L.F/I/l</i>
Ground level  Ground level  Ground level  Ground level  Ground level  Ground level  DETAILS OF WORK  ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work)  maing and comenting production casing as follows:  Ran 6697 4-1/2" 9.5#, J-55 casing set at 6707' Stage collar set at 2214  d comented in two stages. Pirst stage 200 ex 50-50 posmix 6# gel 12-1/2#  lsonite per sack. 50 ax 50-50 posmix 2# gel 12-1/2# gilsonite per sack. Plug wn on first stage 5:40 p.m. 12-11-60. Second stage 50 ex 50-50 posmix 6# gel, and down on second stage 10:00 p.m. 12-11-50 WCC 24 hrs. Pressure tested  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Tunderstand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.	,
DETAILS OF WORK  ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting production casing as follows:  Ram 6697 4-1/2" 9 %, J-55 casing set at 6707 Stage collar set at 2214 decemented in two stages. Pirst stage 200 sx 50-50 posmix 6% gel 12-1/2% leonite per seck. 50 sx 50-50 posmix 2% gel 12-1/2% glisonite per seck. For six 12-11-60. Second stage 50 sx 50-50 posmix 6% gel, ng down on second stage 10:00 p.m. 12-11-60 WOC 24 hrs. Pressure tested sing at 2750 for 30 mins. Pressure held CK  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations.	EC 27
DETAILS OF WORK  ate names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work)  ming and comenting production easing as follows:  Ram 6697 4-1/2" 9.5%, J-55 casing set at 6707" Stage collar set at 2214  d comented in two stages. First stage 200 sx 50-50 posmix 6% gel 12-1/2%  lsonite per sack. 50 sx 50-50 posmix 2% gel 12-1/2% gilsonite per sack. Plug wn on first stage 5:40 p.m. 12-11-60. Second stage 50 sx 50-30 posmix 6% gel, ug down on second stage 10:00 p.m. 12-11-60. WCC 24 hrs. Pressure tested sing at 2750 for 30 mins. Pressure held CK  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.	1960
names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting production casing as follows:  Ram 6697 4-1/2" 9.5%, J-55 easing set at 6707. Stage collar set at 2214 decemented in two stages. Pirst stage 200 ex 50-50 posmix 6% gel 12-1/2% lisonite per sack. 50 ex 50-50 posmix 2% gel 12-1/2% gilsonite per sack. Plug wn on first stage 5:40 p.m. 12-11-60. Second stage 50 ex 50-50 posmix 6% gel, ug down on second stage 10:00 p.m. 12-11-60. WCC 24 hrs. Pressure tested sing at 2750 for 30 mins. Pressure held CK.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Impany. Tennessee Gas Transmission Company.  Idress P. O. Box 1714.	
Ran 6697 4-1/2" 9.5#, J-55 easing set at 6707. Stage collar set at 2214 demented in two stages. Pirst stage 200 sx 50-50 posmix 6# gel 12-1/2# lsonite per sack. 50 sx 50-50 posmix 2# gel 12-1/2# gilsonite per sack. Plug with on first stage 5:40 p.m. 12-11-60. Second stage 50 sx 50-50 posmix 6# gel, ag down on second stage 10:00 p.m. 12-11-60. WCC 24 hrs. Pressure tested sing at 2750 for 30 mins. Pressure held CK.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.	
Ran 6697 4-1/2" 9.5#, J-55 easing set at 6707. Stage collar set at 2214 d comented in two stages. Pirst stage 200 sx 50-50 posmix 6% gel 12-1/2# lsonite per sack. 50 sx 50-50 posmix 2% gel 12-1/2# gilsonite per sack. Plug wn on first stage 5:40 p.m. 12-11-60. Second stage 50 sx 50-50 posmix 6% gel, ug down on second stage 10:00 p.m. 12-11-60. WCC 24 hrs. Pressure tested sing at 2750 for 30 mins. Pressure held CK.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Impany Tennessee Gas Transmission Company  Idress P. O Box 1714	ing jobs, coment-
Ran 6697 4-1/2" 9.5#, J-55 easing set at 6707. Stage collar set at 2214 d comented in two stages. Pirst stage 200 sx 50-50 posmix 6% gel 12-1/2# lsonite per sack. 50 sx 50-50 posmix 2% gel 12-1/2# gilsonite per sack. Plug wn on first stage 5:40 p.m. 12-11-60. Second stage 50 sx 50-50 posmix 6% gel, ug down on second stage 10:00 p.m. 12-11-60. WCC 24 hrs. Pressure tested sing at 2750 for 30 mins. Pressure held CK.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Impany Tennessee Gas Transmission Company  Idress P. O Box 1714	
d cemented in two stages. Pirst stage 200 ex 50-50 posmix 65 gel 12-1/25 lsonite per sack. 50 sx 50-50 posmix 25 gel 12-1/25 gilsonite per sack. Plug wn on first stage 5:40 p.m. 12-11-60. Second stage 50 sx 50-50 posmix 65 gel, ug down on second stage 10:00 p.m. 12-11-60. WCC 24 hrs. Pressure tested sing at 2750 for 30 mins. Pressure held CK.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Impany	A AA OOSE
Isonite per sack. 50 sx 50-50 posmix 2% gel 12-1/2% gilsonite per sack. Plug vn on first stage 5:40 p.m. 12-11-60. Second stage 50 sx 50-50 posmix 6% gel, ug down on second stage 10:00 p.m. 12-11-60. Wor 2k hrs. Pressure tested sing at 2750 for 30 mins. Pressure held CK  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Impany Tennessee Gas Transmission Company  Idress P. O Box 1714	-1/ <b>24</b>
wn on first stage 5:40 p.m. 12-11-60. Second stage 50 ax 50-50 posmix 64 gel, and down on second stage 10:00 p.m. 12-11-60. Wor 24 hrs. Pressure tested sing at 2750 for 30 mins. Pressure held 0x.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Impany Tennessee Gas Transmission Company  Idress P 0 Box 1714	
sing at 2750 for 30 mins. Pressure held (K.  I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Impany Tennessee Gas Transmission Company  Idress P 0 Box 1716	tx 65 ml.
I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.  Impany Tennessee Gas Transmission Company  Idress P 0 Box 1714	****
Idress P 0 Box 1714	244 CB#
Idress P 0 Box 1714	240 CBU
Idress P 0 Box 1714	200 COT
Idress P 0 Box 1714	269.29ď
Idress P 0 Box 1714	200 COU
Idress P 0 Box 1714	
Durango, Colorado By Thurs LBP	
by January I.B.F.	
	LBP
Title District Production 8	