

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Grande Rd., Las Alamos, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO. 30 045 09279
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Archuleta
8. Well No. #1
9. Pool name or Wildcat Blanco Mesaverde

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: OR WELL ☐ GAS WELL ☒ OTHER	2. Name of Operator Amoco Production Company Attn: John Hampton
3. Address of Operator P.O. Box 800, Denver, Colorado 80201	4. Well Location Unit Letter <u>N</u> : <u>1000'</u> Feet From The <u>South</u> Line and <u>1080'</u> Feet From The <u>West</u> Line Section <u>19</u> Township <u>30N</u> Range <u>8W</u> NMNM San Juan County 10. Elevation (Show whether DF, RKB, RT, GR, etc.) 5712' GR

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	COMMENCE DRILLING OPNS. ☐
PULL OR ALTER CASING ☐	CASING TEST AND CEMENT JOB ☐
OTHER: <u>Abandon cathodic protection well</u> ☒	OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

The cathodic protection well associated with the above well will be plugged and abandoned per the attached procedure.

RECEIVED
JUN 11 1990
OIL CON. DIV.
DIST. 3

Please contact Cindy Burton (303)830-5119 if you have any questions.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE John Hampton TITLE Sr. Staff Admin. Supr. DATE 6/8/90

TYPE OR PRINT NAME John Hampton

(This space for State Use)

TELEPHONE NO. 303-830-5025

APPROVED BY Original Signed by FRANK T. CHAVEZ

CONDITIONS OF APPROVAL, IF ANY:

TITLE SUPERVISOR DISTRICT 3

DATE JUN 12 1990

GROUND BED ABANDONMENT

WELL NAME: Archuleta #1

LOCATION: S19-T30-R8

- 1) Weld 6 " dia. spool with diverter line to pit
- 2) MIRU
- 3) Wash in hole with 1 1/4" work string. Circulate out coke breeze. Pull anodes as they come free. Wash hole to 300 ft. (LIDA ANODE)
- 4) Pump 75 sx of neat cement w/ 1/4 lb. sk. Flocele. Pull out work string.
- 5) Top off hole with cement, set flexible, pipeline marker as PxA marker.
- 6) RDMO

Ground Bed Specifications

TD 300 ft.

Hole Dia. 6 inches.

Casing Dia. 6 inches

Casing Length 20 ft.

JAB.GRA

DATA SHEET NO. _____

DEPTH, FT.	DRILLER'S LOG	DRILL PIPE TO STRUCTURE			EXPLORING ANODE TO STRUCTURE			DEPTH, TOP OF ANODES
		E	I	R	E	I	R	
10	20' Steel Casing 300' - TD		7.2					
20			6.9					
			6.3					
10			6.1					
			5.3					
20			5.8					
			5.6					
30			6.1					
			5.8					
40			5.9					
50		5.7						
60	Lide Set at 260'		5.6					
			5.9					
70			5.4					
			5.1					
80			4.7					
			4.5					
90			4.7					
			4.9					
300		5.1	5.0					
			5.3					
		5.3						

GROUNDING RESISTANCE: (1) VOLTS _____ - AMPS _____ - _____ OHMS

(2) VIBROGROUND _____ OHMS

