Budget	Bureau	No.	42-R35	8.4
Approv	al expin	PR 19-	31-80	

For ()	m 9- Feb. 1	- 881 a 951)		

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office .			ı P	<u>)</u>
Lease No	.07	153	<u>.</u>	
Unit I	2		Ma.	18

JOHDK I		D REPORTS ON WELLS	·
ICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
ICE OF INTENTION TO CHANGE PL	LANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.	
ICE OF INTENTION TO TEST WATE		SUBSEQUENT REPORT OF ALTERING CASING	-
ice of intention to re-drill (ice of intention to shoot or	1 1	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT	
ICE OF INTENTION TO PULL OR A		SUPPLEMENTARY WELL HISTORY	l l
ICE OF INTENTION TO ABANDON			
(INDICAT	TE ABOVE BY CHECK MARK NATU	URE OF REPORT, NOTICE, OR OTHER DATA)	·
Florence			, 19. 5
No. 1-35 is locat	ed _ 1090 _ ft. from	$\left\{ egin{array}{c} \mathbf{N} \\ \mathbf{E} \end{array} ight\}$ line of $\left\{ egin{array}{c} \mathbf{E} \\ \mathbf{E} \end{array} ight\}$ line of	f sec
(½ Sec. and Sec. No.)	(Twp.) (Rang	ge) (Meridian)	
Manton	Sen Av	Most Marie	
(Field)	(County or Sub	division) (State or Territory)	
elevation of the derrick	floor above sea level i	is (693) ft.	
cicvation of the defices			
clevation of the deriver	DETAILS	OF WORK	ا وسعد
	objective sands: show sizes, we	eights, and lengths of proposed casings; indicate muc	iding jobs, comen
	objective sands: show sizes, we		iding jobs, cejmen
	objective sands: show sizes, we	eights, and lengths of proposed casings; indicate muc	Set 75
	objective sands: show sizes, we	eights, and lengths of proposed casings; indicate muc	Set 75
	objective sands: show sizes, we	eights, and lengths of proposed casings; indicate muc	Set 770 Set 770 herfarshed 2007 send P liner
	objective sands: show sizes, we	eights, and lengths of proposed casings; indicate muc	Set 790 beforehol 2007 send 1 liner
	objective sands: show sizes, we	eights, and lengths of proposed casings; indicate muc	Set 790 beforehol 2007 send 1 liner
names of and expected depths to dead, evidence of liner Sh3' to 5370 - Sh36 w/ 3 3000 to 3750	objective sands; show sizes, we ing points, and all other in caseing. 1757 commission part it. 15.5 FFL set by 15.5 FFL set	eights, and lengths of proposed casings; indicate muc	Set 790 beforehol 2007 send 1 liner
	objective sands; show sizes, we ing points, and all other in enging. 1757 commission. 1757 commission. 1758 FM. Set br. 1560 w/2 bullet. 15 558 FM. Set br. 1711 - 2 EEE	eights, and lengths of proposed casings; indicate muc	Set 790 beforehol 2007 send 1 liner
names of and expected depths to i dead, gridence of i liner SSA3* to 5370 - SA36 w/ 3 3000 to 3750 m 20 4930-1540; 1950 resource 1500 to 150 plug and 00 to 750 les Feebur at 1590* 1 - 2 1/2* RES tob	objective sands; show sizes, we ing points, and all other in enging. 1757 commission. 1757 commission. 1758 FM. Set br. 1560 w/2 bullet. 15 558 FM. Set br. 1711 - 2 EEE	eights, and lengths of proposed casings; indicate muc	Set 790 beforehol 2007 send 1 liner
names of and expected depths to i dead, evidence of i liner SS3' to 5370 - \$35 w/3 3000 to 3750 SS 29 1930-1910, 1950 recours 1500 to 150 plug and 00 to FSE 10 1/2" EUE to 10 Well SI SI Non-	objective sands; show sizes, we ing points, and all other in easing. A hale in easing. A 757 commission. A 758 see he. A 500 w/2 bullet. B 5482 FL A CE W/7711 - 2 EE ding above packer. E9-720 GR-0	eights, and lengths of proposed casings; indicate mucimportant proposed work) Palled tubing G.O. to SSA? 235 sm. GO to PMD SAR? Itsee w/ 33,000 gale. water JG, ligo plug SASO. Purferated ; e per ft. fram. w/ 16,160 gal GO to plug at SASO CH tested tested 3500 MF. Set Hallfor A 30° - 2 1/F NHR tubing bal Looded examiles above packer	Set 790 beforehed 600 sand P liner is water 13 1 Eld HEF. Stron Type less packer.
names of and expected depths to i dead, evidence of i liner SS3' to 5370 - \$35 w/3 3000 to 3750 SS 29 1930-1910, 1950 recours 1500 to 150 plug and 00 to FSE 10 1/2" EUE to 10 Well SI SI Non-	objective sands; show sizes, we ing points, and all other in easing. A hale in easing. A 757 commission. A 758 see he. A 500 w/2 bullet. B 5482 FL A CE W/7711 - 2 EE ding above packer. E9-720 GR-0	eights, and lengths of proposed casings; indicate mucimportant proposed work) Palled tubing G.O. to SSA? 235 sm. GO to PMD SAR? Itsee w/ 33,000 gale. water JG, ligo plug SASO. Purferated ; e per ft. fram. w/ 16,160 gal GO to plug at SASO CH tested tested 3500 MF. Set Hallfor A 30° - 2 1/F NHR tubing bal Looded examiles above packer	Set 790 beforehed 600 sand P liner is water 13 1 Eld HEF. Stron Type less packer.
names of and expected depths to i dead, wildence of i liner 553° to 5370 - \$35° w/ 3 3000 to 3750° is 20 1930-1510; 1950 resoure 1500 to 150 plug and 60 to FEE 160 Feebur at 1598° 1 - 2 1/2° Ris tolo 1 - 2 1/2	objective sands; show sizes, we ing points, and all other in points. There is exacing. 1/57' common states.	rights, and lengths of proposed casings; indicate mucimportant proposed work) Palled tuking G.O. to SSA ./ 235 em. GO to PMD SAR free w/ 33,000 gale. under 30, ideo plug S160 . Jurismeted 5 a per ft. free. w/ 16,160 gal GO to plug at \$100 (H tested tested 3500 MF. Set Hallibe A 30 - 2 1/F HH tuking bal Located summires above parties	Set 790 beforehed 600 sand P liner is water 13 1 Eld HEF. Stron Type less packer.
names of and expected depths to i dead, writenee of i liner 553° to 5370 - \$35 w/3 3000 to 3750° 36 20 1930-1910, 1950 recourse 1500 to 150 plug and 00 to 750 les Feebur at 1500° 1 - 2 1/2° 202 to 1 - 2 1/2° 202	objective sands; show sizes, we ing points, and all other in points. There is exacing. 1/57' common states.	rights, and lengths of proposed casings; indicate mucimportant proposed work) Palled tuking G.O. to SSA ./ 235 em. GO to PMD SAR free w/ 33,000 gale. under 30, ideo plug S160 . Jurismeted 5 a per ft. free. w/ 16,160 gal GO to plug at \$100 (H tested tested 3500 MF. Set Hallibe A 30 - 2 1/F HH tuking bal Located summires above parties	Set 790 beforehed 600 sand P liner is water 13 1 Eld HEF. Stron Type less packer.
names of and expected depths to i dead, evidence of i liner 553° to 5370 - \$35° w/ 3 3000 to 3750° is 10, 1930-1510; 1950 resource 1500 to 150 plug and 60 to FEE 10 - 2 1/2° RIE tolo 10 - 2	objective sands; show sizes, we impoints, and all other in cassing. 1/57' commissing. 1	rights, and lengths of proposed casings; indicate mucimportant proposed work) Palled tuking G.O. to SSA ./ 235 em. GO to PMD SAR free w/ 33,000 gale. under 30, ideo plug S160 . Jurismeted 5 a per ft. free. w/ 16,160 gal GO to plug at \$100 (H tested tested 3500 MF. Set Hallibe A 30 - 2 1/F HH tuking bal Located summires above parties	Set 790 beforehed 600 sand P liner is water 13 1 Eld HEF. Stron Type less packer.

.

.

.