



Budget Bureau No. 42-R358.4.  
Approval expires 12-31-60.

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Santa Fe  
Lease No. SF 070500-4  
Unit 1/2 of Sec. 4

SUNDRY NOTICES AND REPORTS ON WELLS

|  |  |                                     |
|--|--|-------------------------------------|
| NOTICE OF INTENTION TO DRILL                   | SUBSEQUENT REPORT OF WATER SHUT-OFF        | <input checked="" type="checkbox"/> |
| NOTICE OF INTENTION TO CHANGE PLANS            | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING |                                     |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF     | SUBSEQUENT REPORT OF ALTERING CASING       |                                     |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL | SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR |                                     |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE        | SUBSEQUENT REPORT OF ABANDONMENT           | <input checked="" type="checkbox"/> |
| NOTICE OF INTENTION TO PULL OR ALTER CASING    | SUPPLEMENTARY WELL HISTORY                 |                                     |
| NOTICE OF INTENTION TO ABANDON WELL            |  |                                     |

U. S. GEOLOGICAL SURVEY  
FARMINGTON, NEW MEXICO

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

June 11, 1956

Well No. 3 is located 1650 ft. from N line and 1650 ft. from E line of sec. 4  
NE 1/4 of Sec. 4 (1/4 Sec. and Sec. No.) 10N (Twp.) 10E (Range) 107W (Meridian)  
Blanco (Chaves) (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 6000 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Run 105 joints (3253') of 7 5/8" 26.10# 1-55 SS Casing. Landed at 3269'.  
Cemented with 150 cement. Casing was pressured to 800' for 1 hour with no drop in pressure, after cement set, plug was drilled and hole blown dry with gas. It remained dry and drilling ahead with gas was resumed.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Dalby-Taylor Oil Corporation

Address P. O. Box 1175

Farmington, New Mexico

By J. M. Lawrence

Title Dist. Supt.