			1		
Submit 3 Copies To Appropriate District	State of New Me	exico		Form C-10	13
Office District I	Energy, Minerals and Nati	· · ·	ļ	Revised March 25, 19	
1625 N. French Dr., Hobbs, NM 88240	637	W	VELL API NO.		
<u>District II</u> 811 South First, Artesia, NM 88210	OIL CONSERVATION	DIVISION L		45-11574	
District III	1220 South St. Francis Dr.		5. Indicate Type of Lease		
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 8	7505	STATE	FEE 🔀	
1220 S. St. Francis Dr., Santa Fe, NM	,	6.	. State Oil & Gas	s Lease No.	
SUNDRY NOTIC	CES AND REPORTS ON WELLS		<u> </u>		
(DO NOT USE THIS FORM FOR PROPOS	ALS TO DRILL OR TO DEEPEN OR BAC	NAG (U-C/2)	Lease Name or U	Jnit Agreement Name	::
DIFFERENT RESERVOIR. USE "APPLIC PROPOSALS.)	ATION FOR PERMIT" (FORM C-10	OR SUCH ▲	Gallegas	Canyon Unit	
1. Type of Well:	2	JUN 2001	o amogos	ounyon onn	
	Other 📮		į		
2. Name of Operator		O CON DW	Well No.		_
Amoco Production Company	Attn: Mary copley	DIGT .		199	
3. Address of Operator			Pool name or Wi		ㅓ
P.O. Box 3092 Houston, TX 7  4. Well Location	7253	Bo Notice Bo	asin Dakota & O	tero Chacra	
4. Well Location		C. G. G. V.			
Unit Letter_ O	1000 feet from the South	line and 2510 fee	t from the Eas	† line	ĺ
			t nom the	<u> </u>	
Section 34	Township 29N Range	12W NM	PM San Juan	County	ı
	10. Elevation (Show whether Di				
11 Chaols A	544	_			
NOTICE OF INT	opropriate Box to Indicate Na				
PERFORM REMEDIAL WORK		SUBSE REMEDIAL WORK	QUENT REPO		_
	TEGG AND ABANDON	NEWEDIAL WORK	<i>ا</i> ل ا	ALTERING CASING [	
TEMPORARILY ABANDON	CHANGE PLANS	COMMENCE DRILLING OPNS. PLUG AND			
PULL OR ALTER CASING	MULTIPLE	CASING TEST AND	_ ^	ABANDONMENT L	J
	COMPLETION	CEMENT JOB			
OTHER Profession to a last of				-	_
OTHER: Perform bradenhead	repair on plugged well X	OTHER:		L	_
12. Describe proposed or completed of starting any proposed work)	operations. (Clearly state all per SEE RULE 1103. For Multiple C	inent details, and give I	pertinent dates, inc	luding estimated date	;
or recompilation.	SEE ROLL 1103. Poi Wultiple C	ompletions: Attach we	libore diagram of j	proposed completion	
·					
NOTE: Verbal approval receiv	ved from Charlie Perrin 4/4/	<b>'01</b>			
••					
Please see attached Procedure	for performing bradenhead	repair for the sub	iect well which	was plugged and	
abandoned 03/07/1998.	-	•		p.aggod dild	
I hereby certify that the information	boye is true and complete to the b	est of my knowledge an	d belief.		-
SIGNATURE WALLY MAN	MIN THE A	Danish 4 to 1	<b>-</b>		
The floor	//	Regulatory Analyst	DATE	04/16/2001	
Type or print name Mary Corley	U	Te	lephone No. 281	<u>-366-4491</u>	_
(This space for State use)  APPPROVED BY				11111 00 000	
APPPROVED BY	CHAPLE T. PERVEN TITLE	TY OIL & GAS INSPECTO	19 Bigy	JUN 22 200	1
Conditions of approval, if any:	IIIEE	- minutes economics #12" x #1	<sup>136</sup> , <b>≱131. 23</b> D	ATE	
· · ·					

## Gallegos Canyon Unit 199 San Juan County, NM Unit O Sec 34 T29N-R12W

Perform bradenhead repair on plugged well.

NOTE: Verbal approval received from Charlie Perrin 4/4/01.

## Procedure:

- 1. Check anchors. Obtain hot work permit. Test for gas.
- 2. Cut off P&A marker and cap.
- 3. Install flange on 8-5/8" csg. NU BOP. Close blinds and test to 500 psi.
- 4. Re-enter 4-1/2" csg stub and drill up 5 sack surface plug. TIH and tag top of second cmt plug at 1250'.
- 5. Close rams and test csg to 500 psi. If csg/plug fails to test, TIH with pkr and isolate. Contact engineer for supplementary procedure.
- 6. If csg and plug tested successfully, RU electric line. Perforate 4-1/2" csg @ 375'. Set CICR @ 325'.
- 7. Sting into CICR.
- 8. RU Dowell. Attempt to break circulation pumping down tubing and taking returns on 4-1/2" x 8-5/8" annulus.
- 9. Pump 90 sxs cmt below CICR or until good cmt returns are noted on 4-1/2" x 8-5/8" annulus. Spot 10 sxs cmt on top of CICR.
- 10. Set 5 sack surface plug.
- 11. Install cap and P&A marker.
- 12. RDMO SU.

GCU 199 San Juan County, NM Section 34 T29N - R12W

4-3-2001 ATK

