

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supervisors and
Land Office
Effective 1/1/81

Indicate Type of Lease
State ☐ Fee ☒

State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator S & I OIL COMPANY	8. Farm or Lease Name Bob-Blanche
3. Address of Operator 413 W. Main Street, Farmington, New Mexico 87401	9. Well No. 1
4. Location of Well UNIT LETTER I 1830' FEET FROM THE South LINE AND 660 FEET FROM West THE LINE, SECTION 12 TOWNSHIP 29N RANGE 15W NMPM.	10. Field and Pool, or Valcat Cha Cha Gallup
11. Elevation (Show whether DF, RT, CR, etc.) 5176'	12. County San Juan

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of completion and proposed work) SEE RULE 1103.

12/31/80 Spud Well

1/15/81 T.D. 298'. Ran 7 joints 8-5/8", 24.0 lb., K-55 casing set at 289' with 275 sacks Class "B" cement with 3% Calcium Chloride and 1/4 lb. Flocele per sack. Cement circulated approximately 10 barrels. Pressure test with 500 psig. Test ok.

1/26/81 T.D. 4670'. Ran 122 joints 4-1/2", 10.50 & 11.60, K-55 casing set at 4645' with:

First Stage: 300 sacks 50-50 Pozmix with 6-1/4 lbs. Gilsonite and 6 lbs. salt per sack. Calculated top of cement 3800'.

Second Stage: 575 sacks 65-35 Pozmix (12% Gel) with 6-1/4 lbs. Gilsonite per sack, followed by 50 sacks Class "B" Neat Cement. Stage Collar at 3379'. Calculated top of cement - surface.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

FOR: S & I OIL COMPANY

President, Walsh Engr. & Production Corp.

By: Ewell N. Walsh, P.E.

TITLE

DATE

2/6/81

Original Signed by FRANK T. CHAVEZ

APPROVED BY

TITLE

SUPERVISOR DISTRICT 3

DATE

FEB 24 1981

CONDITIONS OF APPROVAL, IF ANY:



STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION

BRUCE KING
GOVERNOR
LARRY KEHOE
SECRETARY

POST OFFICE BOX 2088
STATE LAND OFFICE BUILDING
SANTA FE, NEW MEXICO 87501
(505) 827-2434

January 30, 1981

Desert American Insurance
3535 E. 30th Street
Suite 102-A
Farmington, New Mexico 87401

Bob-Blanche #1

Re: \$5,000 One-Well Plugging Bond
Troy Strickland and E. V.
Isbell dba S & I Oil Company,
Principal, American Employers'
Insurance Company, Surety
1830' FSL and 660' FWL of Sec. 12,
I- T-29-N, R-15-W, San Juan County
Depth: 4,900 feet Bond No. AE-71351-76

Gentlemen:

The Oil Conservation Division hereby approves release of the
above-referenced plugging bond effective January 26, 1981.

Sincerely,

JOE D. RAMEY,
Director

JDR/DR/jc

cc: Oil Conservation Division
Aztec, New Mexico

S & I Oil Company
2205 Santiago
Farmington, New Mexico 87401





STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT
OIL CONSERVATION DIVISION

November 12, 1980

BRUCE KING
GOVERNOR

LARRY KEHOE
SECRETARY

POST OFFICE BOX 2088
STATE LAND OFFICE BUILDING
SANTA FE, NEW MEXICO 87501
(505) 827-2434

Desert American
Suite 102A
Petroleum Plaza Bldg.
3535 E. 30th Street
Farmington, New Mexico 87401

Re: \$5,000 One-Well Plugging Bond
Troy Strickland and E. V.
Isbell dba S & I Oil Company,
Principal, American Employer's
Insurance Company, Surety
1830' FSL and 660' FWL of
Sec. 12, T-29-N, R-15-W,
San Juan County, Depth: 4,900 ft.
Bond No. AE-71351-76

Gentlemen:

The Oil Conservation Division hereby approves the
above-referenced plugging bond effective November 7, 1980.

Sincerely,

JOE D. RAMEY,
Director

JDR/dr

cc: Oil Conservation Division
Aztec, New Mexico

S & I Oil Company
2405 Santiago
Farmington, New Mexico 87401

