5. LEASE

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

DEPARTMENT OF THE INTERIOR	14-20-603-5024
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	Navajo 7. UNIT AGREEMENT NAME
	8. FARM OR LEASE NAME
1. oil gas other	Navajo G 9. WELL NO.
2. NAME OF OPERATOR	1 1
J. Gregory Merrion & Robert L. BAyless 3. ADDRESS OF OPERATOR	10. FIELD OR WILDCAT NAME Undes. Gallup
P. O. Box 1541, Farmington, NM 87401 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
below.) AT SURFACE: 330' FNL & 1650' FEL	Section 31, T29N, R17W 12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: same	San Juan New Mexico
AT TOTAL DEPTH: same	14 API NO
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE REPORT, OR OTHER DATA	
more and the state of the state	5190 GI
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF TEST WATER SHUT-OFF	3 182
FRACTURE TREAT	SURVEY
SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE U. S. ARMIN	OGICAL W. Wieser and
PULL OR ALTER CASING TO SECOND	Report results of multiple completion or zone change on Form 9–330.)
MULTIPLE COMPLETE CHANGE ZONES CHANGE ZONES	
ABANDON*	e de la companya de l
(other) Drilling X	. •
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is dimeasured and true vertical depths for all markers and zones pertinent.)	rectionally drilled give subsurface locations and
See attached.	DE BECORA
Were the	MAR 12 1981
MAR 10	1981 \OIL CON. COM.
VATANIA	DIST. 3
FARMINGTON C. R. P.	DISTRICT
BY	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED THE Engineer	DATE 3-2-81
(This space for Federal or State office	ce use)
APPROVED BY TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:	

NNOG

MERRION & BAYLESS
NAVAJO G-1
330' FNL & 1650' FEL
Section 31, T29N, R17W
San Juan County, New Mexico
14-20-603-5024

WELL HISTORY

- O2-23-81 Move in, rig up L & B Speed Drill. Drilled 9-1/4" hole to 64 ft KB.
 Ran 60 ft. of 7" 23 lb/ft surface and cemented w/ 15 sx Class B, 2%
 CACL2. Circulated cement. WOCT. (SSD)
- O2-24-81 Pressure tested to 200 PSIG for 10 minutes. Drilled out cement and dried up hole. Air drilled to 519' w/ 6-1/4" hole. No shows in upper sands. Bar sand wet. Trip out overnight. (SSD)
- O2-25-81 Hole full of water, fresh, possibly potable. Making est. 2 bbl/hr. No oil, no gas. Drilled into oil show @ 535-40 ft. Drilled to TD @ 620 ft. Mudded up and killed well. Trip out w/ drill pipe. Rig up Birdwell and ran IES Induction and Density logs. SDON. (SSD)
- 02-26-81 Lay down drill pipe. Ran 19 jts. 4-1/2" casing, tally length 619.65' and landed @ 623 ft. KB. Rig up Cementers Inc. and cemented w/ 75 sx. Class 'B' neat cement. Good circulation. Returned 1 gal. cement to surface. Shut in. WOCT. (SSD)