## TABULATION OF DEVIATION TESTS

## ROSA UNIT NO. 65 AMOCO PRODUCTION COMPANY

DEPTH		DEVIATION
83 <b>9</b> '	~	1/4°
1024		1/4°
1562	-	3/4°
2027		1°
2437'		3/4°
3114'		1°
3650 <b>'</b>		3/4°
4150'		1°
4649 <b>'</b>		3-3/4°
4864 <b>'</b>		4°
5364 <b>'</b>		4°
5886'		4°
6405 <b>'</b>		4°
6900 <b>'</b>		4°
7500 <b>'</b>		3-3/4°

## $\underline{A} \ \underline{F} \ \underline{F} \ \underline{I} \ \underline{D} \ \underline{A} \ \underline{V} \ \underline{I} \ \underline{T}$

THIS IS TO CERTIFY that to the best of my knowledge the above tabulation details the deviation tests taken on AMOCO PRODUCTION COMPANY'S ROSA UNIT NO. 65 located 1140' FNL x 860' FEL, NE/4 NE/4, Section 17,T-31-N, R-5-W, Rio Arriba County, New Mexico.

Signed <u>Stroboda</u> Title <u>Dist. Adm. Supervisor</u>

BEFORE ME, the undersigned authority, on this day personally
appeared <u>E. E. Svoboda</u> known to me to be <u>Dist Adm</u> .
Supvr. for Amoco Production Company and to be the person
whose name is subscribed to the above statement, who, being by
me duly sworn on oath, states that he has knowledge of the facts
stated herein and that said statement is true and correct.
SUBSCRIBED AND SWORN TO before me, a Notary Public in and for said County and State this 2nd day of November, 1978.

Bleauer P. Braww Notary Public

SS.

THE STATE OF NEW MEXICO)

COUNTY OF SAN JUAN