Form 3160-5 (June 1990)

1. Type of Well

Oil Well

2. Name of Operator

3. Address and Telephone No.

X Well

Other

PHILLIPS PETROLEUM COMPANY

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No.

SF-078995
6. If Indian, Allottee or Tribe Name

8. Well Name and No.

9. API Well No. 30-039-24988

224

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

7. If Unit or CA, Agreement Designation

San Juan 31-6 Unit

300 West Arrington Suite 200, Farmingt	on, NM 87401 505/599-3400	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		Basin Fruitland Coal
Unit A, 1092' FNL & 1162' FEL		11. County or Parish, State
Sec. 31, T31N, R6W.		Rio Arriba, NM
12. CHECK APPROPRIATE BOX(s) TO INDIC	ATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Subsequent Report DECT 4.1990 Final Abandonment Notice OIL CON.	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other As Per NTL-FRA-90-1	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water
DIST. 3		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)
 Describe Proposed or Completed Operations (Clearly state all pertinent details, a give subsurface locations and measured and true vertical depths for all ma 	no give pertinent dates, including estimated date of starting inters and zones pertinent to this work.)*	any proposed work. If well is directionally drilled,
Description of cement job to fulfill requ the Ojo Alamo Formation, as per NTL-FRA-9	irements for protection of u 0-1.	sable water zones including
Date: 10-29-90 Time Started:	0900 Time Com	pleted: 1741
Hole Size 8-3/4" Casing Size	7" 23# J-55 New Casing	Seat 2822.19 Ft.
Turbo Centralizers at 2078 , 2034	1945	2521
	2734 , 2653 , 2565 Fresh Water.	,2521
and radii		
Lead Slurry 500 Sx 65/35 Poz, 12% Gel,	1/4# Flocele/Sk, 11.7 ppg @	2.3 Ft ³ /Sx yield
Mid Slurry		
Tail Slurry 150 Sx Class B, 1/4# Floce	le/Sk, 15.6 ppg @ 1.18 Ft ³ /S	k yield
Displaced Plug with 108 Bbls Fresh	Water.	
Volume Cement Circulated 146 Rhks/		
Average Pressure 600 PSI, Average R	ate 9 BPM, Bumped Plu	ug with 1600 PSI.
200		
14. I hereby certify that the foregoing is type and connect	R. A. Allred	
Signed Tide_	Drilling Supervisor	Dete11-12-90
(This space for Federal or State office use)	ACCE	PTED FOR RECORD
Approved by Tide _		DEC 7 1990
Conditions of approval, if any:		
	FAR	MINGTON RESOURCE AREA
Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willf or representations as to any matter within its jurisdiction.	ally to make to any department or agency of the United S	any false, fictitious or fraudulent statements
** * * * * * * * * * * * * * * * * * *		