


Form 9-331a  
(Feb. 1951)



4-ESGS (SUBMIT IN TRIPLICATE)  
1-W.R. Johnston  
2-El Paso  
1-File  
**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

Land Office Santa Fe  
Lease No. S.F. 079967  
Unit 30-4

### SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	XXX
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

May 28, 1956

Well No. 6-33 is located 1650 ft. from <sup>NS</sup> S line and 1650 ft. from <sup>EW</sup> W line of sec. 33

SE/4 SW/4 33 (1/4 Sec. and Sec. No.)	31N 4W (Twp.) (Range)	N.M.P.M. (Meridian)
Wildcat (Field)	Rio Arriba (County or Subdivision)	New Mexico (State or Territory)

The elevation of the ~~drill floor~~ <sup>ungraded ground</sup> above sea level is 6671 ft.

#### DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Set Halliburton DC Packer @ 3390'. Sqzd perfs 3552 to 3506 w/65 sx cement, pulled tubing and filled hole w/heavy mud from 3506 to 65', set 20 sx cement plug from 65' to surface. Installed 4'x4" prescribed marker. Well P&A 5-7-56.



I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Pacific Northwest Pipeline Corp.

Address 113 1/2 West Main

Farmington, New Mexico

By /s/ T. A. Dugan

Title District Engineer

