

N ^o . OF COPIES RECEIVED	3
DISTRIBUTION	
SANTA FE	1
FILE	1
U.S.G.S.	
LAND OFFICE	
OPERATOR	1

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	
171894	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER- <input type="checkbox"/>		7. Unit Agreement Name	
2. Name of Operator		8. Farm or Lease Name	
AMOCO PRODUCTION COMPANY		Helton Gas Com	
3. Address of Operator		9. Well No.	
501 AIRPORT DRIVE, FARMINGTON, NM 87401		1	
4. Location of Well		10. Field and Pool, or Wildcat	
UNIT LETTER 0 790 FEET FROM THE South LINE AND 1850 FEET FROM		Blanco Pictured Cliffs	
THE East LINE, SECTION 32 TOWNSHIP 30-N RANGE 9-W NMPM.			
15. Elevation (Show whether DF, RT, GR, etc.)		12. County	
5702' GL		San Juan	

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

We propose to plug and abandon this Blanco Pictured Cliffs well. The well has a casing leak that is uneconomical to repair due to the state of depletion. The following is our proposed plugging procedure:

1. Squeeze 10 sx Class "B" Neat cement into the formation.
2. Fill 4-1/2" casing with cement to surface.
3. Cut off well-head, erect PxA marker and clean up location.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Area Engineer DATE June 15, 1978

APPROVED BY [Signature] TITLE SUPERVISOR DATE JUN 27 1978

CONDITIONS OF APPROVAL, IF ANY: