

X COPY TO O.C.C.

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 076139
Unit Elliott Gas Unit #C
West 1/4 Section 33
Designated Drilling Unit

30-045-08910

SUNDRY NOTICES AND REPORTS ON WELLS

| | | | |
|---|-------------------------------------|---|--|
| NOTICE OF INTENTION TO DRILL..... | <input checked="" type="checkbox"/> | SUBSEQUENT REPORT OF WATER SHUT-OFF..... | |
| NOTICE OF INTENTION TO CHANGE PLANS..... | | SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING..... | |
| NOTICE OF INTENTION TO TEST WATER SHUT-OFF..... | | SUBSEQUENT REPORT OF ALTERING CASING..... | |
| NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL..... | | SUBSEQUENT REPORT OF REDRILLING OR REPAIR..... | |
| NOTICE OF INTENTION TO SHOOT OR ACIDIZE..... | | SUBSEQUENT REPORT OF ABANDONMENT..... | |
| NOTICE OF INTENTION TO PULL OR ALTER CASING..... | | SUPPLEMENTARY WELL HISTORY..... | |
| NOTICE OF INTENTION TO ABANDON WELL..... | | | |

RECEIVED
JUL 24 1953
D. S. FARMINGTON

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Farmington, New Mexico July 20, 1953

Well No. 1 is located 930 ft. from S line and 1630 ft. from W line of sec. 33
SW 1/4 of Section 33 R-30-S R-2-W T11N
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
Blanco-Hueverde San Juan New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 5700 ft. (Ungraded ground)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill the above well to approximately 4900 feet. Rotary tools will be used to total depth. Casing will be set on top of Cliffhouse. Hueverde formation will be drilled with gas and cleaned out with gas after shot with SNG.

The following casing program is proposed:

| Size | Depth | Weight | Remarks |
|--------|-------|--------|---|
| 9-5/8" | 250' | 225 | 175% of calculated amount to circulate. |
| 7" | 4100' | 300 | 150% of calculated amount to fill 1260' above shoe. |

Copies of location plate are attached. A copy of any survey taken will be submitted upon completion of well.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Stanolind Oil and Gas Company

Address Box 487

Farmington, New Mexico

By E. R. Holt

Title Field Superintendent

MEMORANDUM FOR THE DIRECTOR, FBI
FROM: SAC, NEW YORK
SUBJECT: [Illegible]

RE: [Illegible]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible text block]

[Illegible text block]

ELLIOTT GAS UNIT "G"

W/2 Sec 33

Township 30N

Range 9W

County SAN JUAN

State N. MEX.

