3-OCC
1-F

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE	1	
FILE	1	✓
U.S.G.S.		
LAND OFFICE		
OPERATOR	1	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease
State [ ] xxxxxxxFederalxxxxxxx [ ]

5. State Oil & Gas Lease No.
SF-079962

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT —" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL [ ] GAS WELL [X] OTHER-

7. Unit Agreement Name

2. Name of Operator
Beta Development Co.

8. Farm or Lease Name
Fogelson - 35

3. Address of Operator
234 Petroleum Club Plaza, Farmington, New Mexico

9. Well No.
1

4. Location of Well
UNIT LETTER **O**, **1180** FEET FROM THE **South** LINE AND **2400** FEET FROM THE **East** LINE, SECTION **35** TOWNSHIP **30 N** RANGE **11 W** NMPM.

10. Field and Pool, or Wildcat
Basin Dakota

15. Elevation *(Show whether DF, RT, GR, etc.)*
5771' GR

12. County
San Juan

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK [X]	PLUG AND ABANDON [ ]	REMEDIAL WORK [ ]	ALTERING CASING [ ]
TEMPORARILY ABANDON [ ]		COMMENCE DRILLING OPNS. [ ]	PLUG AND ABANDONMENT [ ]
PULL OR ALTER CASING [ ]	CHANGE PLANS [ ]	CASING TEST AND CEMENT JOB [ ]	
OTHER [ ]		OTHER [ ]	

17. Describe Proposed or Completed Operations *(Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work)* SEE RULE 1103.

Repair casing leaks w/packer and Kem-Pac chemicals, as follows:

Rig up workover rig, circulate out mud, sand and shale to T.D. Circulate until hole is clean. POH. Run Baker Model "D" production packer on wire line. Set packer just below Greenhorn section w/bump out plug to keep any water or Kem-Pac material from getting below packer. GIH w/tbg., Model "D" locator and tail pipe. Spot Kem-Pac above Model "D", set tail pipe down on bump out plug, run tail pipe through Model "D" and land locator seals in packer. Flange up well head, swab well in and re-acidize if necessary.

RECEIVED
DEC 23 1966
OIL CON. COM.
DIST. 3

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Original signed by: JOHN T. HAMPTON TITLE **Manager** DATE **December 21, 1966**

APPROVED BY Emery C Arnold TITLE Sup Dist III DATE 12-23-66

CONDITIONS OF APPROVAL, IF ANY: