

Submit 3 Copies
to Appropriate
District Office

3 MNOCD 1 File

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30 045 08998

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG A WELL IN A
DIFFERENT RESERVOIR. USE APPLICATION FOR PERMIT
(FORM C-101) FOR SUCH PROPOSALS.)

Lease Name or Unit Agreement Name

1. Type of Well:

OIL
WELL ☐

GAS
WELL ☒

OTHER

2. Name of Operator

Dugan Production Corp.

3. Address of Operator

P.O. Box 420, Farmington, NM 87499

8. Well No.

Julander

2

9. Pool name or Wildcat

Fulcher Kutz PC

4. Well Location

Unit Letter I : 2320 Feet From The South Line and 330 Feet From The East Line

Section 33

Township

30 North Range

12 West

NMPM

San Juan

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

5773' GL

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☐

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☒

CASING TEST AND CEMENT JOB ☐

OTHER: ☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Perforate @ 890', 50' below Farmington Sand top. Spot 33 cu. ft. class "B" with 3% CaCl₂ from 882'-727'. Displace cement with 2 bbls water. SI 3 hrs. Tag cement @ 770', 120' inside & 80' outside pipe. Farmington Sand plug 770-882'. Perforate 4 squeeze holes @ 673', 50' below Ojo Alamo top. Spot 71 cu. ft. class "B" with 3% CaCl₂ from 665'-354'. Displace with 4 bbls water. SI 3 hrs. Tag cement @ 400', 273' inside & 127' outside pipe. Ojo Alamo plug 400-673'. Perforate 4 squeeze holes @ 50'. Cement with 65 cu. ft. class "B". Circulate cement around 7" annulus to surface. SI overnight. Tag @ 390'. Spot 89 cu. ft. class "B" at 390'. Fill casing with cement to surface. Wait 1 hr - cement fell to 50'. Fill casing from top. SI overnight. Check cement at 3'. Set dry hole marker. Job complete 4/12/1999.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

John Alexander

TITLE

Vice-President

DATE 4/12/99

TYPE OR PRINT NAME

John Alexander

TELEPHONE NO. 325-1821

(This space for State Use)

ORIGINAL SIGNED BY E. VILLANUEVA

SEAL OIL & GAS INSPECTOR, DIST. #3

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

OCT 1 1999