(April 1952)						
хх						


(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Age	ncy Navajo Tribe
14-20	-603-2032
Allottes	
1 N.	234869

See attached plat

NOTICE OF INTENTION TO CHANGE PLANS NOTICE OF INTENTION TO TEST WATER SHUT-OFF. NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO PULL OR ALTER CASING NOTICE OF INTENTION TO DEPLIE OR ALTER CASING NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) (NOTICE OF	INTENTION TO	DRILL	<u>x</u>	X SUBSEQUENT REPORT OF WATER SHUT-OFF					
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL NOTICE OF INTENTION TO SUDOT OR ACIDIZE NOTICE OF INTENTION TO FULL OR ACIDIZE NOTICE OF INTENTION TO ABANDON WELL (INDECATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER BAYD. FARMINGTON, NEW MAY 4, 19.60 Well No. 1 is located 1980 ft. from Si line and 560 ft. from Will line of sec. 31. NW/4 of SW/4 31 50-N (Chep) (Margin) North Hogback Dakota W/C San Juan New Mexico Undesignate(Sec.) The elevation of the derrick floor above sea level is later ft. DETAILS OF WORK (Seaso mannes of and expected depths to objective mends; when they expected the proposed casings; indicate mundding jobs, came large with the sec.) ASING PROGRAM CEMENTING PROGRAM CEMENTING PROGRAM CEMENTING PROGRAM CORING PROGRAM CORING PROGRAM CORING PROGRAM CORING PROGRAM CORING PROGRAM CORING PROGRAM Corrulate to surface of ground 1-Gallup 635-735 1-J2 9.5# 1600 Circulate to Surface of ground 1-Gallup 635-735 Corrulate to 600' above the top of 1-Dakota 1290-1390 MAY 9 1960 OIL CON. COM. I understand that this plan of week must resolve approved in writing by the Gaolateal Supplier 20-replace and Supplier		1 .		i	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING						
NOTICE OF INTENTION TO SHOOT OR ACIDIZE NOTICE OF INTENTION TO ADARDON WELL U. S. CEOLOGICAL SUPPLEMENTARY WELL HISTORY. Well No. 1. is located 1980 ft. from SUPPLEMENTARY WELL HISTORY. Well No. 1. is located 1980 ft. from SUPPLEMENTARY WELL HISTORY. North Hogback Dakota W/C San Juan New Mexico Undesignated Supplementary (Commy or Subdivision) The elevation of the derrick floor above sea level is later ft. DETAILS OF WORK (State names of and espected depths to objective search; slowy size, weights, and longths of proposed casings, indicate mudding jobs, comming position, and all other important proposed work) ASING PROGRAM CEMENTING PROGRAM CEMENTING PROGRAM CORING PROGRAM 1-Gallup 635-735 1-J2 9.5# 1600 Circulate to surface of ground 1-Gallup 635-735 Circulate to 600' above the top of uppermost pay. Lalliburton method of cementing to be used. Ininimum mud for samples. Proposed total depth 1600' to test the Dakota. WAY 9 1960 OLL CON. COM. I understand that this plan of work must receive approval in writing by the Gastatal Supplementary may be commenced. Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDIAND, TEXAS BY					! 13						
NOTICE OF INTENTION TO ADAMDON WELL (DERICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DAYA) FARMINGTON, NEW MAY 4, 19.60 Well No. 1 is located 1980 ft. from S line and 660 ft. from W line of sec. 31. NN/4 of SN/4 31 30-N 16-W (Range) (Meridian) North Hogback Dakota W/C San Juan New Mexico (Undesignated and special depths to objective sands; show also, weights, and longths of proposed casings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commissing polata, and all other important proposed earlings; indicate mudding jobs, commission of the derick floor above sea level is later ft. DETAILS OF WORK (State names of and sepacted depths to objective sands; subject ft. DETAILS OF WORK (State names of and sepacted depths to objective sands; subject ft. DETAILS OF WORK (State names of and sepacted depths to objective sands; subject ft. DETAILS OF WORK (State names of and sepacted depths to objective sands; subject ft. DETAILS OF WORK (State names of and sepacted depths to objective sands; subject ft. DETAILS OF W					1 1						
Well No. 1 is located 1980 ft. from NAME (Mark NATURE OF REPORT, NOTICE, OR OTHER DATA) FARMINGTOR, NEW May 4, 19.51 Well No. 1 is located 1980 ft. from NAME (Mark NATURE OF REPORT, NOTICE, OR OTHER DATA) FARMINGTOR, NEW May 4, 19.51 NW/4 of SW/4 51 30-N 16-W (Mark NATURE OF REPORT, NOTICE, OR OTHER DATA) FARMINGTOR, NEW May 4, 19.51 North Hogback Dakota W/C San Juan New Mexico (Mark Nature Of Switch of Switch Of State of Turitory) The elevation of the derrick floor above sea level is later ft. DETAILS OF WORK (State mannes of and expected depths to objective reands) show does, weights, and longths of proposed casings; indicate mudding jobs, came ing points, and all other important proposed work) ASSING PROGRAM CEMENTING PROGRAM CORING PROGRAM 12e Wt. Depth Tor -5/8" 24# 35' Circulate to surface of ground 1-Gallup 635-735 -1/2 9.5# 1600 Circulate to 600' above the top of uppermost pay. [alliburton method of cementing to be used . Indimum mud for samples. Proposed total depth 1600' to test the Dakota . PROGRAM I understand that this plan of week must receive approval in writing by the Gaelancial Supple Frederical Sup						li -			ľ	17A O	196
Well No 1 is located 1980 ft. from NAMY 4,						SUPPLEMENTARY WELL HISTORY					
Well No is located 1980 ft. from NN line and 660 ft. from NN line of sec 31. NN/4 of SN/4 31		NOTICE OF	INTENTION TO						<u>us</u>	EOLOGICAL	LSU
Well No is located 1980 ft. from NN line and 660 ft. from NN line of sec 31. NN/4 of SN/4 31				(INDICATE ABOVE BY	CHECK MARK NA	TURE OF REP	ORT, NOTICE,	OR OTHER E	PATA) FARMI	NGTON, NE	W MI
Well No l is located 1980 ft. from No No.	AJO TR	IBE OF IN	NDIANS "I								
North Hogback Dakota W/C San Juan New Mexico Undesignate(Pald) (County or Subdivision) (State or Territory) The elevation of the derrick floor above sea level is later ft. DETAILS OF WORK (State names of and expected depths to objective ands; show size, weights, and lengths of proposed casings; indicate mudding jobs, come in points, and all other important proposed work) ASING PROGRAM CEMENTING PROGRAM CEMENTING PROGRAM 12e Wt. Depth 1-5/8" 24# 35' Circulate to surface of ground 1-Gallup 635-735 1-1/2 9.5# 1600 Circulate to 600' above the top of uppermost pay. Indicate mudding jobs, come in the part of the control of uppermost pay. Indicate mudding jobs, come in the part of program in the part of ground 1-Gallup 635-735 Company Humble Oil & Refining Company Address BOX 1600 MIDLAND, TEXAS By Mexico (State or Territory) New Mexico (State or Territory) New Mexico (State or Territory) (State						• ,			•	of sec	31
The elevation of the derrick floor above sea level is later ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, came ing points, and all other important proposed work) ASSING PROGRAM CEMENTING PROGRAM CORING PROGRAM CORING PROGRAM 1-2e Wt. Depth 1-5/8" 24# 35' Circulate to surface of ground 1-Gallup 635-735 1-1/2 9.5# 1600 Circulate to 600' above the top of uppermost pay. Calliburton method of cementing to be used. Company muddent for samples. Proposed total depth 1600' to test the Dakota. Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS By J. E. L.		(34.8	ec, and Sec. No.	.) (1w	p.) (on list	range)	,	Mer Mer	w Mexico		
The elevation of the derrick floor above sea level is later ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, came ing points, and all other important proposed work) ASSING PROGRAM CEMENTING PROGRAM CORING PROGRAM CORING PROGRAM 1-2e Wt. Depth 1-5/8" 24# 35' Circulate to surface of ground 1-Gallup 635-735 1-1/2 9.5# 1600 Circulate to 600' above the top of uppermost pay. Calliburton method of cementing to be used. Company muddent for samples. Proposed total depth 1600' to test the Dakota. Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS By J. E. L.		North Ho	ogback Da	akota W/C	(County of	Subdivision)			(State or Territo	ory)	-
DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, came ing points, and all other important proposed event) ASING PROGRAM CEMENTING PROGRAM CORING PROGRAM	U	11000101101111									
ASING PROGRAM CEMENTING PROGRAM 12e Wt. Depth 1-5/8" 24# 35' Circulate to surface of ground 1-Gallup 635-735 1-1/2 9.5# 1600 Circulate to 600' above the top of uppermost pay. 1-Dakota 1290-1390 1-Dakota 1290-1390 1-Inimum mud for samples. 1-Inimum mud for		The elevat	tion of the	derrick floor abo	ove sea leve	l is late	E it.				
ASING PROGRAM CEMENTING PROGRAM 12e Wt. Depth 1-5/8" 24# 35' Circulate to surface of ground 1-Gallup 635-735 1-1/2 9.5# 1600 Circulate to 600' above the top of uppermost pay. 1-Dakota 1290-1390 1-Dakota 1290-1390 1-Inimum mud for samples. 1-Inimum mud for					DETAIL	S OF WO)RK				
ASING PROGRAM 12e Wt. Depth						-					
is the first or description of the company of the c					ander about stops	matabas and	lengths of m	onceed casts	age: indicate my	udding jobs, c	eme
ize Wt. Depth or -5/8" 24# 35' Circulate to surface of ground 1-Gallup 635-735 -1/2 9.5# 1600 Circulate to 600' above the top of uppermost pay. Indicate the surface of ground 1-Gallup 635-735 I uppermost pay. I uppermost pay. I uppermost pay. I understand that this plan of work must receive approval in writing by the Geold Ical Suppermose may be commenced. Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS By Seast		(State names	of and expects	d depths to objective si ing po	ands; show sizes, ints, and all oth	, weights, and er important	lengths of pr proposed we	reposed casi: rk)	ngs; indicate m	udding jobs, c	;eme
or -5/8" 24# 35' Circulate to surface of ground 1-Gallup 635-735 1-1/2 9.5# 1600 Circulate to 600' above the top of uppermost pay. [Alliburton method of cementing to be used. Inimum mud for samples. Proposed total depth 1600' to test the Dakota. [I understand that this plan of work must receive approval in writing by the Geological Supple For 3 persions may be commenced. [Company HUMBLE OIL & REFINING COMPANY] Address BOX 1600 MIDLAND, TEXAS [By J. E. F. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	CASTNG		of and expects			, weights, and er important	lengths of pz proposed wo	roposed casir rk)			eme
Independent that this plan of work must receive approval in writing by the Geological Supplementary and be commenced. Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS By DEFENDENCE 1-Dakota 1290-1390 1-Dakota 1290-1390 RECEIVED MAY 9 1960 OIL CON. COM. OIL CON. COM. By DEFENDENCE BY DEFE	Size	PROGRAM				, weights, and er important	lengths of pr proposed wo	oposed casis			eme.
Understand that this plan of work must receive approval in writing by the Geological Supply Torons may be commenced Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS Description of Line of L	Size 7" or	PROGRAM Wt.	<u>Depth</u>	CEMENTING F	PROGRAM			reposed casis	CORING P	ROGRAM	
Inimum mud for samples. Proposed total depth 1600' to test the Dakota. I understand that this plan of work must receive approval in writing by the Geological Supplementary and be commenced. Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS By J. E. F.	Size 7" or 7-5/8"	PROGRAM Wt. 24#	Depth 35'	CEMENTING F	PROGRAM	e of gro	und		CORING P	ROGRAM	
Proposed total depth 1600' to test the Dakota. MAY 9 1960 OL CON. COM. I understand that this plan of work must receive approval in writing by the Geoldrical Supplementary and the Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS By See See See See See See See See See Se	Size 7" or 7-5/8"	PROGRAM Wt. 24#	Depth 35'	CEMENTING F Circulate t Circulate t	PROGRAM co surface co 600' ab	e of gro	und		CORING P	ROGRAM 635-735	5
Proposed total depth 1600' to test the Dakota. MAY 9 1960 OL CON. COM. I understand that this plan of work must receive approval in writing by the Geoldrical Supplementary and the Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS By See See See See See See See See See Se	Size 7" or 7-5/8"	PROGRAM Wt. 24#	Depth 35'	CEMENTING F Circulate t Circulate t	PROGRAM co surface co 600' ab	e of gro	und		CORING P	ROGRAM 635-735	5
Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS MIDLAND, TEXAS MAY 9 1960 OIL CON. COM. OIL CON. C	Size 7" or 7-5/8" 4-1/2	PROGRAM Wt. 24# 9.5#	Depth 35' 1600	Circulate t Circulate t Uppermost p	PROGRAM So surface so 600' aboxy.	e of gro	und		CORING P	ROGRAM 635-735	5
I understand that this plan of work must receive approval in writing by the Geological Supple Tyraperations may be commenced. Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS By J. Seef.	Size 7" or 7-5/8" 4-1/2 Hallib	PROGRAM Wt. 24# 9.5#	Depth 35' 1600	CEMENTING F Circulate t Circulate t uppermost p	PROGRAM So surface so 600' aboxy.	e of gro	und		CORING P	ROGRAM 635-735	5
Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS By Section COM. OIL CON. COM. OIL COM. OIL CON. COM. OIL COM. O	Size 7" or 7-5/8" 4-1/2 Hallibu	PROGRAM Wt. 24# 9.5# urton met	Depth 35' 1600 hod of consumples	CEMENTING F Circulate t Circulate t uppermost p	PROGRAM co surface co 600' ab coay. coe used.	e of gro	und	CEIVI	1-Gallup	ROGRAM 635-735	5
Company HUMBLE OIL & REFINING COMPANY Address BOX 1600 MIDLAND, TEXAS By By	Size 7" or 7-5/8" 4-1/2 Hallibu	PROGRAM Wt. 24# 9.5# urton met	Depth 35' 1600 hod of consumples	CEMENTING F Circulate t Circulate t uppermost p	PROGRAM co surface co 600' ab coay. coe used.	e of gro	und top of	CEIVI	1-Gallup	ROGRAM 635-735	5
Address BOX 1600 MIDLAND, TEXAS By By	ize " or -5/8" -1/2 Iallibu	PROGRAM Wt. 24# 9.5# urton met	Depth 35' 1600 hod of consumples	CEMENTING F Circulate t Circulate t uppermost p	PROGRAM co surface co 600' ab coay. coe used.	e of gro	und top of RE	CEIVI	1-Gallup 1-Dakota	ROGRAM 635-735	5
Address BOX 1600 MIDLAND, TEXAS By Seef	Size " or -5/8" -1/2 Hallibu	PROGRAM Wt. 24# 9.5# urton met n mud for ed total	Depth 35' 1600 hod of complesedepth 16	CEMENTING F Circulate t Circulate t uppermost p ementing to b	PROGRAM TO SURFACE TO 600' about The used to the Dakots	e of gro	und top of RE M	CEIVI 189 1 con.	1-Gallup 1-Dakota 960 COM.	635-735 1290-13	390
MIDLAND, TEXAS By By	Size " or -5/8" -1/2 Hallibu	PROGRAM Wt. 24# 9.5# urton met n mud for ed total	Depth 35' 1600 hod of complesed and that this particular that this particular	CEMENTING F Circulate to the circulate to the comperment point of the comperment of	PROGRAM So surface So 600' aboay Se used The Dakots	e of gro	und top of RE M	CEIVI 189 1 con.	1-Gallup 1-Dakota 960 COM.	635-735 1290-13	5 390
By S. C.	Size 7" or 7-5/8" 1-1/2 Hallibu	PROGRAM Wt. 24# 9.5# urton met n mud for ed total	Depth 35' 1600 hod of complesed and that this particular that this particular	CEMENTING F Circulate to the circulate to the comperment point of the comperment of	PROGRAM So surface So 600' aboay Se used The Dakots	e of gro	und top of RE M	CEIVI 189 1 con.	1-Gallup 1-Dakota 960 COM.	635-735 1290-13	5 390
ምል ለኮሙ	Size 7" or 7-5/8" 4-1/2 Hallibu	PROGRAM Wt. 24# 9.5# urton met m mud for ed total I understa	Depth 35' 1600 hod of compless depth 16	CEMENTING F Circulate to Circulate to the comperment of the compe	PROGRAM So surface So 600' aboay Se used The Dakots	e of gro	und top of RE M	CEIVI 189 1 con.	1-Gallup 1-Dakota 960 COM.	635-735 1290-13	5 390
	Size 7" or 7-5/8" 4-1/2 Hallibu	PROGRAM Wt. 24# 9.5# urton met m mud for ed total I understa	Depth 35' 1600 hod of consumples depth 16 HUMBL BOX 1	CEMENTING F Circulate to Circulate to the Circulate Circulate to the Circulate Circul	PROGRAM So surface So 600' aboay Se used The Dakots	e of gro	top of	CEIVI 189 1 con.	1-Gallup 1-Dakota 960 COM.	635-735 1290-13	5 390



Well Location and Acreage Dedication Plat

Section A.					D	ate May 4,1960
Operator HIM	nhle pill	& Refining	P0 10250	Nava	a in Tri	be of Indians "K" 30 North Range 16 West NMPM From West Line d Acreage 40 Acres
Well No	Unit Le	tter <u>"∠"</u> Sec	tjon3/		Township <u> </u>	30 North Range 16 West NMPM
Located 198	7 <u>0 </u>	et From <u>Sou</u>	<u>/2</u> Line,	60	Feet	From West Line
County <u>an</u>	JUAR.	G. L. Ele	evation <u>Late</u>	? <i>F</i>	_ Dedicate	d Acreage 42 Acres
Name of Produ 1. Is the Ope	rator the	only owner* i	n the dedica	ted acı	eage outl	ined on the plat below?
Yes	No					
2. If the ans	wer to que	estion one is	"no", have t	he into	erests of	all the owners been
"yes," Typ			igreement or	otnerw	se? tes	
3. If the ans	wer to que	estion two is	"no," list a	11 the	owners an	nd thier respective interests
below:						
	0wner				Land Desc	riptions
						70FT-11/00
						KLULIY (1)
					Ę.	MAY 9 1960
			_			OIL COSE 1 L
Section B						DIST
	Dİ	С	B (A	And the same of th
	1		ļ			This is to certify that the
	1		l I			information in Section $f A$
	!		l I			above is true and complete
	ļ		ļ			to the best of my knowledge and belief
	1		• •			and berief
	- +		-			HUMBLE OIL &REFG. CO.
	1	'	i		"	(Operator)
:	1		1			Hellow
	!		1			(Representative)
	1		1		j	(Nopresentative)
	1		İ			Box 1600 Midland, Texas
						Address
	L	K	J		[]	This is to certify that the
	4		1			well location shown on the
- 660' 0	1		!			plat in Section B was plotted from field notes of actual
1	1		!			surveys made by me or under
to Paris	ļ					my supervision and that the
	*					same is true and correct to
	- _M				— — p	the best of my knowledge and
			1		Ì	belief.
80	I I		i			Date Surveyed_3-28-60
16			I			1 0 1 + 6.00
	Ī		!		ļ	Tr. S. Westerfield
	1		! i			Registered Professional Engineer and/or Land Surveyor
			F F			
0 330 660 990	1320 1650	1980 2310 2640	2000 1500	1000	500 0	Certificate No. <u>1382</u>