

DISTRICT I  
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II  
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III  
1000 Rio Brazos Rd., Aztec, NM 87410

**OIL CONSERVATION DIVISION**  
P.O. Box 2088  
Santa Fe, New Mexico 87504-2088

WELL API NO. 3004509017
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No. E-556
7. Lease Name or Unit Agreement Name State Com AB
8. Well No. 24
9. Pool name or Wildcat Aztec Pictured Cliffs

<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	
2. Name of Operator Conoco Inc.	
3. Address of Operator 10 Desta Dr., Ste 100W, Midland, Tx 79705	
4. Well Location Unit Letter <u>H</u> : <u>1650</u> Feet From The <u>North</u> Line and <u>1250</u> Feet From The <u>East</u> Line Section <u>36</u> Township <u>30N</u> Range <u>11W</u> NMPM San Juan County	
10. Elevation (Show whether DF, RKB, RT, GR, etc.) 5933' GL	

11. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
<b>NOTICE OF INTENTION TO:</b>	<b>SUBSEQUENT REPORT OF:</b>
PERFORM REMEDIAL WORK <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>
OTHER: <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
	CASING TEST AND CEMENT JOB <input type="checkbox"/>
	OTHER: <input type="checkbox"/>

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

It is proposed to Plug & Abandon the State Com AB #24 well as follows:

1. RIH w/ cmt ret to 2140'.
2. Squeeze open hole (2342-2432') w/90 sx Class "B" cmt.
3. Sting out of ret & spot 20' Class "B" cmt on top.
4. Spot mud from 2120-1130'.
5. Perf @ 1100 w/4 JSPF.
6. RIH w/ cmt ret & set @ 750'. Squeeze perfs w/290 sx Class "B" cmt.
7. Sting out of ret & spot 20' of Class "B" cmt on top.
8. Spot Class "B" cmt from 100' to surface.
9. Cut off csg & erect abandonment marker.

**RECEIVED**  
AUG 31 1992  
OIL CON.  
DIST. 3

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Jerry W. Hoover TITLE Sr. Conservation Coordinator DATE 08-28-92  
TYPE OR PRINT NAME Jerry W. Hoover (915) 686-6548 TELEPHONE NO.

(This space for State Use)

Original Signed by CHARLES GHOLSON

DEPUTY OIL & GAS INSPECTOR, DIST. #3

AUG 31 1992

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

CONDITIONS OF APPROVAL, IF ANY:

omit step 4 - mud not required as spacer between plugs.  
change step 8 to - perforate 5 1/2" casing at 152' + circulate  
cement to surface.

# STATE COM AB #24

## SAN JUAN OU

### CURRENT COMPLETION

**SURFACE CASING**  
9 5/8", 32.3#, @ 102'  
100 SACKS CEMENT  
TOC: CIRC.


KB: 5940'  
GLE: 5933'

**TUBING**  
1" @ 2406'

**PRODUCTION CASING**  
5 1/2", 14/15.5# @2342'  
250 SXS CEMENT  
TOC: N/A

**OPEN HOLE**  
**PICTURED CLIFF**  
2342-2432'

PBTD: 2432'  
TD: 2432'



# STATE COM AB #24

## SAN JUAN OU

### PROPOSED P&A

**SURFACE CASING**  
9 5/8", 32.3#, @ 102'  
100 SACKS CEMENT  
TOC: CIRC.

**OJO ALAMO  
FRESH WATER ZONE**

**PRODUCTION CASING**  
5 1/2", 14/15.5# @ 2342'  
250 SACKS CEMENT  
TOC: N/A

