

B. & R. SERVICE, INC.

TEMPERATURE SURVEY

COMPANY EL PASO NATURAL GAS COMPANY
WELL BLANCO DEV. # 1 FIELD 30-8
COUNTY RIO ARriba STATE NEW MEXICO
SEC 36 TWP 30 RGE 8

APPROX. TOP CEMENT 1400


Survey Begins at 1000' Ft. Ends at 3029' Ft.
Approx. Fill-Up Max. Temp. 104°
Log Measured From R.T. Run No.

Casing Size	Casing Depth	Diam of Hole	Depth
7" from <u>0</u> to <u>3050'</u>		8 3/4" from <u> </u> to <u> </u>	
from <u> </u> to <u> </u>		from <u> </u> to <u> </u>	

Date of Cementing 12-7-62 Time 7:00 PM.
Date of Survey 12-8-62 Time 3:00 AM.
Amount of Cement 165 SKS. Type ELIara "35"
Amount of Admix 4% GEL. + 50 SKS. Type ELIara "35"
Recorded by R.D. Cox Witnessed by FRED HOFF

REMARKS OR OTHER DATA

TEMPERATURE IN DEGREES FAHRENHEIT



B. & R. SERVICE, INC.

TEMPERATURE SURVEY

COMPANY... EL PASO NATURAL GAS COMPANY

WELL... ³⁰⁻⁸ BLANCO DEV. # 1 FIELD...

COUNTY... RIO ARRIBA STATE... NEW MEXICO

SEC... 36 TWP... 30 RGE... 8

APPROX. TOP CEMENT... 1400

Survey Begins at 1000' Ft. Ends at 3022' Ft.

Approx. Fill-Up Max. Temp. 104°

Log Measured From R.T. Run No.

Casing Size	Casing Depth	Diam of Hole	Depth
7" from 0 to 3050'	8 3/4" from	to	
from to	from to		

Date of Cementing 12-7-62 Time 7:00 PM.

Date of Survey 12-8-62 Time 3:00 AM.

Amount of Cement 165 SKS. Type ELTara "35"

Amount of Admix 4% GEL. + 50 SKS. Type ELTara "35"

Recorded by R.D. Cox Witnessed by FRED HOFF

REMARKS OR OTHER DATA

TEMPERATURE IN DEGREES FAHRENHEIT

1000	60°	80°	100°	120°	140°
1100					

