

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil ☐ well gas ☒ well other ☐
2. NAME OF OPERATOR
AMOCO PRODUCTION COMPANY
3. ADDRESS OF OPERATOR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) 990' FNL x 1650' FEL
AT SURFACE: Same
AT TOP PROD. INTERVAL: Same
AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF	<input type="checkbox"/>	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	<input type="checkbox"/>
PULL OR ALTER CASING	<input type="checkbox"/>	<input type="checkbox"/>
MULTIPLE COMPLETE	<input type="checkbox"/>	<input type="checkbox"/>
CHANGE ZONES	<input type="checkbox"/>	<input type="checkbox"/>
ABANDON*	<input type="checkbox"/>	<input checked="" type="checkbox"/>
(other)		

5. LEASE
SF-078139
6. IF INDIAN, ALLOTTEE OR TRIBE NAME
7. UNIT AGREEMENT NAME
8. FARM OR LEASE NAME
Sandoval Gas Com "A"
9. WELL NO.
10. FIELD OR WILDCAT NAME
Blanco Mesaverde
11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA NW/4-NE/4 Section 35
T 30N - R9W
12. COUNTY OR PARISH
San Juan
13. STATE
New Mexico
14. API NO.
30-045-09038
15. ELEVATIONS (SHOW DF, KDB, AND WD)
5703' GL

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

The above well was plugged and abandoned on 10-23-80 as follows:

1. Set permanent bridge plug at 4400 ft.
 2. Cement retainer was set at 3800 ft.
 3. Cliffhouse mesaverde formation (4008' - 4368') plugged with 100 sx class "B" neat cement.
 4. Pictured Cliffs (2340' - 2450') plugged with 25 sx class "B" neat cement.
 5. Ojo Alamo (1330' - 1360') plugged with 25 sx Class "B" neat cement.
 6. Surface plugged with 20 sx class "B" neat cement.
- 9.0 PPG mud was spotted between plugs, location was cleared and P x A marker erected.

Subsurface Safety Valve: Manu. and Type _____ Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED Original Signed By _____ TITLE Dist. Engineer DATE 1-15-81

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

NMOCC

*See Instructions on Reverse Side

APPROVED
JUL 30 1984
M. MILLENBACH
AREA MANAGER