Meter Number:72440 Location Name: NEW MEXICO COM B#1 Location:TN-30 RG-10

> SC-36 UL-D 1 - State

NMOCD Zone: OUTSIDE

Hazard Ranking Score:00



RATIONALE FOR RISK-BASED CLOSURE OF PRODUCTION PITS LOCATED OUTSIDE OF THE VULNERABLE ZONE IN THE SAN JUAN BASIN

This production pit location was ranked according to the criteria in the New Mexico Oil Conservation Division's Unlined Surface Impoundment Closure Guidelines and received a ranking score of zero. The estimated depth to groundwater is greater than 100-feet beneath ground surface (bgs), the pit is not in a well head protection area, and there are no surface water bodies within 1,000 horizontal feet of the pit location.

The primary source, discharge to the pit has been removed. There has been no discharge to the pits for at least 4 years and the pits have been closed for at least one year.

Each pit was backfilled with clean soil and graded in a manner to divert precipitation away from the excavated area. Minimal infiltration of rainfall is expected. Any rainfall that does infiltrate the ground surface must migrate through clean backfill before reaching the residual hydrocarbons.

There is no source material at the ground surface, so direct contact of hydrocarbons with livestock and the populous is not likely.

In general, outside of the vulnerable area and alluvial valleys, bedrock material is generally encountered within 20 feet of the ground surface. Bedrock material in the San Juan Basin consists of interbedded sandstones, shales and clays. According to Freeze and Cherry, 1979, the hydraulic conductivity of the bedrock material are as follows:

10⁻⁹ to 10⁻¹³ cm/sec Sandstone 10⁻¹² to 10⁻¹⁶ cm/sec Shale 10⁻¹² to 10⁻¹⁵ cm/sec Clav

Based on this information, the residual hydrocarbons should not migrate to groundwater.

Natural process (bioremediation) are degrading the residual hydrocarbon to carbon dioxide and water and will continue until the source is gone, therefore minimizing any impact to the environment.

Based on the above information, it is highly unlikely that any source material will impact groundwater or ever find an exposure pathway to affect human health and therefore El Paso Field Services Company (EPFS) requests closure of this pit location.

FIELD PIT SITE ASSESSMENT FORMER PASO FIRE DE

tanger of the comment	Company of the Application of th					
GENERAL	Meter: 72440 Location: NEW MEXICO COM B #1					
	Operator #: <u>D263</u> Operator Name: <u>TEXACO</u> P/L District: <u>BloomEISLO</u>					
	Coordinates: Letter: D Section 36 Township: 30 Range: 10					
GEN	Or Latitude Longitude					
	Pit Type: Dehydrator Location Drip: X Line Drip: Other:					
	Site Visit Date: 4.15.94 Run: 10 83					
	NMOCD Zone: Inside Land Type: BLM (From NMOCD Vulnerable State X Fee Outside X Incian					
SITE ASSESSMENT	Depth to Groundwater Less Than 50 Feet (20 points) 50 Ft to 99 Ft (10 points) Greater Than 100 Ft (0 points) Wellhead Protection Area:					
	Is it less than 1000 ft from wells, springs, or other sources of fresh water extraction?, or; Is it less than 200 ft from a private domestic water source? YES (20 points) NO (0 points)					
	Horizontal Distance to Surface Water Body Less Than 200 Ft (20 points) 200 Ft to 1000 Ft (10 points) Greater Than 1000 Ft (0 points) Name of Surface Water Body					
	(Surface Water Body : Perennial Rivers, Major Wash, Streams, Creeks, Irrigation Canals, Ditches, Lakes, Ponds)					
	TOTAL HAZARD RANKING SCORE: POINTS					
REMARKS	Remarks: ONLY PIT ON LOCATION. PIT IS DRY.					
REM.						

	ORIGINAL PIT LOCATION
	Original Pit : a) Degrees from North <u>168°</u> Footage to Wellhead <u>63'</u> b) Degrees from NorthFootage to Dogleg
LOCATION	Dogleg Namec) Length : <u> </u>
PIŢ	
ORIGINAL	9889
J	WELLHEAD
	14'
	Remarks: STARTED TAKING PICTURES AT 8:53 A.M. END DUMP
	CAO DAVIT
RKS	
REMARKS	
	Completed By:
	Signature U.15.94 Date

FIEL PIT REMEDIATION/CLOSU FORM

~ 						
AL	Meter: 72440 Location: New Mexico Com B#/					
GENERAL	Coordinates: Letter: <u>D</u> Section <u>36</u> Township: <u>30</u> Range: <u>10</u>					
GE	Or Latitude Longitude					
	Date Started : <u>6-6-94</u> Area: <u>10</u> Run: <u>83</u>					
NS	Sample Number(s): MKII					
TIO	Sample Depth: Feet					
RVA	Final PID Reading 77 PID Reading Depth 12' Feet					
OBSERVATIONS	Yes No					
	Groundwater Encountered 🗌 (1) 💢 (2) Approximate Depth Feet					
FIELD						
	<u> </u>					
	Remediation Method :					
	Excavation (1) Approx. Cubic Yards					
RE	Onsite Bioremediation \square (2) Backfill Pit Without Excavation \square (3)					
	Soil Disposition:					
CLOSU	Envirotech (1) (3) Tierra					
	Other Facility (2) Name:					
	Pit Closure Date: <u>6-6-94</u> Pit Closed By: <u>B.E.I.</u>					
KS	Remarks: Black soil with hydrocarbon adar line Markers					
REMARKS						
RE						
1	Signature of Specialist: Margon Xillian					



FIELD SERVICES LABORATORY ANALYTICAL REPORT PIT CLOSURE PROJECT - Soil

SAMPLE IDENTIFICATION

	Field I	D		Lab ID		
SAMPLE NUMBER:	mk 11		945271			
MTR CODE SITE NAME:	72440		N/A			
SAMPLE DATE TIME (Hrs):	6-6-6	6-6-94		1525		
SAMPLED BY:		Black gand & Clay				
DATE OF TPH EXT. ANAL.:						
DATE OF BTEX EXT. ANAL.:						
TYPE DESCRIPTION:						
REMARKS:	R	ESULTS			!	
PARAMETER	RESULT UNIT	UNITS		QUALIFIERS		
			DF	Q	M(g)	V(ml
BENZENE		MG/KG				
TOLUENE		MG/KG				
ETHYL BENZENE		MG/KG				
TOTAL XYLENES		MG/KG				
TOTAL BTEX		MG/KG				
TPH (418.1)	520 524	MG/KG			2.07	28
HEADSPACE PID	77	PPM				
PERCENT SOLIDS	90:6	%				
e Surrogate Recovery was at rrative:	TPH is by EPA Method 418	8.1 and BTEX is by EPA M		was accep	table.	
= Dilution Factor Used						

4/06/07 15:14

Sample identification 45371

Initial mass of sample, g 2.070

Volume of sample after extraction, ml

Petroleum hydrocarbons, ppm 23.798

Net absorbance of hydrocarbons (2930 cm-1)

0.067

