30 N.

32

(SUBMIT IN TRIPLICATE)

Land Office Senta Fe Lease No. 078214 UNITED STATES Unit _____

DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

ELIS	E		[]		\mathbb{V}	5	
------	---	--	----	--	--------------	---	--

OTICE OF INTENTION TO DRILL		gunga and		APR 🕌
OTICE OF INTENTION TO CHANG	E PLANS	SUBSEQUENT REPORT OF WAT	ER SHUT-OFF.	1 1
OTICE OF INTENTION TO TEST V	VATER SHUT-OFF	SUBSEQUENT REPORT OF SHOOTS OF ALTE	TING OR ACIDIZING	FOTOHICA
NOTICE OF INTENTION TO RE-DRI	LL OR REPAIR WELL			
IOTICE OF INTENTION TO SHOOT	OR ACIDIZE	SUBSEQUENT REPORT OF RE-D	RILLING OR REPAIR	
NOTICE OF INTENTION TO PULL O	R ALTER CASING.	SUBSEQUENT REPORT OF ABAN	IDONMENT	
NOTICE OF INTENTION TO ABANDO	ON WELL.	SUPPLEMENTARY WELL HISTOR	···	XX
(INDI	CATE ABOVE BY CHECK MARK	NATURE OF REPORT, NOTICE, OR OTHE	ER DATA)	
orthwest Farming	con	April 2		, 19.63
ell No. 1-32 is loc	ated 790 ft. from	${N \choose S}$ line and 790 ft. fa	$\operatorname{Form}\left\{ egin{array}{c} \mathbf{E} \\ \mathbf{w} \end{array} \right\}$ line of section	. 32
ne section 32	T. 30M. 9	. 13W. NMPM	(**)	
(½ Sec. and Sec. No.) Basin Dakota	(Twp.) ((Range) (Meridian)		
	San Juan		New Mexico	
onames of and expected depths of pudded 1/17/63 45 ⁿ Casing set Perforeted subj	DETAIL o objective sands; show sizes ing points, and all oth at 6125	100m + 2000 - coin	(State or Tegritory) GL sings; indicate mudding in	obs, cement-
te names of and expected depths of pudded 1/17/63 45 casing set Perforated subj- 5884 - 5890 - F 5540 gal. water 3600# maximum to Air 19 bbl/min. 40-60 sand 51.49	DETAIL DETAIL	cl isft. 5354 LS OF WORK , weights, and lengths of proposed can her important proposed work) PSTD 6072 Llows: 5898 - 5918, 5000\$ 20-40 sand	(State or Tegritory) GL sings; indicate mudding is	
te names of and expected depths of pudded 1/17/63 4½ casing set Perforated subj. 5884 - 5890 - F. 5540 gal. water 3600# maximum t. Air 19 bbl/min. 40-60 sand 51,4: 3200 psi. Aver-	DETAIL DE	el isft. 5354 LS OF WORK s, weights, and lengths of proposed can her important proposed work) PSTD 6072 Llows: 5898 - 5918, i. 5000\$ 20-40 sand reage treating pressure 3900\$ is follows: 27,000\$ is follows: 27,000\$ ir. Maximum treatin ressure 2950 ps1. A	(State or Territory) GL sings; indicate mudding journel in 36.1 bbl. APR 5 operations may be operations may be operations may be operations.	nin. 1968
te names of and expected depths of pudded 1/17/63 4½ Casing set Perforated subj 5884 - 5890 - F 5540 gal. water 3600# maximum t Air 19 bbl/min. 40-60 sand \$1,40 3200 psi. Avera	DETAIL DE	el isft. 5354 LS OF WORK s, weights, and lengths of proposed can her important proposed work) PSTD 6072 Llows: 5898 - 5918, i. 5000\$ 20-40 sand reage treating pressure 3900\$ is follows: 27,000\$ is follows: 27,000\$ ir. Maximum treatin ressure 2950 ps1. A	(State or Territory) GL sings; indicate mudding justices. G pressure ir 36.1 bbl.	963 CC