NEW .AICO ...

MISSION

Santa Fe, 1

NOTICE	OF	INTEN
--------	----	-------

RILL

OIL CONSERVATION COMMISSION, Send communications regarding well to							
Gentlemen: You are hereby notified that it is our intention to commence the drilling of a well to be known as. B. W. S. Campary Wyper Well No. 2 in Carl Company or Operator Wyper Lesse Output Out			Azta	No.			
Gentlemen: You are hereby notified that it is our intention to commence the drilling of a well to be known as. B. W. S. Campary Wyper Well No. 2 in Carl Company or Operator Wyper Lesse Output Out	OII CON	OMD1:		T = CW #6X100	PA	Oc tober	I8. 1946
You are hereby notified that it is our intention to commence the drilling of a well to be known as No. C. C. Specific Wyper Lease Well No. 2 in Company or Operator	Santa Fe.	New Mexico	COMMISSION,	1.18	.00	•	Date
You are hereby notified that it is our intention to commence the drilling of a well to be known as B. N. S. C. C. S. S. C. C. S. S. C. C. S. S. S. C. S. S. S. C. S.		-					
Size of Size of Size of Casing Weight Per Foot Size of	Gentlemen	1:		,			
Size of Size of Size of Casing Weight Per Foot Size of	Y	You are hereb	y notified that it is	Our intention to			
Size of Size of Size of Casing Weight Per Foot Size of		B. M. N	SCORPONE	our modified to con	imence the d	rilling of a well to be	known as
The well is 660 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South World in the South line and 1700 feet (N.) (See of the South World in the South line and 1700 feet (N.) (See of the South World in the South line and 1700 feet (N.) (See of the South World in the South World in the South line and 1700 feet (N.) (See of the South World in the South line and 1700 feet (N.) (See of the South World in the South line and 1700 feet (N.) (See of the South World in the South line and 1700 feet (N.) (See of the South World in the South line and 1700 feet (N.) (See of the South World in the South World in the South line and 1700 feet (N.) (See of the South World in the South line and 1700 feet (N.) (See of the South World in the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of the South line and 1700 feet (N.) (See of t		Com	pany or Operator	₩ ур е:	Loggo	Well No	in
(E) (W.) of the _ast line of _Section 29	of Sec	2 9 , T	30N R IOW	N. M. Р. м	Danse	771	S. J.
(E) (W.) of the _ast line of _Section 29		N	The well	is <i>Coo</i>	AT) (MA	Field,San	Juan Coun
Give location from section or other legal subdivision lines. Cross out wro directions.) If state land the oil and gas lease is No							
directions.) If state land the oil and gas lease is No. Assignment No. If patented land the owner is R.L. Wyper Address Aztec, New Mexico If government land the permittee is Address Azt			- "	CLO 6			
If state land the oil and gas lease is No. Assignment No. If patented land the owner is R.L.Wyper Address Aztec, New Mexico If government land the permittee is Address The lessee is P. I.N.S. Company ABEA 640 ACRES Address Aztec, New Mexico We propose to drill well with drilling equipment as follows: Pert Westh Spudder The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the owner is as follows: Blanket Bond American Impleyers The propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight For Foot Second Hand Depth Landed or Comment Commented Casing Weight For Foot Second Hand 100 Lended 12½ 10 40 Second Hand 100 Lended 100 Report Commented Commented 12½ 10 40 Second Hand 100 Lended 100 Report 15½ 10 10 10 Second Hand 100 Lended 100 Report 150 Report 15		 	directions.	location from section	on or other 1	egal subdivision lines.	. Cross out wro
Address Aztec, New Mexico If government land the permittee is Address Aztec, New Mexico If government land the permittee is Address Aztec, New Mexico If government land the permittee is Address Aztec, New Mexico We propose to drill well with drilling equipment as follows: Pert Werth Spudder We propose to drill well with drilling equipment as follows: Blanket Bond American Employers Brook Size of Casing Weight Fer Foot Second Hand Depth Landed or Casing Hole Casing Weight Fer Foot Second Hand Depth Camented Size of Casing Weight Fer Foot Second Hand Depth Landed or Cament ID 8 28 " 1000 " 122 10 40 " 1000							
Address Aztec, New Mexico If government land the permittee is Address Aztec, New Mexico If government land the permittee is Address Aztec, New Mexico If government land the permittee is Address Aztec, New Mexico We propose to drill well with drilling equipment as follows: Pert Werth Spudder The lessee is Address Aztec, New Mexico We propose to drill well with drilling equipment as follows: Pert Werth Spudder The lessee is Address Aztec, New Mexico We propose to drill well with drilling equipment as follows: Pert Werth Spudder The lessee is Address Aztec, New Mexico We propose to drill well with drilling equipment as follows: Pert Werth Spudder The lessee is Address Aztec, New Mexico We propose to drill well with drilling equipment as follows: Pert Werth Spudder The lessee is Address Aztec, New Mexico We propose to drill well with drilling equipment as follows: Pert Werth Spudder The lessee is Address Aztec, New Mexico We propose to drill well with drilling equipment as follows: Pert Werth Spudder The lessee is Address Aztec, New Mexico We propose to drill well with drilling equipment as follows: Pert Werth Spudder The lessee is Address Aztec, New Mexico Address Aztec, New Mexico Address Aztec, New Mexico Address Aztec, New Mexico The lessee is Address Aztec, New Mexico Address Aztec, New Mexico The lessee is Address Aztec, New Lexico The lessee is Address Aztec, New Lexico The lessee is Address Aztec, New Lexico The lessee is The lessee is Address Aztec, New Lexico			If natanta	d land the	ase is No	Assignment	No
If government land the permittee is Address The lessee is Address The lessee is B.I.N.S. Company Address Address Agtec, New Mexico We propose to drill well with drilling equipment as follows: Pert Worth Spudder We propose to drill well with drilling equipment as follows: Pert Worth Spudder We propose to drill well with drilling equipment as follows: Pert Worth Spudder We propose to drill well with drilling equipment as follows: Pert Worth Spudder We propose to drill well with drilling equipment as follows: Pert Worth Spudder We propose to drill well with drilling equipment as follows: Pert Worth Spudder We propose to drill well with drilling equipment as follows: Pert Worth Spudder We propose to drill well with drilling equipment as follows: Pert Worth Spudder We propose to drill well with drilling equipment as follows: Blanket Bond American Impleyers Size of Male Casing Welship Per Feet Second Hand Depth Landed or Sacks Comented Soon In 151 100 50 100 1000 1000 1000 1000 100			- Patente	a land the owner is.		Warman	
AREA 640 ACRES AREA 640 ACRES Address The lessee is B. I.N. 3. Company Address Agtac, New Mc. 1cc We propose to drill well with drilling equipment as follows: Pert Warth Spudder e status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the ministion is as follows: Blanket Bend American Impleyers Propose to use the following strings of casing and to land or cement them as indicated: Size of Mole Casing Weight Fer Foot Second Hand Depth Commented Casing Weight Fer Foot Second Hand Depth Commented To 40		- - - 	-1	AZ USET TO BEST	Člaviono		
The lessee is B. I.N. S. Company Address Aztec, New Me cice OCATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Pert Warth Spudder e status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the propose to use the following strings of casing and to land or cement them as indicated: Size of Casing Weight Fer Foot Second Hand Depth Canador Commented To Hole Casing Weight Fer Foot Second Hand Depth Commented Commented To Hole 122 IO 40 " 1000 " 10	┠╸╎╶╎				, , , , , , , , , , , , , , , , , , ,		
AREA 640 ACRES Address Aztec, New Lecte We propose to drill well with drilling equipment as follows: Pert Werth Spudder e status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the propose to use the following strings of casing and to land or cement them as indicated: Size of Size	_		Address				
Pert Werth Spudder e status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the ministrian is as follows: Blanket Bond American Impleyers a propose to use the following strings of casing and to land or cement them as indicated: Size of Size of Casing Weight Per Foot Second Hand Depth Landed or Cement			The lessee i	8 77 77 0	0		
DEATE WELL CORRECTLY We propose to drill well with drilling equipment as follows: Part Warth Spudder The status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the ministion is as follows: Blanket Bond American Impleyers The propose to use the following strings of casing and to land or cement them as indicated: Size of Casing Weight Per Feet Second Hand Depth Landed or Coment Coment of Coment	AREA	640 ACRES	Address	Artes M	o og bank	·	
re status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the minission is as follows: Blanket Bend American Impleyers a propose to use the following strings of casing and to land or cement them as indicated: Size of Hole Casing Weight Per Feet New or Becond Hand Depth Landed or Cement Told Landed or Cement Told Landed Told Landed Told Landed Told Bands				a very a different direction		F4	
e status of a bond for this well in conformance with Rule 39 of the General Rules and Regulations of the mission is as follows: Blanket Bend American impleyers a propose to use the following strings of casing and to land or cement them as indicated: Size of Hole Casing Weight Per Foot Second Hand Depth Landed or Cement Cement 15½ 10 50 Second Hand Depth Landed or Cement 12½ 10 40 II 500 II 1000 II			- F-vPoso	oo dilli well with dri	lling equipme	nt as follows.	
Hole Casing Weight Per Feet Second Hand Depth Landed or Second Hand I 100 Lended Comented Coment I 12 10 40 Second Hand I 100 Lended I 100 Beautiful I 100 Bea	e propose	to use the fol	llowing strings of cas	Bend Ameri sing and to land or c	ement them	Leyers as indicated:	o and the
Sincerely yours, Send communications regarding well to Send communications regar			Weight Per Foot		Depth	Landed or	Sagke
10 8 28	7-7	IO ^L	50			Cemented	
8 7 20 # 1000 # 1500 #			50	Sec on A h and	700	1	Cement
7 5½ 15	125	IO	40			Landed	Cement
changes in the above plan become advisable we will notify you before cementing or landing casing. We estimate that first productive oil or gas sand should occur at a depth of about 1600 feet. Sincerely yours, except as follows: OIL CONSERVATION COMMISSION, Send communications regarding well to	12½ 10		1	H	500	Landed	Cement
company of particle of the above plan become advisable we will notify you before cementing or landing casing. We estimate that the first productive oil or gas sand should occur at a depth of about 1600 feet. Sincerely yours, except as follows: OIL CONSERVATION COMMISSION, Send communications regarding well to	12½ 10° 8	8 7	28	II II	500 1000	fş	Cement
of the above plan become advisable we will notify you before cementing or landing casing. We estimate that first productive oil or gas sand should occur at a depth of about 1600 feet. Sincerely yours, except as follows: OIL CONSERVATION COMMISSION, Send communications regarding well to	12½ 10° 8	8 7	28 20	II II	500 1000 150 0	19 F4	Coment
oil conservation commission, Sincerely yours, Position Position Position Position Position Position Send communications regarding well to	12½ 10 8 7	8 7 51	28 20 15	# #	500 1000 1500	11	
OIL CONSERVATION COMMISSION, Sincerely yours, By Position Position Position Send communications regarding well to	12½ 10 8 7	8 7 5년 the above pla	28 20 15	ii	500 1000 1500 1600	C emented	
OIL CONSERVATION COMMISSION, Sincerely yours, By Position Position Position Send communications regarding well to	12½ 10 8 7	8 7 5년 the above pla	28 20 15	ii	500 1000 1500 1600	C emented	
OIL CONSERVATION COMMISSION, Send communications regarding well to	I 2½ I 0 8 7 hanges in first proditional inf	8 7 5년 the above pla	28 20 15	ii	500 1000 1500 1600	C emented	
OIL CONSERVATION COMMISSION, Send communications regarding well to	I 2½ IO 8 7 changes in first prod	8 7 5년 the above pla	28 20 15 an become advisable gas sand should occ	we will notify you be	500 1000 1500 1600 efore cementi	C emented	
OIL CONSERVATION COMMISSION, Position Prilling superintendent Send communications regarding well to	I 2 2 2 10 8 7 changes in first prodictional information	the above pla luctive oil or formation:	28 20 15 an become advisable gas sand should occ	we will notify you be	500 1000 1500 1600 efore cementi	C emented	
OIL CONSERVATION COMMISSION, Send communications regarding well to	I2½ I0 8 7 changes in first prod	the above pla luctive oil or formation:	28 20 15 an become advisable gas sand should occ	we will notify you be	500 1000 1500 1600 efore cementi	C emented	
OIL CONSERVATION COMMISSION, Send communications regarding well to	I2½ I0 8 7 changes in first prod	the above pla luctive oil or formation:	28 20 15 an become advisable gas sand should occ	we will notify you be cur at a depth of al	500 1000 1500 1600 efore cementi	C emented	
Send communications regarding well to	I 2 2 10 8 7 changes in first prod	the above pla luctive oil or formation:	28 20 15 an become advisable gas sand should occ	we will notify you be cur at a depth of all	500 1000 1500 1600 efore cementi	C emented	
	I 2 2 2 10 8 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	the above pla luctive oil or formation:	28 20 15 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	we will notify you becur at a depth of all Sincerely By	1000 1500 1500 1600 efore cementic pout 1600	C emented In C	50 We estimate that
	I 2 2 2 10 8 7 changes in first proditional inf	the above pla luctive oil or formation:	28 20 15 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	we will notify you becur at a depth of all Sincerely By	1000 1500 1500 1600 efore cementic pout 1600	C emented In C	50 We estimate that
Address	I 2 2 2 10 8 7 changes in first proditional inf	the above pla luctive oil or formation:	28 20 15 20 15 20 20 20 20 20 20 20 20 20 20 20 20 20	we will notify you be cur at a depth of all sincerely By Position Send com	500 1000 1500 1500 1600 efore cementic cout. 1600 yours, yours, L.G	C emented In C	50 We estimate that

	•	\$ 7 4.5	A DEFECT OF THE CONTRACT OF TH
gggtisk (* 18 1d Hiv sagur Ermittibba 60	18 18 - 18 - 18 - 18 18 - 18 - 18 - 18 - 18 - 18 - 18 - 18 -	. The second of	Notice and the given to the tightness which contains to be the peak in the most of the contains and the sender. Substituted in the sender, Substitutions in Rules and Regulations of the Counties of.

OIL CONSERVATION COMMISSION, Sente Fo, New Mexico,

Geraliana)

You are hereby notified that it is our intention to commence we dellied of a well to be keep a as

	Vell XX in	The second secon	Jejriadic)	waranga sa
ightar ⁽⁾ mil	ing in the state of the state		How will	grant complete manner is a consistent of the contract of the c
Shout the	el sabdivivion Dines, ("Less	o location from section or other leg	o (1) (1,0) o (1)) andisos(1)	
		red the oll and gus least is No	palente	
		to setting permittee to	· prillered.	
		o dill with dilling equipment		AUPA 640 ACRES CATE WELL CORRECTLY

and the second of the second o

in septimental experimental consistence of the second septimental experimental consistence of the second of the Committee is as follows:

We propose to use the following strings of easing and to land or cement them as indicated:

jego je događana Vanos		ing and to land or cer	and the second second		Size of	Size of Hole
•					r.	H .
	2.7	•		•		
			:			

in the common of the character of a second or or the character of the control of the control of the character of the characte The American Commission of the and serval in Lead thick

	••		•	
, bevoadd St. 35 deur t	Company of the Compan	्राक्षा १५ औव १९५१ ग्रेड		
		***	and the second of the second o	 ***
		7 7 7 7 7 Z		
3200 JIO	WOMEN WORKS WARREN	Position	g han onbarget di	
فر د ده د ودده د		១ตครั้ง	Salah yan 1931 A	