### DELHI OIL CORPORATION

1315 PACIFIC AVENUE

#### DALLAS 1, TEXAS

Farmington District Office 305 West Madn Street Farmington, New Mexico

April 12, 1951

Reference: Santa Fe 078194

Mr. P. T. McGrath c/o u.s.g.s. P. U. Box 205 Farmington, New Mexico

Dear Sir:

Attached hereto Form 9-331s covering Subsequent Report of Water 3hut Off for our Ludwick Well No. 1 in the N.W. 1/4 of Section 29, T-30-N, R-10-W, San Juan County, New Mexico.

Yours very truly,

money)

J. B. Howell Superintendent

Mr. al. Seen

Aztec, n. 211-

## DELH( OIL CORPORATION 1315 PACIFIC AVENUE DALLAS 1, TEXAS

invainghom isbilet ville 305 Mest Anta Itress Partington, ew Taures

office of the state of the stat

eference: bunta re 078195

atomas established and a second a second and a second and a second and a second and a second and

ratio and

insering hereto form 9-3312 covering subsequent Accort of Actor Atlant of the Color Actor of the Color Actor of the Color Actor Actor.

TOVE CHANGE

ilosob v vi geografia a region

. 1771 **a**tVechasaa Orn. -331 a (March 1942)

### (SUBMIT IN TRIPLICATE)

# UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Sente	70
Lease No.	078194	
Unit		

	1 1	REPORTS ON WELL	
OTICE OF INTENTION TO DRILL	; ;;	SEQUENT REPORT OF WATER SHUT-OFF	
OTICE OF INTENTION TO CHANGE P OTICE OF INTENTION TO TEST WATI		SEQUENT REPORT OF SHOOTING OR ACIDIZI	1
OTICE OF INTENTION TO RE-DRILL		SEQUENT REPORT OF ALTERING CASING	
OTICE OF INTENTION TO SHOOT OR	1 1	SEQUENT REPORT OF REDRILLING OR REPAIRED	
OTICE OF INTENTION TO PULL OR A		LEMENTARY WELL HISTORY.	
OTICE OF INTENTION TO ABANDON	WELL		
(indicat	E ABOVE BY CHECK MARK NATURE OF	REPORT, NOTICE, OR OTHER DATA)	
ledel ek		April 12,	, 19
ll No is loc	ated 1650 ft. from N	ine and $\mathcal{F}$ ft. from $\mathbb{V}$ line	of sec.
(14 Sec. and Sec. No.)	7-30-5 A-10-8 (Twp.) (Range)	(Meridian)	
#Lidous	Sen Juan	New Yearloo	
(Field)	(County or Subdivision	on) (State or Territ	ory)
		and lengths of proposed casings; indicate metant proposed work)	
ion 4 jts of 9-5/5° ) 126' set at 134' (KB) rior to drilling pla 11th no drops after a	objective sands; show sizes, weights, ing points, and all other import	· · · · · · · · · · · · · · · · · · ·	pe in well hed to surf for 30 kins sid level
on 4 jts of 9-5/5"   26' set at 136' (KB) rior to drilling pla ith no drops after a	objective sands; show sizes, weights, ing points, and all other import	and lengths of proposed casings; indicate metant proposed work)  Therefore pipes Total fit gular counts and circulate the proposed with 50% proposed and fit	pe in well hed to surf for 30 kins sid level
an i jts of 9-5/5° 26' set at 136' (KB) rior to drilling pla tth no drop; after a to measured for any	objective sands; show sizes, weights, ing points, and all other important points and all other important points and all other important points are as a second points of the company of th	and lengths of proposed casings; indicate metant proposed work)  Therefore pipes Total fit gular counts and circulate the proposed with 50% proposed and fit	pe im well hed to surf for 30 %im. aid level
an 4 jts of 9-5/5" 26' set at 134' (KB) rior to drilling pla the measured for any	objective sands; show sizes, weights, ing points, and all other important points are all other important points.	and lengths of proposed casings; indicate meant proposed work)  F surface pipe. Total is gular casent and circulated with 50% processes and fix processes an	pe im well hed to surf for 30 %im. aid level
ize set at 136 (KB) rior to drilling plantin no drop; after any manufactured for any many below 011 Comp	objective sands; show sizes, weights, ing points, and all other important points and all other important points, and all other important points of the point	and lengths of proposed casings; indicate meant proposed work)  F surface pipe. Total is gular casent and circulated with 50% processes and fix processes an	pe im well hed to surf for 30 %im. aid level
um b jts of 9-5/5"   126' set at 136' (KB) rior to drilling plants no drop; after any the measured for any	objective sands; show sizes, weights, ing points, and all other important points, and all othe	and lengths of proposed casings; indicate meant proposed work)  F surface pipe. Total is gular casent and circulated with 50% processes and fix processes an	pe in well hed to surf for 30 kin. aid lavel