

DELHI OIL CORPORATION
1315 PACIFIC AVENUE
DALLAS 1, TEXAS

Farmington, District Office
305 West Main Street
Farmington, New Mexico

April 15, 1951

Reference: Santa Fe 078194

Mr. P. T. McGrath
C/O O.S.G.S.
Box 205
Farmington, New Mexico

Dear Sir:

Attached hereto Form 9-331a covering Subsequent Report of Water Shut-Off for Ludwick Well No. 1 located in N.W. 1/4 Section 29, T-30-N, R-10-W, San Juan County, New Mexico.

Yours very truly,



J. B. Howell
Superintendent

GAE/f
attachment

cc: Mr. Al Greer - Aztec, N.M.

DALLAS 1, TEXAS

Wollie Solntsev, not named
Jesse, also seen by
Solntsev, not named

12. 10. 1954

ALISTO SI BONGLO : 301476147

10/1/74

THE DEPT. OF THE ARMY

[illegible][illegible]

What year was it?

Supernatural

12/1/59

10050 - Year 2000

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Santa Fe
Lease No. 078194
Unit _____

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL _____	SUBSEQUENT REPORT OF WATER SHUT-OFF _____	X
NOTICE OF INTENTION TO CHANGE PLANS _____	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING _____	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF _____	SUBSEQUENT REPORT OF ALTERING CASING _____	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL _____	SUBSEQUENT REPORT OF REDRILLING OR REPAIR _____	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE _____	SUBSEQUENT REPORT OF ABANDONMENT _____	
NOTICE OF INTENTION TO PULL OR ALTER CASING _____	SUPPLEMENTARY WELL HISTORY _____	
NOTICE OF INTENTION TO ABANDON WELL _____		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Ludwick April 15, _____, 1952

Well No. 1 is located 1650 ft. from [N] line and 915 ft. from [E] line of sec. 29

N. N. 1/4 Sec. 29 T-30-N R-10-W 14W

(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)

Wildcat San Juan New Mexico

(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 6093 ft. D.P. (Alt.)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Run 80 Jts. of 5-1/2" (2511') assorted weight casing 14#, 15.5# and 17# J-55 casing landed at 2521' with 137 sacks of regular cement with full returns throughout job. Casing was pressured to 700# for 1-hour and showed no drop. Cable Tools will be moved in to drill out plug and well will then be bailed dry for test of water shut-off. Cable Tools will then drill thru the Pictured Cliff formation and then the well will be shot with nitro.
(Present P.D. of well 2521')

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Delhi Oil Corporation

Address 305 West Main Street

Farmington, New Mexico

By J. B. Howell
Title Superintendent