

**District I** - (505) 393-6161

P. O. Box 1980  
Hobbs, NM 88241-1980

**District II** - (505) 748-1283

811 S. First  
Artesia, NM 88210

**District III** - (505) 334-6178


1000 Rio Brazos Road  
Aztec, NM 87410

**District IV** - (505) 827-7131

New Mexico  
Energy Minerals and Natural Resources Department  
Oil Conservation Division  
2040 South Pacheco Street  
Santa Fe, New Mexico 87505  
(505) 827-7131

Form C-140  
Revised 06/99

Submit Original  
Plus 2 Copies  
to appropriate  
District Office



**APPLICATION FOR  
WELL WORKOVER PROJECT**

**I. Operator and Well**

<b>Operator name and address</b> Burlington Resources Oil and Gas P.O. Box 4289 Farmington, NM 87499						<b>OGRID Number</b> 014538		
<b>Contact Party</b> Peggy Cole						<b>Phone</b> (505) 326-9700		
<b>Property Name</b> MANSFIELD				<b>Well Number</b> 6		<b>API Number</b> 300450922800		
<b>UL</b> C	<b>Section</b> 29	<b>Township</b> 030N	<b>Range</b> 009W	<b>Feet From The</b> 990	<b>North/South Line</b> FNL	<b>Feet From The</b> 1650	<b>East/West Line</b> FWL	<b>County</b> SAN JUAN

**II. Workover**

<b>Date Workover Commenced</b> 5/14/99	<b>Previous Producing Pool(s) (Prior to Workover)</b>  BLANCO PICTURED CLIFFS
<b>Date Workover Completed</b> 6/11/99	

**III. Attach a description of the Workover Procedures performed to increase production**

**IV. Attach a production decline curve or table showing at least twelve months of production prior to the workover and at least three months of production following the workover reflecting a positive production increase.**

**V. AFFIDAVIT**

State of New Mexico )  
 ) ss.

County of San Juan )

Peggy Cole, being first duly sworn, upon oath states:

- I am the operator, or authorized representative of the Operator, of the above-reference Well.
- I have made, or caused to be made, a diligent search of the production records reasonably available for this Well.
- To the best of my knowledge, this application and the data used to prepare the production curve and/or table for this Well are complete and accurate.

Signature Peggy Cole Title Reg. Administrator Date 1-4-00

SUBSCRIBED AND SWORN TO before me this 4 day of Jan, 2000.

My Commission expires: 6/11/03

Mae Benallyen  
Notary Public

**FOR OIL CONSERVATION DIVISION USE ONLY:**

**VI. CERTIFICATION OF APPROVAL:**

This Application is hereby approved and the above-reference well is designated a Well Workover Project and the Division hereby verifies the data shows positive production increase. By copy hereof, the Division notifies the Secretary of the Taxation and Revenue Department of this Approval and certifies that this Well Workover Project was completed on 6/11/99

**Signature District Supervisor** SS. J

**OCD District** 3

**Date** 1/18/00

**VII. OF NOTIFICATION TO THE SECRETARY OF THE TAXATION AND REVENUE DEPARTMENT** \_\_\_\_\_

Sundry Notices and Reports on Wells

1. Type of Well  
GAS

2. Name of Operator

**BURLINGTON  
RESOURCES** OIL & GAS COMPANY

3. Address & Phone No. of Operator

PO Box 4289, Farmington, NM 87499 (505) 326-9700

4. Location of Well, Footage, Sec., T, R, M

990' FNL 1650' FWL, Sec.29, T-30-N, R-9-W, NMPM

5. Lease Number  
SF-076934-A  
6. If Indian, All. or  
Tribe Name

7. Unit Agreement Name

8. Well Name & Number  
Mansfield #6

9. API Well No.  
30-045-09228

10. Field and Pool  
Blanco Pictured Cli:

11. County and State  
San Juan Co, NM

12. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OTHER DATA

Type of Submission

Type of Action

☐ Notice of Intent

☐ Abandonment

☐ Change of Plans

☒ Subsequent Report

☐ Recompletion

☐ New Construction

☐ Final Abandonment

☐ Plugging Back

☐ Non-Routine Fracturing

☐ Casing Repair

☐ Water Shut off

☐ Altering Casing

☐ Conversion to Injection

☒ Other - Restimulate

13. Describe Proposed or Completed Operations

5-14-99 MIRU. SD for weekend.

5-17-99 ND WH. NU BOP. TOO H w/1 1/4" tbg. TIH w/RBP, set @ 2650'. PT 2-7/8" csg to 3800 psi/15 min, OK. Rls RBP & TOO H. ND BOP. NU frac valve. RD. Rig released.

5-29-99 RU. PT lines to 5000 psi, OK. Spot acid. Frac PC w/60 qual foam, 700 bbl 35# linear gel, 410,500 SCF N2, 175,000# of 20/40 Brady snd. RD. Flow back well. Shut-in well. WO bailer.

6-7-99 RU. TIH w/coil tbg, tag up @ 2507'. CO to 2795'. RD. Flow well.

6-8-99 Flow back well.

6-9-99 Flow back well. RU. TIH w/bailer. Bail snd @ 2750'-2769'. Flow well.

6-10-99 Flow back well. Bail snd to 2780'. Flow well.

6-11-99 Flow back well. TOO H w/bailer. RD. Well turned over to production.

14. I hereby certify that the foregoing is true and correct.

Signed [Signature] Title Regulatory Administrator Date 6/18/99

ACCEPTED FOR RECORD

(This space for Federal or State Office use)

APPROVED BY \_\_\_\_\_ Title \_\_\_\_\_ Date JUN 15 1999

CONDITION OF APPROVAL, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

BY [Signature] OFFICE

OPERATOR

with and that the information given above is true and complete to the best of my knowledge and belief.

Signature: [Signature]

Approved by:

37.8

COMP NAME	TOW ID	USER XREF	DISP MO	GRS GAS PR
MANSFIELD 6	5061901	50619A	11/30/98	672.21
MANSFIELD 6	5061901	50619A	12/31/98	1000.74
MANSFIELD 6	5061901	50619A	1/31/99	642.91
MANSFIELD 6	5061901	50619A	2/28/99	553.34
MANSFIELD 6	5061901	50619A	3/31/99	873.29
MANSFIELD 6	5061901	50619A	4/30/99	779.06
MANSFIELD 6	5061901	50619A	5/31/99	495.85
MANSFIELD 6	5061901	50619A	6/30/99	587.83
MANSFIELD 6	5061901	50619A	7/31/99	1815.27
MANSFIELD 6	5061901	50619A	8/31/99	1358.42
MANSFIELD 6	5061901	50619A	9/30/99	449.6
MANSFIELD 6	5061901	50619A	10/31/99	1182.93

	MAN	DP	NO	PRD	DIS	Volume
11	50619A	199711	00			834.286
11	50619A	199712	00			805.856
11	50619A	199801	00			787.229
11	50619A	199802	00			254.894
11	50619A	199803	00			1089.18
11	50619A	199804	00			825.463
11	50619A	199805	00			857.815
11	50619A	199806	00			831.345
11	50619A	199807	00			865.658
11	50619A	199808	00			964.674
11	50619A	199809	00			839.188
11	50619A	199810	00			390.183