COPY FOR STATE OF NEW MEXICO OIL CONSERVATION COMMISSION

DISTRICT OFFICE

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Lease No. <u>078200</u> Unit <u>Riddle</u>	Land	Office	Sar	ıta	J	1	
UnitRiddle	Lease	No	078	32 0	0		
	Unit_		Rid	id I			

Title Petroleum Engineer

JUN 9 1952 SUNDRY NOTICES AND REPORTS ON WELLSOLOGICAL SURVEY

To drill a well with rotary tools through the Mesaverde. To drill the pay section with gas circulation. To shoot the entire Mesaverde with two quarts per foot. Total depth 5075.				FARN	hacton, n. M.
NOTICE OF INTENTION TO CHANGE PLANS. NOTICE OF INTENTION TO TEST WATER SAUT-OFT. SUBSEQUENT REPORT OF SHOOTING OR ACIDIZEM. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO PULL OR ACIDIZE. NOTICE OF INTENTION TO ADAMADON WILL. (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA) June 5 19.52 Well No. 1-B is located 790 ft. from N line and 1850 ft. from King. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. P. M. (IN BE Section 27 30M 10M N. M. M. P. M. (IN BE SECTION 30M N. M. M. P. M. (IN BE SECTION 30M N. M. M. P. M. (IN BE SECTION 30M N. M. M. P. M. (IN BE SECTION 30M N. M. M. P. M. (IN BE SECTION 30M N. M. M. P. M. (IN BE SECTION 30M N. M. M. P. M. (IN BE SECTION 30M N. M. M. P. M. (IN BE SECTION 30M N. M. M. P. M. (IN M. M. M. M. P. M. (IN M. M. M. P. M. (IN M. M. M. P. M. (IN M. M. M. M. M. M. M. (IN	NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF	WATER SHUT-OFF	
NOTICE OF INTENTION TO SECRETAL OR REPAIR WELL NOTICE OF INTENTION TO SHOOT OR ACIDIZE. NOTICE OF INTENTION TO ABANDON WELL (INDICATE ABOVE BY CHECK MARK NATURE OF REPORT. NOTICE, OR OTHER DATA) June 5 June 5	NOTICE OF INTENTION TO CHANGE P	ANS	4	70.	
Well No. 1-B is located 790 ft. from Notice of intention to such a super	NOTICE OF INTENTION TO TEST WATE	R SHUT-OFF	SUBSEQUENT REPORT OF	ALTERING CASING	
Well No	NOTICE OF INTENTION TO RE-DRILL (R REPAIR WELL	SUBSEQUENT REPORT OF	REDRILLING OR REPAIR.	
Well No. 1-B is located 790 ft. from N line and 1850 ft. from E line of sec. 27. Well No. 1-B is located 790 ft. from N line and 1850 ft. from E line of sec. 27. Well No. 1-B is located 790 ft. from N line and 1850 ft. from E line of sec. 27. Well No. 1-B is located 790 ft. from N line and 1850 ft. from E line of sec. 27. Well No. 1-B is located 790 ft. from N line and 1850 ft. from E line of sec. 27. Well No. 1-B is located 790 ft. from N line and 1850 ft. ft. N line and 1850 ft. San Juan New Mexico (State and Sec. 27. Well No. 1-B is located 790 ft. from N line and 1850 ft. ft. N line and 1850 ft. San Juan New Mexico (State and Sec. 27. Well No. 1-B is located 790 ft. from N line and 1850 ft. ft. N line and 1850 ft. San Juan New Mexico (State and Sec. 27. Well No. 1-B is located 790 ft. from N line and 1850 ft. ft. N line and 1850 ft. ft. ft. N line and 1850 ft. ft. San Juan New Mexico (State and Sec. 27. Well No. 1-B is located 790 ft. from N line and 1850 ft. ft. ft. N line and 1850 ft.	NOTICE OF INTENTION TO SHOOT OR	ACIDIZE	SUBSEQUENT REPORT OF	ABANDONMENT	
Well No. 1-B. is located 790 ft. from N line and 1850 ft. from E line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from E line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from E line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line and 1850 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1-B. is located 790 ft. from N line and 1850 ft. from N line of sec. 27. Will No. 1952 ft. from N line and 1850 ft. f	NOTICE OF INTENTION TO PULL OR A	LTER CASING	SUPPLEMENTARY WELL HI	STORY	
Well No. 1-B. is located 790 ft. from No. 100 ft.	NOTICE OF INTENTION TO ABANDON 1				
Well No. 1-B is located 790 ft. from N line and 1850 ft. from E line of sec. 27. NW NE Section 27 30N 10W N. M. P. M. (R Sec. and Sec. No.) (Twp.) (Stange) Rlanco - I.a. Plata Sen. Juan New Mexico (State or Territor (Plaid)) (County of Studdivision) (State or Territor (County of Studies) (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work (County of Studies) (County of Studies) (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work (County of Studies) (State names of and expected depths, and all other important proposed casings; DIST. 3 is intended: To drill a well with rotary tools through the Mesaverde. To drill the pay section with gas circulation. To shoot the entire Mesaverde with two quarts per foot. Total depth 5075'. Ing program: (As at 150' with cement to surface. " at 150' with 300 sacks regular cement. El of Section 27 is desicated to this writing by the Geological Survey before operations may be commenced. Company EL PASO HATURAL GAS COMPANY Address P. O. BOX 997 ORIGINAL SIGNED E. J. COEL	(INDICATE ABO				
WW NE Section 27 (N Sec. and Sec. No.) (Twp.) (Name) (Name) (No.) (Name) (No.) (No.) (Name) (No.) (No.)			J	une 5	, 19 <u>.52</u>
Blanco - La Plata San Juan New Marico (Field) (County or Subdivision) The elevation of the derrick floor above sea level is		-		- Charles	of sec <u>27</u> _
The elevation of the derrick floor above sea level is	(14 Sec. and Sec. No.)	(Twp.) (Re	unge) (Me		and the second second
The elevation of the derrick floor above sea level is 6180 ft. DETAILS OF WORK (State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work To drill a well with rotary tools through the Mesaverde. To drill the pay section with gas circulation. To shoot the entire Mesaverde with two quarts per foot. Total depth 5075'. Ing program: (8 at 150' with cement to surface. " at 4265' with 300 sacks regular cement. Lufterstand that this plan of work must receive approved in writing by the Geological Survey before operations may be commenced. Company EL PASO HATURAL GAS COMPANY Address P. O. BOX 997 ORIGINAL SIGNED E. J. COEL	Blanco - La Plata	Sen Ju	an .		
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) It is intended: To drill a well with rotary tools through the Mesaverde. To drill the pay section with gas circulation. To shoot the entire Mesaverde with two quarts per foot. Total depth 5075'. Ing progrem: /8" at 150' with cement to surface. " at 4265' with 300 sacks regular cement. I understand that this plan of work must receive approved in writing by the Geological Survey before operations may be commenced. Company EL PASO HATURAL GAS COMPANY Address. P. O. BOX 997 ORIGINAL SIGNED E. J. COEL	(Field)	(County or Su	bdivision)	(State or Territor	or two
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) It is intended: To drill a well with rotary tools through the Mesaverde. To drill the pay section with gas circulation. To shoot the entire Mesaverde with two quarts per foot. Total depth 5075'. Ing progrem: /8" at 150' with cement to surface. " at 4265' with 300 sacks regular cement. I understand that this plan of work must receive approved in writing by the Geological Survey before operations may be commenced. Company EL PASO HATURAL GAS COMPANY Address. P. O. BOX 997 ORIGINAL SIGNED E. J. COEL	The elevation of the derrick	floor above sea level	is 6180 ft.		WFFIAF
(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate muddling jobs, cementing points, and all other important proposed work) Is intended: To drill a well with rotary tools through the Mesaverde. To drill the pay section with gas circulation. To shoot the entire Mesaverde with two quarts per foot. Total depth 5075'. Ing program: //8" at 150' with cement to surface. " at 4265' with 300 sacks regular cement. I understand that this plan of work must receive approved in writing by the Geological Survey before operations may be commenced. Company EL PASO HATURAL GAS COMPANY Address. P. O. BOX 997 ORIGINAL SIGNED E. J. COEL				∥.	HIN 2 0 1059
To drill a well with rotary tools through the Mesaverde. To drill the pay section with gas circulation. To shoot the entire Mesaverde with two quarts per foot. Total depth 5075'. sing program: /8" at 150' with cement to surface. " at 4265' with 300 sacks regular cement. El of Section 27 is dedicated to this well writing by the Geological Survey before operations may be commenced. Company EL PASO MATURAL GAS COMPANY Address P. O. BOX 997 ORIGINAL SIGNED E. J. COEL				-	
To drill a well with rotary tools through the Mesaverde. To drill the pay section with gas circulation. To shoot the entire Mesaverde with two quarts per foot. Total depth 5075'. Ing program: /8" at 150' with cement to surface. " at 4265' with 300 sacks regular cement. El of Section 27 is dedicated to this well writing by the Geological Survey before operations may be commenced. Company EL PASO HATURAL GAS COMPANY Address. P. O. BOX 997 ORIGINAL SIGNED E. J. COEL	(State names of and expected de indicate muddling	pths to objective sands; jobs, cementing points	; show sizes, weights, , and all other importa	and lengths of propa	OIL CON. COI
To drill the pay section with gas circulation. To shoot the entire Mesaverde with two quarts per foot. Total depth 5075. Ing program: /8" at 150' with cement to surface. " at 4265' with 300 sacks regular cement. El of Section 27 is dedicated to this wall writing by the Geological Survey before operations may be commenced. Company EL PASO MATURAL GAS COMPANY Address P. O. BOX 997 ORIGINAL SIGNED E. J. COEL	is intended:				
/8" at 150' with coment to surface. " at 4265' with 300 sacks regular coment. El of Section 27 is dedicated to this wall writing by the Geological Survey before operations may be commenced. Company EL PASO MATURAL GAS COMPANY Address P. O. BOX 997 ORIGINAL SIGNED E. J. COEL	To drill the pay section	n with gas circul	ation.		50751.
" at 4265' with 300 sacks regular coment. Ed of Section 27 is dedicated to this well writing by the Geological Survey before operations may be commenced. Company EL PASO NATURAL GAS COMPANY Address P. O. BOX 997 ORIGINAL SIGNED E. J. COEL	sing progrem:				
Operations may be commenced. Company EL PASO NATURAL GAS COMPANY Address P. O. BOX 997 ORIGINAL SIGNED E. J. COEL	" at 4265' with 300 sa	cks regular cemen			
Address P. O. BOX 997 ORIGINAL SIGNED E. J. COEL			pproval in writing by	the Geological Surve	ey before
ORIGINAL SIGNED E. J. COEL	Company EL PASO HATUR	AL GAS COMPANY			
PATHATHAM WILL MINE AND TANK	Address P. O. BOX 997	(#####################################		onioind: Block-Th	F 1 00C1
	FARMINGTON, N	en mexico	Ву		E. J. GUEL

COPY FOR STATE OF NEW MEXICO OIL CONSERVATION **COMMISSION** SUBMIT IN TRIPLICATE TO DISTRICT OFFICE

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land	Offic	e j	Sar	ta	_1			-
Leas	e No.	(078	2 0	Q			_
Unit		_;	Rid	141				
		G	G		ŗ	₩ U	1. 1	

JUN 9 1952

SUNDRY NOTICES AND REPORTS ON WELS GOLOGICAL SURVEY

	NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT	T REPORT	T OF WATER S	HUŢ-OFF	·	
	NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT	T REPORT	r of shootin	G OR ACIDIZI	NG	
	NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT	T REPORT	T OF ALTERIN	G CASING		
	NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT	T REPORT	T OF REDRILL	ing or Repai	R	
,	NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT	T REPORT	T OF ABANDO	NMENT		
	NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENT	TARY WE	LL HISTORY			
	NOTICE OF INTENTION TO ABANDON WELL							
	(INDICATE ABOVE BY CHECK MARK		· · · · · · · · · · · · · · · · · · ·			THER DATA)		
		****			June '	5		19 <u>52</u>
	Well No. 1-B is located 790 ft.	from	N line a	nd <u>18</u>	50_ft. fro	om E line	e of sec	27
	NW NE Section 27 30N (5) Sec. and Sec. No.) (Twp.)	:	LOW	N. M	. P. M.			
	=*							
	Blanco - La Plata S	an J	uan			New M	x1co	FILE
	(Field) (Cou	nty or S	ubdivision)			(State or Terr	70	TWF
	The elevation of the derrick floor above sea	level	is 6180	. ft.			/ NLU	eliv L
	DET	'AILS	OF WO	RK			NUC '	2 U 195
	(State names of and expected depths to objective indicate muddling jobs, cementing						posed cas	ON. CO lings; IST. 3
It	is intended:							
1. 2. 3.	To drill a well with rotary tools to To drill the pay section with gas c To shoot the entire Mesaverde with	ireu	lation.			tal depti	1 5075°.	
Cas	ing program:							
9 - 5 7	/8" at 150' with cement to surface. " at 4265' with 300 sacks regular		nt.					
	I understand that this plan of work must recoperations may be commenced.	to t	his well approval in	W ritin	g by the Ge	eological Su	rvey befor	·e
	Company EL PASO NATURAL GAS COMPA	MY					·	
	Address P. 0. BOX 997	****			ממח	GINAL SIGN	EN E .1 (1	:OFI
	FARMINGTON, NEW MEXICO			Ву	UKI	IMME SIGN		
				Title	Peta	roleum K	ngineer	

OIL CONSERVATION COMMISSION

Operator	Lease	V	Vell No.
e of Producing Formation_	Mesa ver de	Pool	Blanco
•			
Acres Dedicated to the Wel			
te land status and show ow	2/	7.87	NCE 10%
CCTION 27 TO	WNSHIP)N RA	NGE
	No. of the Control of		
	Annual Control		
		·	
			•
		į	
		s. F. 078200)
	A Company		
	The state of the s		
	Service Control of the Control of th		
·	and the state of t		
ý .	Kitter		
	Section of the sectio		
	A second		
			The South State of the State of

(over)

Representing 17 Paso Natural Gas Company

Address Box 597, Fermington, N.M.

OIL CONSERVAT	TON COMMI	
No. Copies Rece		>
DISTR	BUTION	
	NO. FURNISHED	
Operator		
Canta Fe	1	
Proration Office		
State Land Office		
U.S. G. S.		
Transcorter		
File		4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
The second secon		