



30 N

(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEYBudget Bureau No. 42-R358.4,  
Approval expires 12-31-60.Land Office **Santa Fe**Lease No. **078213**

Unit \_\_\_\_\_

## SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	XXX
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

November 25, 1960

Well No. 2-26 is located 1140 ft. from N line and 990 ft. from E line of sec. 26NE NE Section 26

(1/4 Sec. and 1/2 Sec. No.)

30 North 13 West

(Twp.)

(Range)

NMPM

(Meridian)

Wildcat

(Field)

San Juan County

(County or Subdivision)

New Mexico

(State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

5792 G. L.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate casing points, and all other important proposed work)

Perforated following intervals with four jet shots per foot: 6356-6380, 6440-6468, 6472-6488.

Fraced well as follows:

Frac #1

Fraced w/31,000 gal gelled water and 31,000 # 20-40 sand. Formation broke from 3500-3000 psi at 10 BPH. Maximum treating pressure-3600 psi Average rate 30 BPM @ 3400 psi. Dropped 50 balls. When balls hit well sanded off.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company COMPASS EXPLORATION, INC.Address 1645 Court PlaceDenver, Colorado

By

P. J. FarrellyTitle Geologist