

OIL CONSERVATION COMMISSION

P. O. BOX 871

SANTA FE, NEW MEXICO

December 17, 1956

C
O
P
Y
El Paso Natural Gas Company
P. O. Box 1492
El Paso, Texas

Administrative Order NWU-190

Attention: Mr. Samuel Smith

Gentlemen:

Reference is made to your application for approval of a 311.6-acre non-standard gas proration unit in the Blanco Mesaverde Gas Pool consisting of the following acreage:

Township 30 North, Range 10 West
W/2 (E/2 NW/4, E/2 SW/4, Lot 1 thru 4) Of Section 19

It is understood that this unit is to be ascribed to your Ludwick Well No. 12, located 990 feet from the South line and in the SE/4 SW/4 of Section 19, Township 30 North, Range 10 West, NMPM, San Juan County, New Mexico.

Inasmuch as you are the only offset operator, it is possible for immediate approval to be granted. Therefore, by authority granted me under provisions of Rule 1, Section (b)-4 of the Special Rules and Regulations of the Blanco Mesaverde Gas Pool, as set forth in Order R-128-D, you are hereby authorized to operate the above described acreage as a non-standard gas proration unit, with allowable to be assigned thereto in accordance with Rule 9 of the pool rules, based upon the unit size of 311.6 acres.

Very truly yours,

A. L. PORTER, JR.
Secretary-Director

WWM:nc

cc: OCC, Aztec
USGS, Farmington

UNITED STATES DEPARTMENT OF AGRICULTURE
BUREAU OF PLANT INDUSTRY
WASHINGTON, D. C.

March 1, 1914

Mr. J. H. ...
New York, N. Y.

Dear Sir:

I have your letter of February 27, 1914.

Very truly,
Yours,
J. H. ...

I am sorry to hear that you are not satisfied with the results of the tests made on the material you sent me. I have been very busy lately and have not had time to look into the matter more thoroughly.

I am, however, sure that the material is of good quality and that the results of the tests are correct.

I have been very busy lately and have not had time to look into the matter more thoroughly. I am, however, sure that the material is of good quality and that the results of the tests are correct.

I am, however, sure that the material is of good quality and that the results of the tests are correct. I have been very busy lately and have not had time to look into the matter more thoroughly.

Sincerely,
J. H. ...

Very truly,
Yours,
J. H. ...

138