SANTA FE, NEW MEXICO

APPLICATION FOR DUAL COMPLETION

eld Name	County	•	January 19= 1965	
esin Dakota & Blanco	Mesaverde	T	g Juan	
rator		Lease		Well No.
outhern Union Produc	tion Co.	Federal Helm		Range
ation Unit	Section	Township		10 West
/ell		30 %	orth	
			ual completion of a	well in these same pools or in the same
cones within one mile of the s	ubject well? YES	S NO		• 107 11 \$1
f answer is yes, identify one	such instance: Ord	der No;	Operator, Lease, an	d Well No.:
The following facts are submi-	tted:	Upper Zone		Lower Zone
g. Name of reservoir		Messyerde		Dakota
b. Top and Bottom of		TREAVATOR		
•		ran faal		7207-7417
Pay Section (Perforations)		5127 - 52 3 8		1 m - 1 1 m - 1 1
c. Type of production (Oil or	Gas	0		Gas
d. Method of Production	Sus)			
	(ft)	The state of		Flowing
(Flowing or Artificial Li The following are attached. (· NO		
thereon. (If such lo	he well or other acc g is not available a e lease on which th	ceptable log with tops and bot	d, it shall be submit ith their correct mai	ones and intervals of perforation indicated as provided by Rule 112-A.) ling address.
				JAN 27 1965
				OIL CON. COM.
				OIL COM
				DIST. ?
of such notification	signed, state that I (company), and t	am the	perintendent ^{of} ompart to make this	the Southern Union report; and that this report was prepared the best of my knowledge.
ier my supervision and directi	on and that the fact	is stated therein are true, con	Letter 1). I loland &-
			Gilbert D. No	· •
				land. Ir.
			dilogre 1/2 no	land Ir Signature
Should maining from all	affect approtoss so			Signature
Should waivers from all	offset operators not	t accompany an application fo	or administrative app	Signature roval, the New Mexico Oil Conservation
Commission will hold th	e application for a	t accompany an application fo period of twenty (20) days fro	or administrative appom date of receipt by	Signature

NOTE: If the proposed dual completion will result in an unorthodox well location and/or a non-standard proration unit in either or both of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

SOUTHERN UNION PROBUCTION COMPANY FEDERAL HELMS #1 1800' FSL and 1695 FWL SECTION 22, T-30-N, R-10-W SAN JUAN COUNTY, NEW MEXICO

DAKOTA-MESAVERDE, DUAL COMPLETION

SURFACE CSG: 10-3/4", 32.75#, H-40 SET @ 297' R.K.B. CEMENTED TO SURFACE WITH 275 BACKS.

INTERMEDIATE CSG: 7-5/8", 26.40#, J-55, SET @ 3093' R.K.B. CEMENTED WITH 50 SACKS CEMENT & 200 BBLS KEN PACK AMEAD OF CEMENT - CIRCULATED TO SURFACE.

2.113" O.D. BAKER BLAST JOINTS ACROSS MESAVERDE PERFS FROM 4495-4648 & 5112-5255.

1-1/2" NON UPBET, 2.75# J.C.W., AND 1-1/2" I.J. 2.75# TBG. TO DAKOTA. LANDED @ 7010' R.K.B.

PRODUCTION CSG: 5", 15#, J-55, SET @ 7460 R.K.B. CEMENTED WITH 900 CU. FT. DIACEL "D". TOP OF CEMENT @ 27601

PBTD 7425 R.K.B.

T.D. 7460 R.K.B.

MESAVERDE (CLIFF House PERFS) 4508-4636

MESAVERDE (POINT LOOKOUT PERFS) 5129-5238

1-1/4" INTEGRAL JOINT, 2.30# J.C.W. TBG. SET TO MESAVERDE. LANDED @ 5187' R.K.B.

BAKER MODEL "D" 5" PRODUCTION PACKER SET @ 69901 R.K.B.

DAKOTA PERFORATIONS 7207-7417

SOUTHERN UNION PROBUCTION COMPANY

OFF-SET OPERATOR'S PLAT FEDERAL HELMS NO. 1

R 10 W
E.P.N.G.
1-A
P.CM.V.
F.UW.V.
SEc. 15
1-8
0
M.V.
SUNRAY
SO.UNION PROD.CO. E.P.W.G.
01
P.CM.V.
S€C. 22
M.V.K.D.
5
FEDERAL HELMS KING
1-8 RIZOLE
ART
. M.V.
LHI
Sec. 27