Form 9-331a
(Feb. 1951)

Budget Bureau 42-R358.3.
Approval expires 12-31-55.

Land Office Santa Fe
Lease No. 078201
Unit [redacted] Sec. 24

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 26, 19 54

Fleranco

Well No. 4-20 is located 990 ft. from [N] line and 1650 ft. from [E] line of sec. 24

NE¼ Sec. 24 (¼ Sec. and Sec. No.) 30 N (Twp.) 9 W (Range) NMPM (Meridian)

Blanco (Field) San Juan (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is Will be furnished later ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

We propose to drill with rotary tools using mud to approximately 4500' (Top of Cliffhouse) and set 7-5/8" casing, then drill with rotary tools using gas to approximately 7700' (Top of Dakota) and set 5½" casing, then drill with mud or gas (which ever is possible or practical) through the Dakota section and possibly shooting with SNG, sand-oil hydro-fracturing. In the event the Dakota formation is non-commercial it will be plugged back to top of Mancos and completion made thru the Mesa Verde.

Proposed Casing Program:
250' - 10-3/4" 32.75# H-40 ST&C casing - Cemented to surface
4500' - 7-5/8" 26.40# J-55 ST&C Casing - Cemented with [illegible] sx.
7700' - 5-1/2" 17# J-55 ST&C Casing - Cemented with [illegible] sx.
7500' - 2" J-55 E S Tubing

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Delhi Oil Corporation

Address Box #1175
Farmington, New Mexico

By J B Lawrence

Title Superintendent

U. S. GOVERNMENT PRINTING OFFICE 16—8437-5

SF-078201

Company Delhi Oil Corporation

Lease Florance Well No. 3-20

Sec. 24 T. 30N., R. 9 W., N.M.P.M.

Location 990' from the North line and 1650' from the East line.

San Juan County New Mexico



N

Scale—4 inches equals 1 mile.

This is to certify that the above plat was prepared from field notes of actual surveys made by me or under my supervision and that the same are true and correct to the best of my knowledge and belief.

Seal:

Registered Professional Engineer and Land Surveyor.

Charles J. Finklea
N. Mex. Reg. No. 1302

Surveyed August 9, 1951